

BIBLIOT. ISTITUTO BOTANICO - PADOVA


A.P.L. 364

















FLOWER-GARDEN

DISPLAY'D,

In above

Four Hundred Curious Representations

Of the most

BEAUTIFUL FLOWERS;

Regularly dispos'd in the respective MONTHS of their BLOSSOM,

Curioufly Engrav'd on COPPER-PLATES

From the Defigns of

Mr. F U R B E R and Others,

And COLOURED to the LIFE.

With the DESCRIPTION and HISTORY of each PLANT and the Method of their Culture; whether in Stoves, Green-Houses, Hot-Beds, Glass-Cases, Open Borders, or against Walls.

VERY USEFUL,

Not only for the Curious in Gardening, but the Prints likewise for Painters, Carvers, Japaners, &c. also for the Ladies, as Patterns for Working, and Painting in Water-Colours; or Furniture for the Closet.

LONDON:

Printed for J. HAZARD at the Bible against Stationers-Hall; R. Montagu in Queen-Street near Drury-Lane; W. Bickerton at Lord Bacon's Head, and R. Chandler at the Flower-de-Luce, without Temple-Bar; and Cæsar Ward at the Ship between the Temple-Gates in Fleetstreet.

M DCC XXXII

(8) 14 . at Williams



THE

INTRODUCTION.

T may be proper to acquaint the Reader with the Reasons which induce us to publish the following Collection.

First, It will be a Means of informing the Publick of the great Variety of Flowers, in all their Stations, at every Season of the Year. It may be thought, perhaps, that the Winter Mondis are void of the Delights expected in a Flower-Garden; but the Mistake will soon be discover'd by any curious Observer, when he shall find, that there are at least Two and Thirty Flowers of different Kinds then in their Splendour.

Secondly, As the First Impression of the Monthly Flower-Pieces have been so well receiv'd by the Publick, we thought a particular Description of the Flowers, and the Nature of their Culture, which could not be express'd in the Plates themselves, might hope for the same Success; it being an Observation made by many Persons (and we think with much Reason) That to know only the Names of the Flowers, and to be ignorant of their Culture, might occasion a continual Expence in A 2 procuring,

INTRODUCTION.

procuring such Rarities, which, one Day, might live with them, and, for want of this necessary Knowledge,

might perish the next.

For these Reasons we have thought it convenient to give our Observations on the Culture of the Flowers, which we shall offer in the same manner as the Prints set forth, i. e. Numerically, from every Monthly Piece: And as it happens that some of the most curious Flowers in those Pieces are thrown to Distances by the Painter, so as not to shew their extreme Beauties, we have been more particular in the Description of them, and have colour'd all the Prints from the Life.

We would have chosen to begin with the Spring Months, viz. March, April, and May; and have thrown the three following Summer Months to those which properly relate to Autumn; and then took in those of the Winter; but the common Custom of beginning the Year

with January, will excuse us.

We persuade our selves, a Design so useful and entertaining, will meet with the Approbation of the Publick.



ASHORT

EXPLANATION

OF

The most DIFFICULT TERMS which are made use of in this BOOK.

A PEX, Apices, Chives, the small Knobs that grow on the fine Threads or Stamina of the Flower.
Bulbs, Roots that are round, and wrapped with several Skins or

Coats, like an Onion.

Bulbous, Having Onion-Roots, or Bulbs.

Catkins, or Juli, Small dusty Substances, which are found in January, on Hazels, Poplars, &c.

Caps of the Buds, The leafy Substances that inclose them.

Dust of a Flower, Found on the Leaves of the Auricula, &c. and on the Apices of some Flowers; which latter is very different from the former, and is thought to cause Fruitfulness.

Exposure, The Position of a Wall or Bank, with respect to the Sun: Thus, a Warm Exposure signifies, where the Sun may come very much.

Fibres, Small Threads, or Strings, which grow about the Root of any Plant.

Petals, Leaves of a Flower; so call'd, to distinguish them from the

green Leaves of the Plant.

Pistillum, A small Thread, or Stamen, with an Apex on the Top of it, growing out of the Seminary Vessels, exactly in the Center of some Flowers, as the Lilly, &c.

Powder'd, Cover'd with Duft.

Spikes, Trusses or Bunches, when the Flowers grow in such a manner as to form an Acute Cone.

Thrums, Apices or Chives, when a great Number of them grow together in a Flower.

Trusses, Bunches of Flowers, when many Blossoms grow in a Cluster on one Stalk.

Tuberous-rooted, Having the Root full of Knots or Knobs.

BOOKS of HUSBANDRY and GARDENING,


Lately printed for J. Hazard, R. Montagu, W. Bickerton, Richard Chandler, and Cæfar Ward.

I. THE PRACTICAL FARMER, or the Hertfordshire Husbandman, containing many new Improvements in Husbandry. 1. Of meliorating the different Soils; and all other Branches of Business relating to a Farm. 2. Of the several Sorts of Wheat, and the Soil proper for each. 3. Of the great Improvement of Barley, by bringing the Seed after an intire new Method, without Expence. 4. Of increasing Crops of Pease and Beans by Horse-Houghing. 5. Of Tresoil, Clover, Lucerne, and all other Foreign Grasses. 6. A new Method to improve Land at a small Expence, with burnt Clay. 7. Of the Management of Cows, Sheep, Suckling of Calves, Lambs, &c. with the Means to prevent, and Remedies to cure, Rottenness in Sheep. 8. How to keep Pidgeons and tame Rabbets to Advantage; with a new Method of Planting and Improving Fruit-Trees in Ploughed Fields. By W. Eslis, of Little Gaddessden in Hertfordshire. Price 25.

II. THE CURIOUS FRUIT AND FLOWER GARDENER. Containing, I. Remarks concerning the raising Flowers from Seed. II. Curious Directions for cultivating the choicest Fruits of the East and West Indies, at a small Expence. III. Peculiar Observations and Rules for the Management of Dwarf Fruit-Trees, Wall-Trees, Espaliers, and Standards; by a new Method of rendering them more ornamental and profitable than is commonly practifed. 4. The most useful Experiments for improving Land by Grain and Seeds. 5. The Names and Characters of all the known Soils in England, and their Improvement by Grain, Seeds, and Plants. 6. An exact Description of the great American Aloe, its manner of Biossoming and Use; with the Culture of that, and many other exotic Plants. 7. An Account of the most beautitul Kinds of Torch-Thistles, and their Flowers, &c. 8. The History of the Glastenbury or Holy Thorn, which blossoms every Christmas; at which Season it shews its Flowers, tho' the Weather be ever so severe. By John Cowell, Gardener at Hoxton near London. The Second Edition; adorn'd with curious Figures. Prices 25. 6d.

an Account of the several Monthly Operations in the Kitchen-Garden, Flower-Garden, and Parterre, throughout the Year. And also Experimental Directions for performing all manner of Works in Gardening, whether relating to Sowing, Planting, Pruning; Herbs, Flowers, Shrubs, Trees, Evergreens, &c. with the Products of each Month. In a Method wholly New. Taking in the whole Business of Gardening and Horticulture. Price 25.

IV. TWO NEW AND CURIOUS ESSAYS: 1. Concerning the best Methods of Pruning Fruit-Trees, whether they are trained against Walls, or in Espaliers, Dwarfs, &c. shewing the Disadvantage of the Knife, whereby three Parts of the Wall-Fruit is lost every Year. Also the Method of Pruning Timber-Trees, &c. 2. A Discourse concerning the Improvement of that excellent Root, the Potatoe: Shewing its manner of Culture, and how to make any Soil proper for it; the Time and Manner of Planting; with the best Method of taking it out of the Ground, when the Root is in its best Perfection, and for curing and preserving it for Winter Use. To which is annexed the various ways of Preparing and Dressing Potatoes for the Table. Price 15.



JANUARY





THE

FLOWER-GARDEN

DISPLAYD.

Productions of the Month of JANUARY.

Numb. I. ELLITORY, with Daify Flowers. This January.

brings a white Star-like Flower, with a yellow Centre. It ripens its Seed very well, and may be rais'd from

Seed sown in March, in hot Beds. This is the Spanish Pellitory or Pellitory of Spain, and makes a pretty Shrub. It is to be cultivated in Pots, in fine Earth; and the Cuttings strike Root in a little time, in any of the Summer Months. It requires a Green-House in the Winter, and such Usage as we give to the Myrtle.

Numb. II. Winter Aconite. This, notwithstanding Frost or Snow, makes its Appearance. It does not blossom above four Inches high, but brings a pleasant yellow Flower in the middle of a Leaf, and many of them upon

B a Root.

ganuary, a Root. The Roots are tuberous, and may be transplanted when the Flower Stalks are decay'd. They blow more early in a warm Exposure and light Soil; but they will grow any where. They bring abundance of Seed, which should be sown as soon as a size of seed, which should be sown as soon as

'tis ripe.

Numb. III. Greater early Snowdrop. This is a bulbous rooted Plant, and loves to stand a long time in a Place. Its Flowers do not grow above five Inches high, and then hang down; they are of a white colour, tipt with a bluish Green at the Points of the Leaves, and has Orange-colour'd Chives. Part the Roots of this, when the Leaves and Flowers are decay'd. They will grow any where, and in any Soil.

Num. IV. Single Snowdrop. This is a Flower which is more common than the other, but requires the same Culture as Numb. III. of this Month, and brings a

white Blossom.

Numb. V. White-edged Polyanthos. This brings a good Truss of Flowers; the Eye yellow, and the Flower-Leaves finely mark'd with Carmine. It is to be manag'd in the Garden like the Goldsinch Polyanthos, Numb. XIII, in the Month of March.

Numb. VI. Double Peach-coloured Hepatica. This is a Dwarf Plant, but brings very double Flowers of the Colour of Peach Blossoms. It is propagated by dividing the Roots, in February or March, or in the Autumn Months.

Numb. VII. Double blue Violet. This Plant, like the others of the Sort, is a Dwarf: Its Flowers are of a deep blue Colour, and very double, and sweet-scented.

5

'Tis increas'd by Offsets from the Roots, transplanted in January.

February or March, or in the Autumn Months.

Numb. VIII. Winter blue Hyacinth. This is bulbous rooted; and is propagated by parting the Roots when the Leaves are decay'd. It must have a light Soil, and be replanted in August. It has a pale blue Flower.

Numb. IX. Later-black Hellebore is the same which is describ'd in March under the Number VIII, which

fee.

Numb. X. Dwarf white King's-Spear. This brings Bloffoms in Spikes, of a white Colour; and is propagated by parting the Roots in March. It loves a light Soil.

Numb. XI. Ilex-leav'd Jessamin. This is a little Shrub, and a Green-House Plant, which was brought first from Holland, and is there call'd the Nettle-leav'd Jessamin. It is propagated by Cuttings in any of the Summer Months. Its Flowers are white, and blow in every Month of the Year.

Numb. XII. Red Spring Cyclamen or Sow-Bread. This Plant is a Dwarf: It brings Flowers of a Peach-blossom Colour. The Root is like a Turnip, and makes no Offfets. It is raised by Seeds sown as soon as they are ripe in Pots of sine Earth, to stand in a good Exposure. I have planted these in my Woods, and they have blossom'd very well; tho' some put it in the Green-House.

Numb. XIII. Acacia, or Sweet Button-tree. This makes a large Tree, bringing Blossoms of a yellow Colour, very double, in Bunches, and very sweet-scented. The only way of propagating of it is by sowing the Seeds in

March, in fine Earth.

January. Numb. XIV. White Cyclamen is in every respect the same with the Red Cyclamen, Numb. XII, of this Month except the Colour of the Flower.

Numb. XV. Creeping Borage. This is a very small Plant, raised from Seeds sown in March, or in September. The Flowers are very small, but are of a fine blue Colour.

It will grow in any Soil.

Numb. XVI. Striped Spurge. The Plant in the Plate has no Flower, but in it self is very beautiful; in its Leaves, which are in the Summer of a bright green Colour, and edged with Yellow; but in the Winter are of a deeper Green, and edged with Purple. This is propagated by the Offsets of the Roots, and from Cuttings in March.

Numb. XVII. Lisbon Limon-Tree. This is a Green-House Plant, and sometimes will blossom at this Season, as many Limons and Oranges will do: The Flowers are white, but tinged on the outside of the Buds with a Lake or Carmine Colour. It is known to be a Green-House Plant, and makes a Tree, but is never regular in its Growth; however, it brings good Fruit. We propagate this by Budding or Inoculating of it upon Orange or Limon Stocks in July, or Inarching it upon the same in May. The Soil should be light.

Numb. XVIII. Canary Campanula. This Plant blossoms about four Foot high: In the Winter Months it has a tuberous Root, and its Flower-Stalks do not appear till the Autumn Months; the Flowers hang down, and are of a yellow Colour, spotted with red. This is propagated by dividing the Roots when the Flower-Stalks are decay'd. 'Tis a Green-House Plant, and should be treated

like

like the Orange Tree, but it will bear the Warmth of a January. Stove.

Numb. XIX. Dwarf Tithymal. This is a small Plant, but very full of Leaves: It brings its Flowers on the Top, which are of a bright yellow Colour. It is propagated by Cuttings in March, in Pots of fine Earth, and is put in a Green-House in the Winter.

Numb. XX. Double Stock. This is meant the Double Stock July Flower, which in its Flowers is very double, and sweet-scented: it is either striped with Crimson, or a blue Purple; and is rais'd from the Seeds of the Single Stocks of those Colours sown in March, in a light Soil and warm Exposure. When they blow at this time, we suppose them to be in Pots, and in a Green-House.

Numb. XXI. The Filbert-Tree in Flower. There is fomething remarkable in the Blossoms of this Tree. As the Flowers are of two forts, the one Male and the other Female; the Male are the Catkins, which hang down of a yellow Colour, cover'd with Dust; and the Female open like Buds of the Tree, with three or four fine Threads in each of a fine Carmine Colour, placed in different Parts from the Catkins. It is propagated by Suckers from the Roots, transplanted in February or March, or in the Autumn Months; or if the Nut is extraordinary in its Kind, it may be grafted in March on the common Hazle, or be inoculated upon the same in July.

Numb. XXII. True Venetian Vetch. This brings Spikes of Pea-like Flowers of a bluish Purple, touch'd with Red about the Edges. You may raise this from Seeds sown in March or April.

Numb. XXIII.

Tanuary. Numb. XXIII. Seville Orange. This is a noted Tree of the Green-House, and makes the pleasantest Plant of all the Oranges. The Flowers are white, with yellow Apices, or Chives. It is increas'd by inarching it on a wild Orange Stock in May, or budding it on the same in July. Set this Plant in the Green-House in September, and bring it out in May, according to the old Rule, when the Mulberry Leaf is as large as a Crow's Foot, for then you may be sure the Weather is settled.

Numb. XXIV. Grey Aloe. This is the Succotrine Aloe, which bears Spikes of Flowers of an Orange Colour, tipt with Green. It is propagated by taking of a Branch when it is long enough to be separated from the Plant; and when it is cut, let it lie in the Sun for three or four Days, and then plant it in a Pot of fine Earth. The Leaves are very full of Juice, from whence we draw the famous Gum which we call Aloe. It must be set into the Green-House the beginning of September, and may be taken out about the middle of May, if the Weather is settled. As it is a succulent Plant, it requires very little Water.

Numb. XXV. Winter white Hyacinth. This Flower is sweet-scented, like the other Hyacinths, and must be managed in the Garden like the Winter blue Hyacinth,

Numb. VIII, of this Month.

Numb. XXVI. Spotted Aloe. The Leaves of this are beautifully spotted with White, and it brings a fine Truss of Flowers of a pale Orange Colour: It brings many Offsets about the Roots, and is propagated by transplanting them into Pots of light Earth in April, May, or any of the Summer Months. See more under the Title of the

the Grey Aloe, Numb. XXIV. But that never brings January. Offsets about the Roots.

Numb. XXVII. Narrow curl'd leav'd Bay. This is little different from the common Bay or Laurus: Its Bloffoms are of greenish White; and it is propagated by transplanting the Suckers from the Roots in February or March. It will grow in any Soil or Situation; or you may raise it from Cuttings in November, or any of the Winter Months.

Numb. XXVIII. Tree Savory. This brings its Flowers of a fine red Colour; and is propagated by Seeds fown in March or April. It loves an open free Soil, and

warm Exposure.

Numb. XXIX. Triangle yellow Ficoides. This is a succulent Plant; the Leaves are of a bluish green Colour, and makes a Shrub about a Foot high; the Flowers are of a bright yellow Colour, and blossom in a Star-like Figure, but never open till the Sun has shone upon them. This Plant, as well as all other Ficoides, is rais'd from Cuttings in any of the Summer Months, planted in light Earth in Pots, and shelter'd in a Green-House in the Winter. It requires little Water.

Numb. XXX. Strip'd Orange. This is like other Orange-Trees, except that the Leaves are edged with a Cream Colour, and does not grow so quick; the Fruit is likewise striped with Green and Yellow, when 'tis ripe. See its Culture under the Name Seville Orange, Numb.

XXIII. of this Month.

Numb. XXXI. Strip'd Candy Tuft. The Sort here meant is that which the Gardeners call the Candy Tuft Tree. I brought this from Holland. The Leaves are edged with a Cream

January. a Cream Colour; it makes a Plant about a Foot high, and brings Clusters of white Flowers, for the most part in the Winter Months. It is propagated by planting Cuttings of it in May, or in any of the Summer Months, in Pots of light Earth; and it requires a Green-House in

the Winter, like the Orange.

Numb. XXXII. Tree Sedum. This Houseleek Tree will grow sometimes six Foot high, yielding several Branches, which bring their Leaves on the Tops, so set together as to make the Figure of a full-blown Rose; out of the middle of them rises a Spike of yellow Flowers; and it is propagated by planting the Branches in any of the Summer Months in Pots of light Earth; and give them but little Water; you must set them into the Green-House with your Orange-Trees; but give them no Water in the Winter, for they have Juice enough in themselves to support them.

Numb. XXXIII. Single blue Anemone. The Plant which is here mentioned brings a deep blue Flower, with a black Thrum in the middle; the Edges of the Flower Leaves are however white. 'Tis a Plant that will stand in the Ground many Years, and may be increas'd like the

Ammone Numb. IV, in the Month of March.





FEBRUARY



TONGE A CONTROL OF A CONTROL OF

Productions of the Month of FEBRUARY.

Numb. I. DUKE Vantol Tulip. This Tulip comes February. from Holland, and is the first that bloffoms in the Year: I have seen Flowers of them in fanuary, and even in December, when the Roots have been planted in Pots, and set into Green-Houses. It should however be planted in a light Soil and warm Exposure. Its Flower is of a red Colour, with yellow Edges on the Leaves. See its Culture under the Name of Best Claramon Tulip, Numb. XVII. in the Month of March.

Numb. II. Silver-edged or Silver-leaved Alaternus. This Plant is placed here for the fake of its beautiful Leaves, but has no Flowers in the Figure. The Leaves are of a bluish Green, edged with yellowish White. It comes to us from Holland, and makes a pretty Tree; we generally keep it in Pots, or plant it against a South Wall, for it is somewhat tender. It is rais'd by Layers in October and November, or in February or March. It loves a light Soil, and may have the Shelter of a Green-House in the Winter.

Numb. III. Tellow-blotch'd Alaternus. This, no more than the former, is put into this Collection for the sake of its Flower, but the Beauty of its Leaves, which are blotch'd with Yellow upon a Grass Green. It is propagated as the Silver-leav'd Sort, Numb. II. of this Month, but is a hardy Plant.

C

Numb. IV.

february. Numb. IV. Cornelian Cherry. This grows to be a large Tree, bringing Clusters of small yellow Flowers; then brings its Fruit of a fine Scarlet Colour, shaped like an Olive. We propagate it by setting the Fruit in the Ground as soon as 'tis ripe, or in March; and also 'tis raised by Layers, in March or September.

Numb. V. White Mezereon. This makes a pretty Bush about two Foot high, and brings white Blossoms. It is propagated from Seeds sown as soon as they are ripe, in Pots or Boxes of fine Earth; but you must cover them with Nets, for the Birds are very voracious

of them.

Numb. VI. Red Mezereon. This Plant is in every Refpect like the former, except the Colour of its Flowers, which in this are of a deep red Colour. See Numb. V. of this Month for its Culture.

Numb. VII. Double Narcissus of Constantinople. This, like the other Narcissus, has a bulbous Root. The Flowers are white, with a yellow Cup in the middle of each Blossom. See the Culture of it under the Name White Bosseman Narcissus, Numb. III. in the Month of March.

Numb. VIII. Single Anemone, Purple and White. The Flower of this has black Thrums in the middle, and the Flower-Leaves strongly mark'd with a redish purple Colour, on a white Ground. This is propagated like the Anemone, call'd the High-Admiral, Numb. IV. in the Month of March.

Numb. IX. Venetian Vetch. This Flower is the same that is described in the Month of January, Numb. XXII.

Numb. X.

Numb. X. Double blue Hepatica. This is extraordinary February. for the fine blue Colour of its Flowers; they are very double, and very scarce. We must manage them in the Garden like the Double Peach-coloured Hepatica, Numb. VI. in the Month of January.

Numb. XI. Early white Hyacinth. This is bulbous-rooted, like the other Hyacinths. It brings many Flowers, which are of a yellowish White, and may be propagated like the Winter-blue Hyacinth, Numb. VIII. in the Month

of Fanuary.

Numb. XII. Blush-red Dens Caninus. This is almost like the Flower of the Sow-bread or Cyclamen. Its bloshoms are of a faint Carmine, or Flesh-Colour, it has a Root somewhat bulbous, and is increas'd by separating the Offsets when the Leaves are decay'd. The Leaves are agreeably spotted, and make a pretty Appearance. We plant these Roots in September, in a light Soil.

Numb. XIII. Spring Cyclamen white-edged. This Plant has fine variegated Leaves with White and Green, and the Flowers are sweet-scented; they are white, shaded with a faint Carmine. They are to be propagated like the Red Spring Cyclamen, Numb. XII. in the Month of January; but this has generally the Shelter of the Green-

House in the Winter.

Numb. XIV. Strip'd and edged Polyanthos. This Sort has no particular Name, but it brings a good Truss of Flowers. The Eye is yellow, and the Flower-Leaves are white, strongly striped with Carmine. See its Culture under the Name Goldsinch Polyanthos, Numb. XIII. in the Month of March.

February. Numb. XV. Single white Hepatica. The Flower of this has yellow Thrums in the middle, tho' the Leaves are white. Its Culture is the same as the Double Peach Hepatica, Numb. VI. in the Month of January.

Numb. XVI. Single blue Hepatica has yellow Thrums in the middle of the Flowers, and the Flower-leaves are of a pale blue Colour. It must be manag'd in the Garden like the Double Peach-colour'd Hepatica, Numb. VI. in

the Month of January.

Numb. XVII. The White Dens Caninus. The Flower of this is of a clear White, except near the Flower-Stalk, where it is tinged with a yellowish brown Colour. Culture is the same with that call'd the Blush-red Dens Caninus, Numb. XII. of this Month.

Numb. XVIII. Double Peach-colour'd Hepatica is the same as the Double Peach-colour'd Hepatica, Numb. VI. in the Month of January, where you find its Colour and

Culture.

Numb. XIX. Greater Snow-Drop. This brings a white Flower, and is the same as is describ'd under the Name of the Greater early Snow-Drop, Numb. III. in the Month of January, where you may see its Cul-

Numb. XX. White Crocus. Tho' the Flower is said to be white, it has a little bluish Purple about the Shank of the Flower. It is reckon'd amongst the Bulbs. It is a Dwarf Plant, not blowing above three or four Inches high; and the Roots increase every Year about two or three; these are parted when the Leaves are decay'd, for then the Roots may be taken out of the Ground, and be kept dry till September, when they may be planted a-

gain

gain three Inches deep in the Ground, and four Inches february, distant from one another; but if Conveniency will not permit, they may be planted in October, November, or December, if the Weather is open. They love a light Soil.

Numb. XXI. Double Snow-Drop. This Flower has been well esteem'd, because of its double Flower; but as the Blossom hangs down its Head, that Beauty is not seen. It is white as the Single Sort, and is propagated in the same manner. See Numb. IV. in the Month of Fanuary.

Numb. XXII. Small yellow Crocus. The Flowers of this are of a pale Yellow, a little mark'd on the Outsides towards the bottom with a blackish Colour. They must be treated in the Garden like Numb. XX. of this

Month, under the Name of the White Crocus.

Numb. XXIII. Great blue Crocus. This brings a large Flower, and is of the Dutch Kind. Its Blossoms are of a bluish Purple; and its Culture like that of the White Crocus, Numb. XX. of this Month.

Numb. XXIV. Small blue Crocus. The Flowers of this are somewhat smaller than the former, and of a paler Colour; but their Culture is the same as Numb. XX. of this Month.

Numb. XXV. Single dark-red Anemone. This Flower is fingle, and has its Thrums of a black Colour, and the Flower-Leaves of a Lake Colour fainting to a White at the Edges. It is treated in the Gardens like Numb. IV. in the Month of March.

Numb. XXVI. Pantaloon strip'd Polyanthos. brings its Flowers in Trusses, but is double like what but the lower Flower, instead of Flower-Leaves, has Leaves like the Leaves of the Plant, for the most part green, but striped with Red and White; so that when the upper Flower is decay'd this Case makes a fine Appearance. Its Culture is the same as the Goldsinch Polyanthos, Numb. XIII. in the Month of March.

Numb. XXVII. Persian Iris. This is a Dwarf Plant, the Flowers not rising above six or eight Inches above the Ground. The Flower-Leaves are of a bright Blue, with yellow Stripes in the middle of the falling Leaves. It is tuberous-rooted; and must be treated in the Garden like the Velvet Iris, Numb. XXXIII. in the Month of March.

Numb. XXVIII. Tellow Dutch Crocus. This brings large Flowers of a stronger Yellow than any other. It is propagated like the white Crocus, Numb. XX. of this Month. N. B. All the Sorts of Crocus open their Flowers when the Sun shines upon them.

Numb. XXIX. Scotch white-strip'd Crocus. This brings a pretty large Flower, which is white, and striped with bluish Purple. Its Culture is the same as that of the

White Crocus, Numb. XX. of this Month.

Numb. XXX. Blue Hyacinth Passtout. This brings very large Flowers of a deep blue Colour, and is to be cultivated like the Hyacinth call'd Keysar's Fewel, Numb. I. in the Month of April.

Numb. XXXI. Fruit-bearing Almond. This is the common Almond-Tree. Its Flowers are single, of a Peach-bloom Colour, with yellow Thrums in the middle. It makes a good Tree, and may be cultivated like the

8

White-flowering Almond in the Month of March, February. Numb. X.

Numb. XXXII. Single Prussian blue Anemone. The Colour of this Flower is indeed like the Prussian Blue, but if it was to be painted with that Colour, mixt with Water, it would change very soon to a dirty Yellow. It should be cultivated like the High Admiral Anemone, Numb. IV. in the Month of March; tho' 'tis a single Flower, and the Thrums are black in the middle.

Numb. XXXIII. Tellow Colutea. This, like the Scarlet Colutea, brings its Flowers in Spikes, but of a bright yellow Colour. It is propagated by fowing the Seeds in March or April on a Hot Bed, plant them out when they are two Inches high, in single Pots of fine Earth, and give them a warm Exposure.

Numb. XXXIV. Peach colour'd single Hepatica. The Flowers of this have yellow Thrums in the middle, and the Flower-Leaves are of a Peach-blossom Colour. It is to be propagated like the Double Peach-colour'd Hepatica, Numb. VI. in the Month of Fanuary.

Numb. XXXV. Double Pilewort. This is a Dwarf Plant, bringing its Flowers about three Inches high, very double, and of a bright yellow Colour. It delights in a light Soil, and is increased by parting the Roots, which are like those of the Garden Ranuncula. You may take them out of the Ground as soon as the Leaves are decay'd, and plant them again about September or October.





Productions of the Month of MARCH.

March. Numb. I. POTAL Widow Auricula is one of the best of those Auriculas which are called Painted Ladies. It brings a good Truss of Flowers, well powder'd, and is mark'd with Crimson Streaks now and then, mixt with Purple; and some Yellow here and there, intermix'd; and the Centre or Cup is yellow likewise.


This Auricula was raised from Seed by Mr. Adam Holt a noted Gardener, and was so much esteem'd, that a Plant was sold for ten Guineas. It is not very subject to bring Increase, which is the Occasion that it blows very strong, as it is the Case of all other Auriculas that are small Increasers: And on the contrary, those which increase much, or put forth many Offsets, bring weaker

Flower-Stems, in proportion.

This Flower, as well as all others, of the Kind, must have fresh Earth put on the Tops of the Pots in January, and the Plants expos'd to the Sun in such a Place where they may be cover'd with Mats, or such-like, in extreme frosty Weather, or when the Winds are sharp and blighting; for in January some of the Flower-Trusses begin to appear, and are subject to receive Injury by Cold, if they are not protected; and then you may expect a good Bloom about the beginning of April; but this Sort will come somewhat sooner than the rest.

MARCH





As foon as this or any other begins to open its Blof- Darch. foms, fet them upon your Stand under a Shelter that may remain to cover them while they are in Flower, for the Rain coming at them will beat or wash off their Dust, and then they will lose their Beauty.

Let your Stand or Station of Shelves be so placed as to receive only the Morning Sun, or else you must be oblig'd to have a Cloth to hang before them to shelter them from the Sun's Heat, in order to keep them the

longer in Flower.

Towards the End of their Flowering you may take off the Offsets, and plant them out in small Pots fill'd with light Earth; or you may let that Work alone till Midsummer, remembring to set them in the Shade, after planting; and keep them from too much Wet in the Winter.

As I am upon the Article of the Auricula, I must likewise direct how to raise that Plant from Seed. In February sill a Box with the lightest Earth you can get, and sow the Seed on the Top of it; then press it down with a Board, and cover it with a Net to preserve it from the Birds. Let this be well exposed to the Sun, and water it every Day till it comes up; then set the Box in the Shade till Midsummer, and plant out your Seedlings at sour Inches distance; water them well at first, and shade them in the Day-time for three Weeks, and the next Spring you need not doubt but some of those Plants will bring you fine Varieties of Flowers.

Numb. II. Dwarf white Starry Hyacinth. This Flower has a bulbous Root, and increases plentifully. It flowers

D

about

sparth. about four or five Inches high, bringing a Spike of Starlike Flowers, with yellow Tendrils in the middle. It loves a light Soil, and will grow in any Exposure, if it is not too wet. When the Leaves are wither'd you may take it out of the Ground, and replant the Roots the August following, or in September at farthest. This has

very little Smell.

Numb. III. The White Bosleman Narcissus is a Flower which makes a good Appearance, and has a pleasant Odour with it. It blows a Foot high, or more, with several Flowers on the Top of the Stalk; the Flower-Leaves white, with a yellow Cup in the middle. The Leaves are long and narrow, proceeding from a bulbous Root, which strikes its fibers deep in the Ground. It increases by Offsets, which it will yield plentifully if you let it stand three Years in a Place. When the Leaves are dead is the proper Time to remove the Roots; wash them clean, and dry them, and about the End of July, or in August at farthest, set them in a warm exposed Place, in fine light Mold four Inches deep, and as many Inches apart; this will make them produce strong Flowers the following Season; but if you do not put them in the Ground till September or October, they will be weak in their Blossom the first Spring, and lose the Advantage of making strong Offsets. This Sort came from Turky.

Numb. IV. High-Admiral Anemone. This Flower is very double, and full of Thrums in the middle of a fine Red striped with a yellowish Green; and the Flower-Leaves stained with a fine purplish Red, like Lake. The

Blossom

Blossom is large; and the Root produces a good Number of them. This, like all other Anemones, has a tuberous Root, and is propagated by Offsets, which you must break from the Roots when you take them from the Ground; then wash them well, and dry them in the Sun. The Time of taking these Roots out of the Ground is when the Leaves and Stalks are withered; and the best Month for replanting them is in September; they love a dry light Soil, and warm Exposure; and in such Ground I have known the Anemone to stand and prosper several Years.

We may raise the Anemone from the Seeds of single Flowers rubb'd in Sand, and sown in February very shallow in fine sifted Earth, watering them well at first; they will come up in three Weeks; and the Summer following set the Roots in a fresh Border at sour Inches Distance, half an Inch deep; for tho' they will be hardly bigger than Pease, they will blossom the following Spring.

Numb. V. The Rhyvan Narcissus was raised in Holland, and lately sent to England. It has Blossoms like that which is call'd the Soleil d'Or; the Flower-Leaves are yellow, with Cups of an Orange-colour in the middle of each Flower: The Root is bulbous like the Narcissus, Numb. III. of this Month, and must be cultivated and increased in the second secon

increas'd in the same manner.

Numb. VI. White Passe Flower, or Pulsatilla, is in most respects like the Single Wood Anemone, and may be propagated like the Anemone, by sowing the Seeds in March, in fine Earth; or may be sown

) 2

they will come up the following Spring, tho' they will not produce Flowers till the second Year. In August, when they are three Years old, transplant them at two or three Inches distance, an Inch deep, and keep the Bed free from Weeds till they blow, and then you may expect some Varieties among the Flowers, either in Make, or Colour, or perhaps some extraordinary Doubles; for most of the sinest Flowers were raised from Seeds.

Numb. VII. The White Grape-Flower, or White Grape-Hyacinth. This blossoms about seven or eight Inches high, with many small Flowers clustered on the Top of the Stalk, like a little Bunch of Grapes; they have a strong Scent, but not so fragrant as the former Sort. They are propagated like the Starry Hyacinth, Numb. II. in this Month, and will prosper well in any Soil, even tho' it is wet, and shaded with Trees; but especially if

the Ground be subject to Gravel.

Numb. VIII. The Lesser black Hellebore is also call'd the Black Hellebore with green Flowers, or Green-slower'd black Hellebore. It brings its Flowers about eight or ten Inches high, single on the Top of the Stalks, hanging down their Heads for the most part; the Edges of the Flower-Leaves are of a pale Yellow, shading gradually into a yellowish Green, or pale Sap-Green. This Plant loseth its Leaves about the End of Summer, and revives them again about the Beginning of January, and in February you may divide the Roots, which are black and siberous, and transplant them six Inches apart; they will prosper in a stiff Soil,

Soil, but are more apt to increase in a sandy Lome. The Parch. Seeds ripen in May, and may be sown in Pots of light Earth as soon as they are gather'd. This Plant requires little Sun.

Numb. IX. The Danaë Auricula was raised in Holland. The Flowers are of a bluish Purple strip'd in White. It has a very bright Eye, and in the middle the Pipe appears of a bright Yellow, which renders the whole very beautiful. Its manner of Culture is the same in every respect as the Auricula, call'd the Royal Widow, Numb. I. in this Month.

Numb. X. White flowering Almond. This Plant was brought to us from France, and has been in England but a few Years. It makes a beautiful Tree, with Leaves like the Peach-tree, or the Red flowering Almond. It delights in a middling Soil, such as a fandy Lome, but must have a warm Exposure. This brings the same Nut as those we call the fordan Almond, or so much like it that I can taste no Difference. It is to be propagated by budding or inoculating it, about the End of June, or Beginning of July, upon common Almond Stocks, or Stocks raised from Peach-Stones; tho some tell us it will take upon Plumb-Stocks. This Work must be done when the Bark will rise freely, which sometimes happens a Week sooner or later; and to watch that time your Success depends.

The Flowers are shaped like those of the common Almond, only differing in the Colour of the Leaves and the Tendrils in the Middle are of a bright Yellow.

March.

The Seasons for transplanting this Tree, are from the Middle of January to the End of February, or from the End of September to the End of November, if the Wea-

ther is open.

Numb. XI. The Dwarf blue Starry Hyacinth is in every respect the same as the White starry Hyacinth, Numb. II. in this Month, except the Colour of its Flower; but when we speak of a blue Colour, I mean such as we call Sky blue, such as may be made of Blue Bice and White. The Tendrils are tipt with Yellow. The Culture is the same with the White Starry Hyacinth; and I have heard that some good Flowers have been raised from the Seeds of this sort; and if any one desires to raise this Plant by Seed, let them sow it in Boxes, in

light Earth, as foon as it is gather'd.

Numb. XII. The American flowering Maple makes a fine Tree, and should be properly call'd the Carolina flowering Maple, for it came from thence. It brings upon its tender Twigs Clusters of small Blossoms of a yellow Colour, with crimson Tendrils. 'Tis raised by Seeds from the same Country, and sown in March, and an hot Bed is a good Assistant to them; or it may be inarched upon the Virginia flowering Maple, or upon what is call'd the Norway flowering Maple, in May, to increase it; or perhaps it would do well if it was budded upon any one of them about the End of June or Beginning of July, for as their Blossoms appear at the same time, their Juices must necessarily flow at the same time, which is a certain Rule to go by in Inarching or Inoculating of any Tree.

Numb. XIII.

Numb. XIII. The Goldfinch Polyanthos blossoms with March. a full Truss of Flowers upon strong Flower-Stems; the Blossoms have yellow Eyes, and the other part Scarlet, except the Edges, which are yellow; and this Flower, contrary to the Auricula, will bear the Rains, and last a long time, for these have no Dust upon them. Plant is very hardy, and should always be set in a shady Place; for tho' this Kind of Plant will give us its Flower in December, and sometimes in January, yet it cannot bear the Summer Sun. When we have a choice one of this Sort, of which there are great Varieties, part the Offsets from it a little before it finishes its Bloom of this Season, and transplant the Offsets at six Inches distance, in a middling Mold between Sand and Clay, which is not too wet, watering them well at first. Those of the Sort which are most esteem'd among the Gardeners have Thrum Eyes, as they fay, that is, the Flower has four or five little yellow Tendrils set about the top of the Pipe or Cup; but I have seen Flowers that have been much more beautiful in their Stripes and Colours, which the Gardeners call Pin-Ey'd, i. e. they have the Pistillum rises above, or appears in the Pipe of the Flower in manner of a Pin with its Head on; but for what Reason this has gain'd fo much among them I never could learn, only this I can affure them, That I have had several of them that have been what they call Thrum-ey'd one Year, and have been Pin-ey'd the next, and have still kept their Colours; but I imagine that tho' we call those which bring single Flowers like the Primrose, and those which bring Trusses of Flowers like the Cowslip, by

Watch. the Name vulgarly of Polyanthos. The Primrose Kind will bring their Flowers earlier than the others, and require a dryer Ground, because we see the Primrose loves dry Banks, and will bear the Sun; but the Cowslips delight in Meadows, and are always shelter'd with Grass; and from such Observations one may govern one's Self in their Culture. There are vast Varieties of this Kind of Flower.

If one has a mind to raise them from Seeds, take the same Method as is prescrib'd to raise the Auricula, which

you may see at Numb. I. in this Month.

Numb. XIV. The Larger blue Starry Hyacinth blows about a Foot high, with a good Spike of Flowers of a Sky Colour, and the Tendrils in the Middle Yellow; there is no difference in the Culture of this and the Dwarf White Starry Hyacinth, Numb. II. in this Month, which I refer to.

Numb. XV. The Virginian flowering Maple. This Tree is little different from the Plant before mentioned, call'd the American flowering Maple, Numb. XII. in this Month, but the Blossoms are of a bright Carmine Colour. The manner of propagating it is the same with

the other, and I refer to that for Instructions.

Numb. XVI. The Narcissus of Naples brings one double Blossom on the Top of the Flower-Stem. The Flower-Leaves are of a yellowish White, and the Cup that encloses the smaller Leaves is of an Orange Colour. 'Tis bulbous-rooted, like the Bosseman Narcissus, Numb. III. of this Month, and must be treated in the same manner in the Garden.

Numb. XVII.

Numb. XVII. The Best Claramon Tulip. This Tulip March. was brought to us from Holland, and blows next after the Duke Vantol Tulip. This has its Variegations from a Claramon Tulip, which is plain in its Flower, consisting of Purple and White; however, this ordinary Sort is not despisable, because it flowers long before the finer Tulips come in. As it is a bulbous rooted Plant, the Roots may be taken out of the Ground as soon as the Flower-Stalks are faded and dry; then wash the Bulbs, and dry them, to be laid by till September, which is the best Season to plant them. This Tulip loves a light Soil and warm Exposure, and will flower earlier by planting them under a South Wall. The Flower will rife about eight or ten Inches high; and the Colours of this fine Claramon are Stripes of Scarlet upon a white Ground.

Numb. XVIII. Checquer'd Frettilary; or as some call it, Checquer'd Daffodil. This Flower blows about ten Inches high, bringing one, or sometimes two Flowers on the Top of the Stalk, which always hang down their Heads. The Flowers of this Sort have a whitish Ground spotted with a reddish Purple. This is bulbous-rooted, and the Bulbs may be taken out of the Ground as soon as the Flower-Stalks are dry; but let not the Roots be longer out of the Earth than the Beginning of September, and then plant them in a light Soil three Inches deep; they may be raised from Seeds, by sowing them as soon as they are ripe in Boxes or Pots of sine Earth. There are great Varieties that have been lately produced by this means.

Maple. Numb. XIX. The Large-leav'd Norway Maple. This makes a pleasant Tree, as those mention'd Numb. XII. and Numb. XV. of this Month; but the Flowers of this are green, with yellow Tendrils. The Culture of this is the same as Numb. XII. only this Sort is more hardy.

Numb. XX. Double Pulchra Hyacinth. This is a famed Hyacinth brought from Holland. Its Stem is strong and well set, with double white Flowers with a little Tinge of Red in the Middle; the Red is a pale Lake. It is manag'd in the Garden like the White Starry Hyacinth,

of this Month.

Numb. XXI. The Queen of France' Narcissus. This fort of Narcissus comes to us from Flanders. It blossoms on a Stalk about a Foot high, bringing several Flowers on the Top, which have Leaves of a Straw Colour, and an Orange Cup in the Middle. 'Tis propagated like the Bosleman, Numb. III. of this Month.

Numb. XXII. The Palto Auriflama Tulip. This early Tulip makes a very gay Appearance, being striped with a Carmine Colour upon a Limon Ground. We had it from Holland. It blossoms about ten Inches high, and should be treated in the Garden, as is directed for the Cla-

ramon Tulip, Numb. XVII.

Numb. XXIII. The Blue Oriental Hyacinth. This, however it is called, came to us from Flanders. It blows about ten Inches high, and the Flowers full set on the Stalks; their Colour is a deep Blue. Its Management in the Garden is the same with the White Starry Hyacinth.

Numb. XXIV. The Single Bloody Wall-Flower. This Plant makes a pretty Bush about a Foot and half high, bringing

bringing Spikes of Blossoms on the top of the Plant. Darch. The Flowers are of a yellow Colour, and the Backs of the Flower-Leaves and Buds are tinged with a Carmine Colour. It is raised from Seeds sown in March, in an open loose Soil. When the Plants are two or three Inches high, transplant them at eight Inches apart, watering them well. The Time of removing them when they are full grown is in February or March; and you may also propagate this Plant by Cuttings set in fine Earth this Month.

Numb. XXV. Admiral of the Blue Anemone. This Sort was rais'd in England, and gives a fine Contrast of Colour among the other Anemones. Thrums are of a deep Blue, and the Leaves striped with Blue, the Edges White. 'Tis propagated like the Anemone call'd, the High Admiral, Numb. IV. of this Month.

Numb. XXVI. The Belle Baptist Anemone blows like the rest, very double; the whole Flower is of a bluish Purple Colour, and must be treated as Numb. IV. of this Month.

Numb. XXVII. Monument Anemone brings its Flowers of a fine Red in the Middle, and its Out-Leaves shaded thin with a Carmine Colour. This is to be propagated like Anemone, Numb. IV.

Numb. XXVIII. The Red flowering Larch-tree, or Larix. This makes a very pleasant Tree, growing naturally in a Pyramidal Form, when it has got to be about Seven Years old from Seed. 'Tis a scarce Plant with us, and is only raised from Seed which we take out of its Cones, and sow in March, in light Earth,

March. Earth, or April is not too late. 'Tis a little tender, and should be set in a favourable Situation. The Flowers are greenish at the bottom Part, but of a fine Carmine Colour on their Tops.

The best Time to transplant this Tree is in February,

or in this Month.

Numb. XXIX. The Blue Passe Flower. This brings its Flowers like those of the Wild Anemone, of a bluish Purple Colour. It is a Plant not above four Inches high, and must be cultivated like the Anemone.

Numb. XXX. Rose Jonker Anemone. This is a fine double Flower raised in Holland; the Blossoms tend to a Rose Colour shaded with Carmine, with some Touches of Scarlet in it. We must propagate this as the High-

Admiral, Numb. IV. of this Month.

Numb. XXXI. The White flowering Larch-Tree. This makes a Tree like the other, Numb. XXVIII. of this Month, and differs only in the Colour of the Flowers, which in this are green at the Bottom, and towards the Tops are of a little paler Colour. 'Tis to be ordered in the Garden like Numb. XXVIII. The finest Larch-Trees I have seen in England are at Mr. Sayles's, at East-seen near Mortlock, Surry.

Numb. XXXII. The Purple striped Anemone. This was rais'd from Seed in England; and with regard to its Colour, I have only to say, that the Edges of the Leaves are White, and the rest deeply mark'd with Purple; and the Thrums in the middle mark'd after the same manner. 'Tis ordered in the Gardens as Numb. IV. of this Month.

Numb. XXXIII. Velvet Iris. The Leaves of this are like the Flag Iris; but this is of a Dwarf Kind, and the

the Roots are tuberous. The Flowers are of a pale Green Darch, on the Outside, and the Leaves are of a bluish Purple on the Inside, mark'd with a yellow Streak from the Center of the Flower. We part the Roots in February, or in this Month, and plant them in a light Soil, if it is a little moist 'tis not the worse: Or you may transplant them in August or September, they will do well; but I choose the Spring, if they are to be sent a great way into

the Country.

Numb. XXXIV. The Jerusalem Cowssip. This is a low Plant, which never rises higher than six Inches at most. The Leaves are somewhat like those of the Polyanthos, but hairy, and spotted with White; and the Flowers are almost shaped like the Flowers of the Polyanthos, but smaller; there are many at the Top of the Flower-Stems, which first appear of a faint Crimson Colour, and then change to a Blue, like that of blue Bice. It is a Plant which has been a long time in England, but is now very scarce. It is propagated by dividing the Roots in February, or this Month, or in September. It grows very well in shady Places, and makes constantly a pretty Appearance: Formerly the Leaves were used as a Pot-Herb, but is now laid asside on that Account. The Soil for it should be lighter. Remember to water it well after Planting.



Productions ..

** THE SECOND SERVICE OF THE SECOND SECOND SERVICE OF THE SECOND SEC

Productions of the Month of APRIL.


Sptis. Numb. I. THE Keysers fewel Hyacinth blossoms about ten Inches high, with a good Number of Flowers on a Stalk: The Flowers are large, and very double; they are white, with a Tinge of Carmine or Crimson on the middle Leaves, somewhat like the Hyacinth we call the King of Great Britain. This, like the other Hyacinths, has a bulbous Root, but is little subject to make Offsets. It delights in a light Soil, void of Wet. We may take up the Roots when the Leaves are quite decay'd; and when they are wash'd and well dry'd, keep them in Boxes till September, and then plant them three Inches deep, at six Inches Distance.

Numb. II. The Diamond Hyacinth blossoms as the former, only the Flowers are of a fine blue Colour; these are very double, and it's in good Esteem. This, as well as the former, was raised in Holland. The Culture of this is the same with the Keysers Jewel Hyacinth, of this

Month.

Numb. III. The Double-bloffom'd Peach. This makes one of the prettiest Trees I have seen. The Flowers are full of Leaves as any double Flower we meet with in the Garden; and, as it blows early, should be placed in Wildernesses among the other flowering Trees or Shrubs; and it has one Excellency worth our Notice, which is, that the young Shoots are constant Producers of Flowers; and nothing





nothing can disappoint us of a fine Appearance of Bloom, april. but pruning it too close. It agrees with any Soil that is not too light; and is propagated by budding or inoculating of it, about the End of *June* or Beginning of *July*, when the Bark will rise freely.

The Stocks for budding it upon, are either the Peach, the Almond, or the Plumb; but it is more commonly

budded upon the Plumb than any other.

Numb. IV. The Single Orange Narcissus. The Flowers of this blow about ten Inches high; they are of a yellow Colour, with Orange-colour'd Cups; the Root is bulbous, and must be propagated like the Narcissus Bosteman, Numb. III. in the Month of March.

Numb. V. Double Endroit Tulip. This is a beautiful double Tulip, confisting of many Leaves of a yellow Colour, and finely strip'd with Crimson. It is the more valuable, for its blowing so early. Its Culture is the same as that of the Claramon Tulip, Numb. XVII. in the Month of March. This comes from Holland.

Numb. VI. Glory of the East Auricula is a Flower that brings large Trusses; it has a good Eye, and is as well powder'd as any other of the painted Ladies. It is strip'd with a Carmine Colour, and free in making Offsets for Increase. Its Management is the same as that of the Royal Widow Auricula, Numb. I. in the Month of March.

Numb. VII. Double Wall-Flower makes an agreeable Shrub, growing about a Foot and Half high; and brings its Flowers in Spikes, very double, of a yellow Colour, and very sweet-scented. We had formerly the Double Wall-Flower streak'd with a Carmine Red, on the Outside

of

April.

of the Flower-Leaves, and therefore was call'd the Double Blood Wall-Flower; but I believe that is now quite lost: But the way of increasing our Wall-Flower, as well as the rest of the Doubles (for they bear no Seed) is to raise them in this, or the two foregoing Months, by planting Slips or Cuttings, in fine Earth, about four Inches in the Ground, at six Inches Distance, and watering them well after planting; and continuing for a Month to do the like every Day, they will make good Plants. They love a warm dry Soil, as plainly appears from the Flourishing of the single ones that grow in the Joints or Crevices of old Walls; but this Plant is so free of Growth that it will thrive any where.

Numb. VIII. Blush-red Lilly of the Valley. This is a Plant which one should not be without, because of its good Qualities, besides the fine Flavour of the Flowers. It blossoms indeed not above four or five Inches high, but is a Curiosity, and in a Morning persumes the Air. The Flowers of this Kind are of a deep Flesh Colour. It delights in light Land, and Shade, where it will increase plentifully. The way of increasing it, is to part the Roots either in February, or March; or if we neglect those Seasons, then plant the Roots or divide them in September, or October; but let your Ground be made

fine.

Numb. IX. British King Anemone. This Flower is very double and beautiful; the Thrums in the middle are of a yellowish Colour, tipt with Red; and the Flower-Leaves strip'd with Scarlet. The Manner of its Culture is the same as that of the High-Admiral Anemone, Numb. IV. in the Month of March; which see.

Numb. X.

Numb. X. Cælestis Anemone. This brings a very double Flower, which has its Thrums blue, with a little Tip of White on the Top; the outside Leaves of the Flower are strongly streak'd with Blue, on a white Bottom, so as the Edges of them are white. See the Management of this in Numb. IV. in the Month of March.

Numb. XI. Amaranthus Trachée Anemone. Tho' this is a fingle Flower, none of the double fort exceed it in Beauty; the Thrums or Seeds in the middle of the Flower are black, giving a bluish Cast in the light Part; and the Flower-Leaves are white, striped with a Carmine Colour, shaded with Lake, and here and there a Stripe of Green. We may save Seeds from this Flower, and raise good Varieties from them. See the Culture and Management, Numb. IV. in the Month of March.

Numb. XII. Single Jonquil. This Flower blossoms before the Double of the Sort. It is properly a Narcissus; but from its Leaves being shaped like those of the Juncus or Rush, takes its Name; sometimes it brings four or five Flowers on the top of the Stalk, the Cup as well as the Flower-Leaves being all yellow. It is very sweet-scented; and its Culture is the same as the Narcissus Bosseman, Numb. III. in the Month of March.

Numb. XIII. Love's Master-Auricula. This is a very double Flower, and brings a good Trus. The Flowers are yellow, strip'd, or rather shaded with a dark Buss-colour, such as Dutch Pink. It will bear the Weather, for it has no Dust upon it to be wash'd off by the Rain. Its Culture is the same of the Royal Widow, Numb. I. in the Month of March.

34 april.

Numb. XIV. Double-painted Lady Auricula. This Auricula, like the other painted Ladies, is well cover'd with Dust, which makes the Ground of the Flower appear white; this is strip'd with Yellow, and with a little Carmine Colour. The Culture is the same as the Royal Widow Auricula, Numb. I. in the Month of March.

Numb. XV. The Paliurus, or Christ's-Thorn, makes a pretty Tree; I have seen it stand single in a Garden, and sometimes against a Wall. It is call'd by this Name, because, as the Plant is set full of Thorns, some suppose our Saviour's Crown of Thorns was made of it. It brings Clusters of Blossoms, which in the Plate shew themselves in round Knots of a green Colour, but when they open themselves, the Blossoms are of a pale yellow Colour. This is chiefly raised from Seeds, but we now propagate them by laying down the young Shoots in November, about four Inches in the Ground.

Numb. XVI. White Lilly of the Valley. This Plant is a Dwarf Herb, like the Blush-red Lilly of the Valley; and in a Word, there is no Difference between one and the other, but the Colour of the Flowers. For the Culture of this, I refer to Numb. VIII. of this Month.

Numb. XVII. Marveille du Monde Auricula. This Plant we receiv'd from Holland, where it was raised. It is a plain Flower, but is of so fine a Colour, that it looks like blue Velvet; the Eye is white, which is contrary to most of the Auriculas we receive from Holland, which are generally yellow-ey'd, without any Dust upon them. The Culture of this is the same as the Royal Widow Auricula, Numb. I. in the Month of March.

Numb. XVIII.

Numb. XVIII. Lady Margareta Anemone is a very double Flower; its Thrums are of a greenish Yellow, strip'd with Scarlet; and the Flower-Leaves strip'd with Carmine upon a white Ground. Cultivate it as the High Admiral Anemone, Numb. IV. in the Month of March.

Numb. XIX. Juliana Anemone. This is a fine Flower. Its Blossoms are strip'd with Purple and Carmine; there is no other Excellency in it; and must be cultivated like the Admiral, Numb. IV. in March.

Numb. XX. Double Junquil. This Flower is the same in every respect as Numb. XII. (in this Month) except that the Flowers of this are full of Leaves; they are of a yellow Colour, and bring three or four sometimes upon a Stalk; they are very sweet-scented, like Jessamin; and are cultivated like the single fort, Numb. XII. of this Month.

Numb. XXI. Duke of Beaufort Auricula. This is one of the strangest Flowers of the Sort, because 'tis striped with Blue upon White, which none others are. The Auricula which was raised by Mr. Holt, call'd the Royal Widow, he told me came from the Seed of this.

This Plant should be had in good Numbers, for sometimes the Flowers come all white, when some among them will blossom with Trusses of good strip'd Flowers; so 'tis best to have a Collection of them in a Bed, and as you see them blow well, take them out of the Ground, with the Earth about them, and planting them in Pots, place them in your Collection. As for the Culture of it, see Numb. I. in the Month of March.

April.

Numb. XXII. Le Creep Tulip, Number I. This is one of the finest breeding Tulips that we have in England. I received it first from France, where it was raised from Seed. The Blossom of the plain-breeding Tulip is of a blue Purple Colour, with the Edges of the Leaves inclining to Yellow; but when these break into Variegations, and become strip'd, we have in their Stripes, Tellow, Purple, Feure Mort Colour, and Red, and are very beautiful. The Culture of them is the same as the Clarimon Tulip, Numb. XVII. in the Month of March, only this may stay longer before the Root is put into the Ground; for as the Flower comes later, the Bulbs do not shoot their Fibres so soon as the Claramon Tulip.

Number is beautifully strip'd with Purple, upon a white Ground; but it is at first a plain-breeding Tulip, of a dull purple Colour. This came first from Holland; and as it is subject to break into fine Stripes, is much admired. It is propagated like the other Tulip, call'd the Claramon,

Numb. XVII. in the Month of March.

Numb. XXIV. Dwarf single flowering Almond. This is a beautiful flowering Shrub; the Blossoms of a Peach Bloom Colour, and the Leaves of a shining Green. The Plant is seldom so high as three Foot, but makes an handsome Bush. It makes Offsets from the Root, by which it may be propagated.

Numb. XXV. Duke of St. Albans' Auricula. This is a good trussing Flower, and opens its Blossoms well. It has a good Eye, and is well powder'd, and strip'd with a Carmine Colour, upon a Buff-colour'd Ground. It must be managed in the Garden like the Royal Widow Auricula, Numb. I. in the Month of March.

Numb.

Numb. XXVI. Turky Ranunculus sweet-scented. This may be, more properly, call'd the Persian Ranunculus, for it is of that Kind. This sort is raised from Seeds of the single Flowers, or Semi-Doubles, for the very double Flowers never bring Seed. We sow the Seed as soon as 'tis ripe, in fine Mold, and the Plants will soon come to blossom. This sort, as well as all other Ranunculus's, are increas'd by parting their Roots, when we take them out of the Ground, which should be as soon as the Flower-Stalks and Leaves are withered; wash the Roots clean at

that time, and dry them, and in September plant them a-

gain, about three Inches deep, in very light Earth, in a

warm exposed Place, for they are subject to rot. Shelter

them with Mats in a frosty Season, and when they come to

blossom they will reward you for your Care.

Numb. XXVII. Double Cuccow-Flower. This Plant brings its Blossoms in Spikes; and they are of a Peach Bloom-colour. The Time of increasing this is in February and March.

Numb. XXVIII. The Grand Presence Auricula is one of the Dutch Flowers. It blows with a great Truss of Flowers; and the Blossoms are very large, of a dark red Colour, and a large yellow Eye. 'Tis manag'd in the Garden like the Auricula call'd the Royal Widow, Numb. I. in the Month of March; but as it has no Dust upon it, a Shower or two will not make it lose its Beauty. It is very subject to increase by Offsets; and makes a fine Appearance in a Collection.

XXIX. Sea Pink is a Dwarf-Plant, which brings its white Flowers on Stems about nine or ten Inches high. It makes a pretty Edging for Borders, and is easily propagated

The FLOWER-GARDEN display'd. 38


April.

gated by parting the Roots in February or March, or in the Autumn Months. It will prosper in any Soil where there is a favourable Exposure, but especially if the Ground be a little moist.

Numb. XXX. Double flowering Almond. This makes a good Tree; and as the young Shoots always bring Flowers, you may expect it to produce a beautiful Appearance every Year. It is in every respect like the Single Almond, except the Duplicature of its Flowers, which are of a Peach Bloom-colour. This is increas'd by Budding, and cultivated in the same maner as the White flowering Almond, Numb. X. in the Month of March.







HAND CEASING VARIANCE TO VARIANCE

Productions of the Month of MAY.

Numb. I. THE Cinnamon Rose. This is a Plant that has been a long time in England; we find it in many of the old Country-Gardens. If it is planted against a Wall, it will shoot three or four Foot in a Year, and brings but a few Spines upon it. The Flowers are double, but are small, and have but little Odour. They delight in a light moist Ground.

The Manner of propagating this Plant is by taking the Suckers from it in February or March, or in Autumn, and planting them immediately, watering them well after planting, so as to make the Earth like Mud about the Roots, and by that means to settle the Ground well about them; for the Roots have sew Fibers, and are soon dry'd by the Air.

Numb. II. Narrow-leav'd Flower de Luce, or Fleur de Lis, is very beautiful in its Blossoms, which are of a bright blue Colour, only in the Leaves that turn down there are Streaks of Yellow in the middle. This is propagated by dividing the Roots in the Spring, or at Autumn; they flower best in a light Soil, exposed to the Sun; but in such a Situation many Plants will die; and in a more shady Place I have observ'd the Plants to prosper, but do not bring so many Flowers.

Numb. III. The Columbine strip'd. There are several Sorts of this Flower, some Double, and others Single, but

all

The FLOWER-GARDEN display'd.

May.

40

all of them bring Seeds; but as for this Sort, it is double, and strip'd with a blue Purple upon a white Ground. We sow the Seeds of it in March or April; and it makes a good Appearance in a Garden. It seems to love Shade,

and a light Ground.

Numb. IV. The Bishop of Canterbury Tulip. The Flower here mentioned comes from a Breeder rais'd in Holland, of a Purple Colour, and plain; but this is broke into fine Stripes, and is pretty constant in its Blowing. The Flower which is here describ'd is streak'd with a blue Purple Colour on the Edges of the Leaves, touching now and then upon a faint Yellow, upon a white Ground. Its Culture is like that of the Claramon Tulip, except that this, as it is a later blown, may be put into the Earth a Month later. See Numb. XVII. in the Month of March.

Numb. V. Double Catch-Fly. This is also call'd the Double Spanish Catch-Fly. It brings a full Flower, in Spikes of a fine Carmine Colour, upon Stalks of eighteen or twenty Inches high. They are so much admired, that they are generally kept in Pots, tho' they want no Shelter in the Winter. They are increas'd no other way but by parting their Roots in February or March, or in Autumn. They love a warm Exposure in the Winter, and Shade when they are in Blossom; and the Earth should be light for them. The Caps of the Buds of this Flower are yellow.

Numb. VI. Late White Hyacinth. At this time of the Year the Bloom of Dutch Hyacinths is over, and what we now see of the Sort, pleases a curious Eye. The Name explains the Colour; and as the Root is bulbous, there re-

mains

mains no more to say of it, but that it may be taken out of the Ground as soon as the Leaves and Flower-Stalks are withered, and planted again in September, in a light Soil.

Numb. VII. Blue-bell Hyacinth. This Flower makes as beautiful an Appearance in my Opinion, as any of the Dutch Kinds. The Flowers are of a bright blue Colour, and blow in Spikes of a Foot high. It increases plentifully by its Bulbs, which should be taken out of the Ground when the Leaves and Flower-Stalks are decay'd; and any time between that, and the End of September, they may be replanted, about three Inches deep. They love a free Soil; and if they stand two or three Years in a Place, you will have plenty of them.

Numb. VIII. Mountain-bulb'd Crowfoot. This Plant does not grow above a Foot high; its Flowers are of a yellow Colour, and very double. 'Tis propagated by dividing the Roots in the Spring, and in the Autumn Months. This prospers well in a light Soil.

Numb. IX. Belle Silvia Anemone. Tho' this is a single Anemone, the Beauty of its Colours makes it as valuable as most of the double Sorts. The Thrum in the middle of the Flower is black, the Ground-colour of the Leaves white, beautifully strip'd with a Carmine Colour, shaded with Lake. This is to be propagated like the High Admiral Anemone, Numb. IV. in the Month of March.

Numb. X. The Venetian Vetch. This makes a pretty Dwarf-Plant, bringing Spikes of Scarlet Flowers, which ripen their Seeds very well. You may propagate this Plant

May.

March, in a light Soil, and warm

Exposure.

Numb. XI. Blue Hyacinth of Peru. This is the largest of all the Hyacinths, and brings its Flowers in very large Trusses, more than an hundred upon a Stalk. The Blossoms are of a bright blue Colour, fading a little as they are fully blown, towards Purple. The Root is bulbous, and large, and prospers best in a free open Soil, and warm Situation. It is increas'd by Offsets, but they come but seldom. The time for this Work is about August and September; but we may also increase it by sowing the Seeds in Pots of fine Earth, as soon as they are ripe, or they will do well tho' we do not sow them till February. We may transplant them the Second Year in a Border of fine Earth, or under a South Wall, at eight or ten Inches Distance, and they will soon afford a fine Shew of Flowers.

Numb. XII. The China Pink. This is as pretty a Plant as any in the Garden. The Seed of it was sent to us from Persia, but it is a Native of China. The Flower which is represented in the Print has a white Ground, with a Scarlet Eye in the middle, like the Pheasant-ey'd Pink; but there are various Kinds of them; some have Flesh-colour'd Flowers, with crimson Eyes; others pale purple Flowers, with black Eyes; some light Scarlet with purple Eyes; and some are double-flower'd, yielding as much Variety of Colours as the single ones. We raise them by sowing the Seeds in March or April, or even in February, in sine light Earth: For my part, I have always given them the Assistance of a Hot-bed. When the Plants are about an Inch high, plant them out at three Inches Distance;

stance; and at the end of May plant them in the Borders where they are to stand, and they will make a fine Show the same Summer, and ripen their Seed very well: One may propagate them likewise by planting Slips or Cuttings of them in fine Earth, in July, watering them well.

Numb. XIII. Savoy Spiderwort brings a Spike of white Flowers, with the Tops of the Tendrils tipt with Yellow. This is propagated by dividing the Roots in February or March, or in September or October. They love an open free Soil.

Numb. XIV. The Double Orange-Lilly. This Plant only differs from the common Orange-Lilly, in having its Flowers full of Leaves, which makes it a Rarity. The Colour of the Flowers is like that which is made of Red-Lead and Yellow mixt, and shaded with Carmine. It will prosper well in any Soil; and is increas'd by parting the Offsets of the Roots, when the Flower-Stems are wither'd.

Numb. XV. The White Hyacinth of Peru. There is no other Difference between this Plant and the Blue Hyacinth of Peru, but the Colour of the Flowers, which are white in this, as the Name expresses. It is raised and propagated as the blue Sort, Numb. XI. of this Month.

Numb. XVI. The Pheasant's Eye. This is likewise call'd Flos Adonis. 'Tis an Annual, and brings the most beautiful Scarlet Flowers one can imagine. It is rais'd from Seeds sown in March or April, and may be transplanted when 'tis an Inch or two high. It loves a light Soil.

Numb. XVII.

G 2

Numb. XVII. The Purple Mallow. This flowers like the common Mallow, only the Flowers are all of a reddish Purple Colour, except the Thrum in the middle, which is yellow. It is raised from Seeds sown either as soon as they are ripe, or in March. It is so hardy that

'twill prosper in any Soil.

Numb. XVIII. Arbor Juda. This makes a pretty Tree, either as a Standard, or to be planted against a Wall. At this time 'tis cover'd with Blossoms of a Peech Bloom-colour, shaded with Carmine, of the Shape of Pea-Blossoms, which gives the Plant a fine Appearance, especially as they are accompany'd with tender sprouting Leaves of a beautiful Green. The Seeds ripen very well, and should be sown in March, in fine Earth. I always give them a Hot-bed, which gains a Year in their Growth.

Numb. XIX. Embroider'd Crain's-Bill, or Geranium. This is a Dwarf-Plant; and its Flowers are remarkably beautiful for the fine Variegations in them of Crimson, upon a white Ground. We may propagate this by dividing it at any time between the Month of February and September. It loves an open Soil.

It is chiefly cultivated in Pots, and is kept in a common Green-House in the Winter, that is, from the End of September, to the Beginning of this Month; but I judge that 'tis hardy enough to stand abroad all the

Year.

Numb. XX. The Dwarf Dutch Tulip. This is truly the Dwarf Persian Tulip, tho' we had it from Holland. Its Flower is but small, and does not blow above five or six Inches high. It is of a yellow Colour, strip'd on the

the tops of the Leaves with Crimson. The Roots are small, and may be taken out of the Ground as soon as the Flower-Stems are decay'd, but must be replanted the September following, in an open free Soil, two or three Inches deep, in a warm Exposure. The Seed ripens very well with us.

Numb. XXI. Indian Queen Ranunculus. This Ranunculus is of the Persian Sort, but was raised from Seed in England. It brings a great many Flowers on a Root, and blows about a Foot high, with double Flowers; the Leaves are white, streak'd on the Tops with a Carmine Colour. The Root of this is like those of other Ranunculas, and brings great Increase. They delight in a light dry Soil, and should be planted about three Inches deep, and five Inches apart, in September, in a warm Situation, and the Roots may be taken out of the Ground as soon as the Blossom, Stalks, and Leaves are decay'd; then wash them well and tenderly, and when they are dry lay them in a dry Place.

Numb. XXII. Yellow Austrian Rose. This is in great measure like the other Rose-Trees, making a little Bush; but more particularly like the Cinnamon-Rose, of a smooth kind. Its Blossoms are single, and all of a yellow Colour. It must be cultivated as the Cinnamon-Rose, Numb. I. in

this Month.

Numb. XXIII. Double white Mountain Ranunculus. This Plant is a Dwarf, not rising above a Foot high when it is in Flower. It brings its Blossoms in Branches, which are very double, and all white. It lasts in Flower two Months, and is increas'd by parting the Roots in February and March, or in September or October. It loves a Numb. XXIV. light open Soil.

May.

Numb. XXIV. Dutch yellow Ranunculus. This Flower is very double, of a fine yellow Colour, tinged on the Edges with a strong Crimson Colour. It is cultivated in the same manner as the Indian Queen Ranunculus, Numb. XXI. of this Month.

Numb. XXV. Indian King Ranunculus. This Flower is more double than the Indian Queen Ranunculus, but has the same Colours in it, only is thicker strip'd with Crimson. It is cultivated in the same manner as the Indian Queen, Numb. XXI. of this Month, which see.

Numb. XXVI. Tellow Globe Flower. This is likewise call'd the Double Tellow Globe, and Ranunculus Globosus. It brings its Blossoms about a Foot and half high, several upon a Stalk, of a bright yellow Colour, and continues blowing a long time. It is increas'd by dividing the Roots in February and March, or in September or October. It prospers in an open Soil, and will bear either the Shade or the Sun.

Numb. XXVII. Red Austrian Rose. This makes a Plant like the Tellow Austrian Rose, but its Blossoms are vastly more beautiful, for the Flower-Leaves are of a bright Scarlet within-side, tho' yellow without. The Thrum in the middle, is yellow. This Plant must be cultivated like the Cinnamon Rose, Numb. I. of this Month.

Numb. XXVIII. Cytisus Secundus Clusii. This is a good Shrub, and makes a pretty Ornament among the other flowering Shrubs. It bears Spikes of yellow Flowers, of the Shape of Pea-blossoms; this will ripen good Seed, which should be sown in March, in fine Earth; or you

may

may propagate this by laying the young Shoots in the May.

Ground, in September or in March.

Numb. XXIX. Lotus, with yellow Flowers. This Plant makes a good Appearance, bringing its yellow Blossoms on the Top, but does not grow very high. The Seeds of it ripen very well, and may be sown in March or April, in an open free Land, by which means it may be

propagated.

Numb. XXX. Virginia Columbine. This is a Plant, which, tho' it is a Dwarf for a great Part of the Year, will bloffom about three Foot high, with branch'd Stalks, containing a great Number of Flowers, which are feather'd, and of a whitish yellow Colour. It loves shade, and may be raised by sowing the Seeds in March or April, in a light Soil; or you may take off some of the Sets from the Roots at the same time of the Year.

Numb. XXXI. White Asphodil. This Plant brings a Spike of white Flowers, thinly set upon the Flower-Stem, and several upon a Plant, so that it makes a good Figure. It is propagated by parting the Roots in February or March, or else in September or October, and is subject enough to make Offsets. It loves a tender Soil, but will blow in

the Shade.

Numb. XXXII. The Yellow Asphodil is in every respect like the White Asphodil, Numb. XXXI. of this Month, except in the Colour of its Flowers, and is to be managed like it; but observe, that while the open Flowers are all yellow, the Buds that are to open, are green.

Numb. XXXIII. Princesses Pink is also call'd the Dwarf double Dutch Pink. It brings abundance of very double Flowers, of a clear white Colour, with the middle Leaves strip'd

48 The FLOWER-GARDEN display'd.

It is propagated like the China Pink, Numb. XII. of this Month, with respect to Slips and Cuttings; or may be increas'd by Layers, in June or July, cut as we do the Carnation, or July-Flower, which see in the Month of July. This Plant loves a light Soil that is fresh, and a warm Exposure.







Productions of the Month of JUNE.

Numb. I. Perennial Dwarf Sun-Flower. This Plant June. came to us from Carolina, and is a lasting Plant in the Garden. It brings a good Number of Flowers, radiated like other Sun-Flowers, in a Star-like manner; the Flower-Leaves are of a bright Yellow, and the middle Thrum of the Flower black. This Plant is increas'd by parting the Roots in February and March, or in September or October. It delights in an open free Ground.

Numb. II. Ultramarine Iris Major. This is the Great blue Flag Iris, or Fleur de Lis. The Flower is as large as any of the Sort, and blows above two Foot high; the Flower-Leaves are of a bright blue Colour, only those Leaves which turn down, have broad Ribs of a strong Yellow. It loves a moist open Soil, and is propagated by parting the Roots in February or March.

Numb. III. Blue Nigilla. This is call'd the Roman Nigilla, or Fennel-Flower. It brings its Flowers in the middle of Fennel-like Leaves; and the Blossoms are of a pale blue Colour. We raise this from Seeds sown in March, but the Plants are now hardly to be had, tho' formerly they were found almost in every Garden.

Numb. IV. Moon Trefoil. This makes a good Variety, having its Flowers in Clusters about every Joint; they are of a yellow Colour; and the Plant may be

H

The FLOWER-GARDEN display'd.

June. raised from Seeds sown in March, in an open free Soil.

Numb. V. Upright Sweet-William. This brings a double Flower of a strong Crimson Colour, and lasts a long time. It is rather like a Pink than a Sweet-William, and has a fragrant Smell like a Pink. It is increas'd by Slips or Cuttings from the Plant, even when 'tis in Flower, which must be set in Pots of sine Earth, and shaded till they strike Root; or you may lay down the young Shoots in the manner of Carnation Layers. They love a warm Exposure, and a light Soil.

Numb. VI. Saxifrage. This Flower is white, and grows about a Foot high. It brings its Blossoms on the top of the Stalks; the middle of the Flowers are yellow. It is increas'd by parting the Roots in February or March, and loves a light Soil; or one may raise it from the Seeds of the single sort sown in March.

Numb. VII. Cinquefoile. This Flower is yellow, and very easily propagated, by sowing the Seeds in March, in

Numb. VIII. The Panfy or Heart's-ease, is also call'd Viola Tricolor. There are several sorts of this Plant, and are all rais'd from Seeds, sown either in March, April, May, June, July, or August, for they are all quick Growers, and so hardy, that I hardly have known a Month pass without seeing one or other of them in Flower, even in the hardest Frost. The Colours are, as we are told, of three sorts in each Flower; in This, they are Yellow, Crimson, and Purple; in another, Blue, Scarlet, and Purple; but, tho' we mark them of three Colours, there is yet a White in every one of them, and

an Orange Colour in the middle of the Flower. They June.

love a light Soil.

Numb. IX. Maidens-Blush Rose. This makes such another Plant as the Austrian Rose. The Flowers are thin of Leaves, but double; and the Thrums appear in the middle of the Flower of a yellow Colour. It is what one may rather call a Semi-Double, than a compleat Double. Its Flower-Leaves are of a Flesh-colour; and its Culture is the same as that of the Cinnamon Rose, Numb. I. in the Month of May.

Numb. X. Tellow Jessamin. This is a Shrub, which has been a long time in England, but it bears pretty Flowers of a bright yellow Colour, which gives us a pleasant Appearance for a long time. It is propagated by Suckers from the Root, or by laying down the young Shoots

in September or October, in a light Soil.

Numb. XI. Blue Corn-Flower, or Blue Corn-Bottle, as some call it. This Flower, tho' it is very plentiful in the Corn-fields, is of as fine a blue Colour as any in the Garden; the outward Leaves are of a bright blue Colour, and the middle Parts of the Flowers are of a deep Mazarine Blue; for my own part, I place it among the Garden Flowers, for there is not a Plant which brings a Flower of a finer Colour. 'Tis raised from Seeds sown in March in any sort of Ground, if the Earth is made fine.

Numb. XII. Blush Belgick Rose. This Rose is very double in its Blossoms; the Leaves are of a Flesh-colour, and equal to any Rose we have, for Beauty. It makes a fine flowering Shrub; and should be propagated like the Cinnamon Rose, Numb. I. in the Month of May.

H 2 Numb. XIII.

Numb. XIII. The Frankfort Rose. This makes much such a Shrub as the former, but its Flowers are more double, and of a stronger Red than the foregoing Sort. It is propagated by taking off the Suckers from the Roots of the old Plants in February or March. It must be well water'd at Planting, and loves a stiff loamy Soil.

Numb. XIV. The Double Martagon. This brings a beautiful Flower, with its Flower-Leaves for the most part turned up; they are of a Peach Bloom-colour, shaded with Crimson; the Roots are like those of the Lillies, composed of many Chives, and are propagated by parting the Offsets, which they make plentifully when the Flower-Stem is decay'd; but these are not like the bulbous Roots, which may remain a long time out of the Ground, for these should be replanted very soon.

Numb. XV. Orchis Bee-Flower. This Sort we find growing best in chalky Grounds; but may be taken up when they are in Flower, with the Earth about their Roots, and planted in our Gardens. This Sort blows about a Foot high, with about four or five Flowers resembling Humble Bees, and of their Colour, only the Part which represents the Wings are of a faint Red. There are many forts of this Plant, some bringing Flowers

like Flies, Butterflies, Lizards, Frogs, Men, &c.

Numb. XVI. Scarlet Colutea. This makes a pretty Shrub for a Pot, and will last some Years. It brings Spikes of Flowers of a bright Scarlet Colour, which end in Blades of Seeds that ripen well with us. I give this Plant the Shelter of the Green-House in the Winter, and raise it by sowing the Seeds in a Hot-bed, in March. It

loves a light Soil.

Numb. XVII.

Numb. XVII. Fraxinella. This Plant brings its Flowers in a Spike, a Foot high; they are of a fine Carmine Colour, but not over deep. We propagate them by parting their Roots in March. They love a tender Soil, and a warm Situation.

Numb. XVIII. Moss Province Rose. This makes a Bush like the Province Rose, and bears Blossoms almost as double as that, only somewhat redder; and all the Stalks are cover'd with a green Down, like Moss, which gives it its Name. It is cultivated like the Cinnamon Rose, Numb. I. in the Month of Man.

in the Month of May.

Numb. XIX. Double Virginian Silk-Grass. This is also call'd Virginia Spiderwort. It bears single Flowers on the top of Stalks, about a Foot high, which are of a fine blue Colour. They grow in any Soil that is well broken, and prosper well in shady Places. These are increas'd by dividing the Roots in February and March, and in September and October.

Numb. XX. White Rose. This makes a Shrub like the Moss Province Rose of this Month, Numb. XVIII. the Flowers are double, fill'd with white Leaves, and some light Yellow in the middle. It is propagated like the Cinnamon Rose, Numb. I. in the Month of May.

Numb. XXI. Dutch Hundred-leav'd Rose. This is what we call the Provence Rose. The Flowers are the most double of any we have in the Gardens; 'tis a free Flower, and brings its Blossoms by two or three in a Cluster. The Colour of the Flower is like the Damask Rose, such a fine Flesh-colour for the Light, and shaded with a Crimson. This is propagated like the Cinnamon Rose, Numb. I. in the Month of May, as you may see.

Numb. XXII.

Numb. XXII. White Batchelor's Button. This Plant grows about fixteen or eighteen Inches high when 'tis in Flower, and then the Flowers are very double, and white in their Leaves. They love a dry Soil, and may be increas'd by dividing their Roots in February or March, or September or October. The fingle one of this Sort grows in the Fields; but this is a Rarity.

Numb. XXIII. Rosa Mundi. This makes a Bush like the former Rose, call'd the Dutch Hundred-leav'd Rose, Numb. XXI. Its Flowers are double, and striped with a deep Flesh-colour, upon a white Ground. The Culture of this is the same as the Cinnamon Rose, Numb. I. in the

Month of May.

Numb. XXIV. Mountain Lichnes. This is a very small Plant, and brings a Pink-Flower with a Pheasant Eye, as they call it, that is, touch'd with a Carmine Colour upon a white Ground. It is propagated by planting the Slips of it in March or April, in fine Earth; or in July, August, or September. This will bring good Seed, which will raise this Plant, being sown in March or April in fine Earth, and must have a warm Exposure.

Numb. XXV. Dwarf Iris strip'd. This Plant seldom blows above six or seven Inches high, but brings a beautiful Flower. The upright Leaves are of a pale Yellow, and so are the others, only in those that turn down there is a Streak in every one of a beautiful red Colour, strip'd a little into the Yellow of the Leaves. It loves a free open Soil, and may be increas'd by dividing the Roots in February or March, or September or Ottober.

Numb. XXVI.

Numb. XXVI. White Jessamin. This is as common 2 Plant as we have in England. It is in every Garden; but as it brings a sweet-scented Flower, is very agreeable. This may be either rais'd to a little Tree, or else planted against a Wall, where it may be trained up to a great Height. It remains flowering many Months; and is raised by laying the young Shoots into the Ground in September, or else taking Cuttings of three or four Joints about the End of October, or in November or December, and planting them fix or perhaps four Inches deep in the Ground, so as to leave two Buds above Ground. You may guide your self by the Length of the Shoots. The Earth must be well temper'd and well water'd after Planting, and the next Spring they will have good Roots, and may be replanted the September following. They will grow in any Exposure.

Numb. XXVII. The Scarlet Geranium. This is a Green-House Plant. It makes a Shrub of about two Foot high. It has this Name from the Colour of its Flowers, which are as bright a Scarlet as is seen in any Flower. It is raised from Seeds, which it brings plentifully, and must be sown in March on a Hot-bed; or else you may propagate it by Cuttings, in any of the Summer Months; and you may have good Plants by September, which may then be potted, and set into the Green-House. The Time of taking them into the Garden or open Air, is about the middle of May, when the Weather is settled. It loves a light Soil.

Numb. XXVIII. Tellow Martagon. This Flower has a Root almost like that of the common Lilly, as all the rest

rest of the Martagons have, consisting of Chives, and every one of those Chives will grow, if they are planted singly, in Pots of sine Earth, in June or July. This showers about two Foot high, and the Flowers turn up their Leaves, which are yellow, but the Chives in them are green. We may transplant them as soon as their Flower-Stalks are withered. They love an open free Soil.

Numb. XXIX. Red Martagon. The Plant of this fort blows much like the former, only the Flowers are of a Crimson Colour. It is to be treated in the Garden as I have directed for Numb. XXVIII. of this Month.

Numb. XXX. Teucrum, or Germander-Tree. This makes a pretty Shrub, and is well garnish'd with Blossoms of a bright blue Colour. It flowers a long time, and delights in a warm Exposure, with a light Soil. It grows freely from Cuttings planted either in May, June, or July. Some will set it in a Green-House, but a warm Wall will do as well; and I have seen it even stand in the open Ground, where the Sun could well come at it.

Numb. XXXI. Mountain Dwarf Pink. This is like the China-Pink, only smaller; 'tis white in its Flower, but about the middle has a Crimson Blush. It is propagated like the Flower call'd the Mountain Lichnes, Numb. XXIV. in this Month, by Slips, in June or July.

Numb. XXXII. Tellow Corn Marigold. This Plant brings its Flowers about a Foot and half high, very double, of a pale yellow Colour. We raise it from Seed in March or April; and it may be propagated likewise by Cuttings, either in June or July, but they must have

no Blossoms upon them. They love a free open Earth, June. the finer it is, the better. There is a white one of this Sort, to be cultivated after the same manner.

Numb. XXXIII. Purple Sweet Pea. This is what we call the Sweet-scented Pea. It is an Annual, and raised from Seed sown in March or April. It brings its Blossoms of two Colours, one a reddish Purple, and the middle of a fine Blue. It smells like an Orange-Flower; and loves a light Soil.

Numb. XXXIV. Greek Valerian. This Plant does not grow when 'tis in Flower above eight or ten Inches high; they are of two forts, one brings a Flower of a pale Blue, and another a white Flower; the Latter is that which is here introduced; but either of them make a good Appearance. There is likewise one with strip'd Leaves. We increase it by dividing the Roots in February or March, or in September and October; and it loves a free open Soil.



Productions




Productions of the Month of JULY.

July. Numb. I. OUBLE Nasturtium, or the Nasturtium Indicum with a double Flower This Indicum with a double Flower. Plant we lately receiv'd from Holland; but it was first raised in Italy, and many Contrivances were used before it could be brought to Holland; it first bore a great Price, and was esteem'd as a great Rarity, and by planting it of Cuttings it is now become pretty plentiful. It bears no Seed, and therefore this is the only way of preserving it. The Method is about August to cut off some of the young Shoots which seem least dispos'd to blossom, and plant them in Pots of fine Mold, watering them well till they strike Root, which will be in a few Days, and at the end of September set them in some Place where they may be cover'd a-nights, and keep them in fuch Shelter till March following; then transplant them fingly into Pots, and fet them in a Hot-bed till they begin to flower; and in the middle of May you may set them abroad.

Numb. II. Double white Maudlin. This Plant brings a Truss of double white Flowers, about the Size of those of the Double Wall-Flower. It loves a light Soil, and may be increas'd by parting the Roots in March.

Numb. III. The Prince Picotée July-Flower, or Carnation. The Flowers of this Sort are large, and full of regular Leaves, of a fine White, picoted or streak'd, and dotted





July.

dotted on the Edges with a Carmine Colour. This, as well as other Carnations, love a Soil that is rich, fine, and not over-stiff. This Flower is propagated by Layers in June, or as soon as they are strong enough to lay down; and if you mind to water them well, they will be rooted by the End of July or August: at the End of September take the Layers off, and plant them in fingle Pots, to remain till they blow the next Year. In the Severity of the Winter give them a little Shelter, and you may expect them to blow strong. When the Spindles or Flower-Stalks begin to rise, cut off all but one or two of the strongest; and again, as these offer their Buds for flowering, break off all but the top or leading Bud as soon as they appear; when the Flowers are full blown, shade them, or set them in a Green-House, to keep them the longer in Blossom. The old Roots of this, and other Carnations, may be planted in Beds at a Foot Distance, to bring Nosegay-Flowers another Year.

Numb. IV. The True Caper. This Plant comes from Italy; and besides the Use that is made of its Blossom-Buds, which are Capers, the Flowers are very beautiful; the Leaves of them are White; and the Thrums in the middle are of a Carmine Colour, inclining to a Lake. This has been always cultivated in Stoves to little purpose; but about twelve Years ago, I received some Seeds from Leghorn, which I sow'd indifferently in the Crevices of old Walls, and they grew there so well, without any Shelter, that they blossom'd with me the second Year, making Shoots about a Yard long, with a Flower at every Joint.

I 2

Numb. V.

July.

Numb. V. Virginian yellow Jessamin. This brings its Flowers somewhat larger than our common yellow Fessamin, and is cultivated just in the same manner.

Numb. X. in the Month of June.

Numb. VI. Painted Lady Carnation, or July-Flower. This brings its Blossoms large; the Flower-Leaves are white on the Back, but on the Upper Side are blotch'd with a Crimson Colour upon White, as the Painting represents. There are many sorts of Painted Lady Carnations, some blotch'd with Purple, others almost Blue. It requires the same Culture as the Prince Picotee July-Flower, Numb. III. of this Month.

Numb. VII. Double-blue Throatworth. This grows about a Foot and half high, bringing its Flowers of a Belllike Figure, but double, and of a bright blue Colour. It loves a light Soil; and is increas'd by parting the Roots in March or Beginning of April, and in September or October.

Numb. VIII. Scarlet Martagon. This brings its Flowers of a very beautiful red Colour, such as one may paint with Minium, and shade with Carmine; so that no stronger Scarlet can be made; some call this the Flaming Lilly. It is cultivated like the Yellow Martagon, Numb. XXVIII. in the Month of June.

Numb. IX. White Lilly, striped with Purple. Plant we had from Holland about ten Years ago; it flowers strong, as the common White Lilly, but has some Stripes on the Flower-Leaves of a bluish Purple, and in some Places they are striped with Crimson. The Culture

is like the Lilly, Numb. XIV. in June.

The FLOWER-GARDEN display'd.

Numb. X. Spanish Broom. This is a beautiful and July. lasting flowering Shrub. It shoots about two Foot in a Year, with long Spikes of bright yellow Flowers, which are sweet-scented. It is raised from Seeds sown in March or April, in a free open Soil, and will resist any Weather.

Numb. XI. Carolina Kidney-Bean. This Plant makes a very good Shew, bringing long Spikes of purplish Blossoms. It is raised from Seeds sown on a Hot-bed in

March or April, and loves a light Soil.

Numb. XII. Double-strip'd Female Balsom. This is call'd the Eagle-Flower in the West-Indies, and brings its Blossoms very double; the Ground of the Flower-Leaves is white, and they are strongly striped with Crimson, or sometimes Purple. They are raised from Seeds sown in Hot-beds, in February or March, and when they are two Inches high must be planted out at four Inches distance; and in May plant them in Pots of fine Earth, and set the Pots in a Glass-Case, watering them well: By this Method I have raised them sive Foot high; but if they grow abroad, they will not be above two Foot.

Numb. XIII. True Olive-Tree. What is meant by this Name is no more than that it is an Olive Tree, in objection to that they call the Oleaster, or Wild Olive, which brings none of the Olive Fruit. The Sort represented in the Plate is that which is call'd the Luca Olive, which I have had bring ripe Fruit sit to make Oil of. The Fruit is black when 'tis ripe, but when it is green 'tis sit for pickling, and is the same as the small pickled Olives of the Shops. One may raise this Plant from the Stones of the ripe Fruit sown in March. The larger Olive

by planting the Suckers from about the Roots, in February or March; or else by laying the young Shoots into a fine Earth, in September or October. It loves a warm Situation. The Flowers grow in Spikes, and are white.

Numb. XIV. Red Oleander. This Plant comes from Turkey. It makes a Shrub of four or five Foot high, and brings its Flowers in Bunches on the top of the Shoots. They are of a faint Crimson Colour, and make a fine Appearance. There are several forts of this; some with white Flowers, both single, double, and sweet-scented. It is propagated by planting the Suckers which come about the Roots in March, April, or May, in Pots of fine Earth, and is set into the Green-House in Winter.

Numb. XV. Painted Lady Pink. This brings a Bloffom like the Painted Lady Carnation, Numb. VI. of this Month, only much smaller. It is to be cultivated in every respect like that.

Numb. XVI. White Lupine. This is an Annual Flower, raised from Seeds sown in April, in the open Ground. It brings Spikes of white Flowers, which is all I can say of it; but the Yellow of this sort is beautiful and sweet-scented.

Numb. XVII. Princess Picotee July-Flower, or Carnation. This brings a Blossom much like the Carnation call'd the Prince, Numb. III. of this Month, but dash'd with a paler Crimson than the Prince. 'Tis to be manag'd in the Garden like the Prince Picotee.

Numb. XVIII.

Numb. XVIII. Geranium Noctu Olens. This is a Green-House Plant, that is, it must be shelter'd there in the Winter. It is a Dwarf Plant at the best, but dies down in the Winter Months. It is tuberous-rooted, and is increas'd by dividing the Roots in March, April, or May, and setting them in Pots of sine Earth; the Flowers are in Trusses, on Stalks about a Foot high, and are of a yellowish Colour, with a Stripe of dark Red in the middle of every Leaf. This Plant may be abroad from the middle of May till the middle of September; the Flowers are very sweet scented in the Evenings, and all Night, as if they gather'd then the Dew of the Heavens; but they have little or no Smell in the Day-time.

Numb. XIX. White Valerian. This Plant blossoms about a Foot and half high, with Spikes of small white Flowers. It is propagated by dividing the Roots in March or April, or in the Autumn Months; or by sowing the

Seeds in March, in fine Earth.

Numb. XX. Hop-Hornbeam. This makes a pretty Plant, which is durable, and brings its Flowers in the Shape of Hops of a whitish Colour. We raise this by sowing the Seeds in March, and likewise by laying the young Shoots into the Ground in October or November, in an open Soil.

Numb. XXI. Indian or China Pink. Tho' it flowers in this Month, yet it blossoms in May, where you may

see its Description and Culture, at Numb. XII.

Numb. XXII. Double Pomegranate is a Plant that makes a beautiful Appearance when 'tis in flower, and will be full of Flowers every Summer, if it grows at liberty without Pruning or Clipping. I have seen an Arbour cover'd

with

July. With it; but more frequently it is tack'd to a South Wall. It will likewise make a pretty Tree, if it is kept in a warm Exposure. This loves a warm dry Soil, and is increas'd either by Layers in September or October, or by Offsets from the Roots at that time, or in March; the Flowers are very double, and of a beautiful Scarlet Colour.

Numb. XXIII. Double Mouse-Ear is called the Golden Mouse-Ear. It is a Dwarf Plant, but blossoms near a Foot high, with a Truss of Blossoms at the top of the Stalk. The Blossoms are of a bright Orange Colour; and the Plant is propagated by the Offsets from the Roots, which may be transplanted in March or April, or in the Autumn Months, in a light Soil and warm Exposure.

Numb. XXIV. Virginian Scarlet Honeysuckle. This is a fine flowering Shrub, bringing its Flowers of a beautiful Scarlet Colour, in great Quantities. It may be propagated by its Seed sown in March, but rather by Layers in March or in Ottober, or else by Cuttings in November. The Ground for it should be free and open; and it should have a warm Exposure, tho' 'tis not very tender.

Numb. XXV. Double-white Throatwort. There is no Difference between this and the Double-blue of the sort, but the Colour of the Flower; and it must be managed in the Garden like the Double-blue, Numb. VII. of this Month.

Numb. XXVI. French Marigold. This, tho' it is a common Annual Flower, is as beautiful as most in the Garden. It blows a long while, and the Flowers may be imitated in Painting by making the Ground yellow, and blotching of it with Carmine in the middle of the Leaves.

The

the Plants are raised by sowing the Seeds in March upon July. a Hot-bed, and when they are come up, transplant them at four Inches Distance; and in May plant them in common Borders. These love an open free Soil. The African Marigold must be cultivated in the same manner.

Numb. XXVII Double Scarlet Lichnes. This is a lasting Plant in a Garden, and brings its Flowers in large Trusses, upon Stalks about two Foot high; the Flowers are very double, and of a beautiful Scarlet Colour. These are generally cultivated in Pots of fine Earth, and increas'd by parting the Offsets of the Roots in March, or in the Autumn Months.

Numb. XXVIII. Double-blue Larkspur. The Flower represented is of that sort that is call'd the Rose Larkspur. The Blossoms are very double, of a bright blue Colour. It is raised from Seeds sown in March, to blossom late in the Summer; or sown in August, to blow in May. It loves an open free Soil.

Numb. XXIX. Hungarian Climer or Climber. Flowers of this are of a bright Blue, which appear in good Numbers. It is propagated by the Offsets about the Roots, in February or March. The Soil should be light, but the Seeds ripen sometimes, and may be sown in March.

Numb. XXX. Double Stock, or Double Stock July-Flower. This fort is raised from Seeds of the Brumpton-Stock, and has its Flowers striped with Crimson, upon a white Ground. We sow the Seeds in March or April, and when the Plants are going to flower, we take up those that we perceive have double Buds, with Balls of Earth about them, and set them in Pots with sifted Mold. But we have

have Doubles come from the White and the Purple, or Twickenham Stock, as well as the Ten-week Stock, which

may be cultivated in the same way.

Numb. XXXI. Bean Caper. This Plant blossoms about two Foot high, with its Flowers single at the Joints; they are of a pale yellow Colour, strip'd with Crimson. It is propagated by the Seeds sown in March, or may be increas'd by Offsets transplanted in March or April. It loves a light Soil, and warm Exposure.

Numb. XXXII. White Oleander. This makes such another Shrub as the Red Oleander, Numb. XIV. of this Month; but the Flowers are white as the Name seems to express; but the Middle of the Flowers are yellow, in stripes from the Center. Its Culture is the same of the

Red fort, Numb. XIV.





AUGUST



Productions of the Month of August.

Numb. I. JURPLE Althea Frutex. This is a good August. Howering Shrub, about three or four Foot high, which at this time is full of Flowers of a purple Colour; the Pistil in the middle is yellow, and a white Circle about it; then the purple Leaves are adorn'd with a Crimson Colour from the white Circle, in a Star-like manner; this brings ripe Seeds, and is propagated by fowing them in March. This Plant is hardy enough to grow any where, and in any Soil; only remember that at first Planting you give it fine Earth, and Water enough. The Season of moving this Plant is at any time when the Leaves are off.

Numb. II. The Ivy-leav'd Jessamin. This is call'd likewise the Azores Jessamin. It makes a Plant commonly about two or three Foot high, and brings its Blossoms at the End of the Shoots in Clusters; they are white, tinged a little on the Back with Crimson. This is always cultivated in Pots, as a Green-House Plant, to be shelter'd in the Winter. We increase them easily, by Layers, in October or November, in light Earth; or else by Cuttings, set in Pots of sifted Earth, planted at the same time with some fresh Cow-Dung put in the middle of the Pot, which will keep the Cuttings cool till they strike Root.

August.

Numb. III. Iris Uvaria. This, because of the Figure of its Leaves, and Manner of its Flowering, is call'd the Sword-blade Aloë. It is not tender enough to require a Green-House in the Winter, but grows very well if it is planted in a light Soil, under a South Wall. It bears a long Spike of Flowers, of an Orange Colour; and is propagated by parting the Roots in March, April, or in the Autumn Months.

Numb. IV. Purple Sultan, or Sweet Sultan, is an Annual Plant, raised from Seed sown in fine Earth, on a Hot-bed in March. It grows about two Foot high, with Blossoms of a reddish Purple Colour, and yellow Thrums in the middle.

Numb. 5. Purple Toad-Flax. This is a Plant which blossoms about two Foot high, and makes a pretty Shrub. It bears its Flowers on Spikes of a dark red purple Colour, with Yellow in the middle of the Lips. It is an hardy Plant, and may be propagated either by sowing the Seeds in March, in a light Soil; or may be raised by Cuttings set in May, as we do the Anterinum with striped Leaves.

Numb. VI. Purple Amaranthoides. This Plant is in every respect like an Amaranthus, except the Flowers, which in this are Globose; they are of a fine Purple Colour, and when they are gather'd and dry'd, will remain perfect, and of the same Colour for many Years, so that they are placed among the Everlasting Flowers. There is a white sort of this Kind, and they are both raised from Seeds sown in March, on a Hot-bed, and transplanted like other Annuals; but instead of putting this abroad in May, it must be set in a Glass-Case till

the

The FLOWER-GARDEN display'd.

the middle of July. The Pots should be as big as August. Carnation Pots that we plant it in, and the Soil rich and

light.

Numb. VII. Double Arabian Fessamin. This Plant is durable, but requires a great deal of Warmth to keep it in the Winter. Its Flowers are very double, and have the Fessamin Flavour in the highest Degree. They are of a Snow White, but tinged a little with Red as they decay. We receive this, as well as the single Sort, from Italy. We always have it in Pots, and shelter'd in the Green-House in the Winter; or in a Stove it blossoms better. The Soil must be light; and it is propagated by Inarching it on the common Fessamin in May, or grafting it on the same in March, giving it some Shelter.

Numb. VII. Tellow Ketmia. This Plant bears a Spike of yellow Flowers, coming singly at the Joints. It is propagated by Seeds sown on a Hot-bed in March, in fine Earth.

Numb. IX. Purple Cockfoomb Amaranthus. This is a furprifing Plant; for what we call the Comb, is not properly a Flower, but a Bunch of Flowers, for in that Comb we find the Seed; but the Top of the Plant brings this Body, which is like a Cock's Comb, curl'd, and of a Crimfon Colour. It should be managed in the Garden like the Amaranthoides, Numb. VI. of this Month. Its Culture is the same.

Numb. X. Shrub St. John's Wort. This is a Plant which lasts many Years, and brings agreeable yellow Flowers. It is reckon'd among the most beautiful of the flowering Shrubs, and is propagated by taking the Offsets about

Numb. XI. Pona's blue Throatwort. This bears a Clufter of small blue Flowers of an Ultramarine Colour; you may raise it from Seeds sown in March, on a Hot-bed. The Plant comes from Carolina, and so I suppose has its Name from the Indians.

Numb. XII. Palma Christi. This Plant is brought to us from America. There are several Kinds of it, but the Plant which is here figured is only Annual with us. It grows near three Foot high, with Spikes of Flowers of a very odd Nature; those at the bottom are Male-blossoms, of a pale yellow Colour; and those on the top of the Spike are Female, with their Pistils of a Carmine Colour, and the rest of a bluish Green. 'Tis raised from Seeds sown in March, on a Hot-bed, which may be transplanted in May. It loves a light Soil.

Numb. XIII. Purple Convolvulus. This is the Plant which is call'd Convolvulus Major, at the Seed-Shops. Its Flowers are of a bluish Purple Colour; and as it is a twining Plant, it ought to have a Stick for its Support. We raise this from Seed sown in March, on a Hot-bed; and it may be planted out in May, in a free

open Soil.

Numb. XIV. Polyanthos. This Flower, without any distinguishing Character, is placed amongst the Flowers of this Month by Mr. Furber, to shew that it blossoms at this Seafon. The Colours of it are, first a yellow Eye, and the o-

5

ther Part Carmine, striped upon White. 'Tis cultivated August. like the Polyanthos, Numb. XIII. in the Month of March.

Numb. XV. Indian yellow Jessamin. This makes a pleasant Shrub. It is always cultivated in Pots, as it requires a Green-House in the Winter; the Flowers come in Bunches of a yellow Colour, and are very sweet, and appear almost in every Month of the Year. The old Plants bring abundance of Seeds, which ripen very well, and may be sown in March, April, or May, and by that means we may raise handsome Plants. It is also increased by laying down the young Shoots either in March or April, or in the Autumn Months.

Numb. XVI. Double-flowering Myrtle. This Plant makes a handsome Bush, and brings its Flowers in great Quantities, and very double; they are white, touch'd on the Back of the Leaves with a Carmine Colour. It is rais'd by Cuttings planted in Pots, in March or April, or in July; water them well after Planting. You must set them in the Green-House the Beginning of October, and you may expose them abroad the Beginning of May.

Numb. XVII. Ægyptian Scarlet Hollyhock. This is a beautiful Plant, bringing a good Number of Flowers of a Carmine Colour, only the middle is yellow. Its Flowers are fingle, and bring good Seed, which should be sown in March, in a warm Exposure, and a free open Soil.

Numb. XVIII. Tellow strip'd Marvel of Peru. This has its marvellous Character from the Diversity of Colours and Uncertainty of the Stripes in its Flowers; for as it blossoms you will hardly find two Flowers alike in Co-

august. Colour; in this, some Flowers will be all yellow, and some all red; while others partake of both the Colours. This is rais'd from Seeds sown in March, on Hot-beds, and may be set in the open Ground in May. Tho' this is esteem'd an Annual, yet the Root of it will remain productive many Years, taking it out of the Ground when the Stalks decay, and keeping it in dry Sand till the Spring sollowing, then replant it.

Numb. XIX. Strip'd monthly Rose. This Rose makes a Shrub like the others, but produces more Thorns. Its Flowers are double and white, strip'd with a pale Crimfon Colour. Its Culture is like that of the Cinnamon-Rose,

Numb. I. in the Month of May.

Numb. XX. Double Featherfew. This Plant blows about a Foot and half high, with its Blossoms white, and very double. It is propagated by dividing the Roots in March or April, and planting them in an open free Soil. They will grow in shady Places.

Numb. XXI. Semper Augustus Auricula. This Auricula is a good Flower; its Blossoms are of the Painted Lady Kind, a white Ground, strip'd with a reddish Purple. Its Culture is like that of Numb. VI. in the Month of

April.

Numb. XXII. Dwarf Convolvulus. This Plant, not-withstanding it is call'd a Convolvulus, does not twine, but lies flat on the Ground. It brings beautiful, bright, blue Flowers, with Yellow in their middle. It is raised by sowing the Seeds in March, upon a Hot-Bed; or in April, in a fine Earth, in a good Exposure.

Numb. XXIII. Willow-leaved Apocinum. This Plant makes a Shrub about four Foot high. It bears its Flowers

In Bunches. They are of a white Colour, inclining to august. Straw. It is a Green-House Plant, and may be rais'd from Cuttings, as directed for the Double-blossom'd Myrtle, and managed in the same manner. See Numb. XVI. of this Month.

Numb. XXIV. Apios of America. This has Roots like the Potatoe, and loves a light Soil. It is a twining Plant, rifing out of the Ground in April, and decaying at the End of the Summer. They bring Spikes of flesh-colour'd Flowers, very sweet-scented. Divide the Roots in March to increase them.

Numb. XXV. Virginian flowering Raspberry. This appears to be a Raspberry, but tho' it has been many Years in England, it has never born any Fruit. It grows like other Raspberries, and brings a large Flower of a Peach-blossom Colour. It loves light Earth, and is generally set in a Green-House in the Winter. It is propagated by dividing the Roots in March or September.

Numb. XXVI. Lifole from Genoa. This Plant brings very pleasant Flowers of a Flesh-colour, shaded with Carmine, and the Apices or Chives, in the middle, yellow. It is raised from Seeds sown in March, in a light Soil, and warm Exposure.

Numb. XXVII. Double Spanish Fessamin. This is like the common Spanish Fessamin, only here and there we find a Leaf or two more in a Flower, the Blossoms are white, tinged on the Back with Carmine, they are very sweetscented. See the Culture at Numb. VII. in this Month.

Numb. XXVIII. White Eternal. This brings a double Flower, and it is call'd so, because the Flowers being cut from the Plant, will remain in the same Perfection

L

many

august. many Years. The Center of the Flower, tho' the Leaves are white, is yellow, shaded with Carmine. We raise it by dividing the Roots in March. It wants a warm Ex-

posure, and a light Soil.

Numb. XXIX. Fruit bearing Passion-Flower. This Plant comes from Virginia. It is either cultivated in Pots, or planted against Walls in a warm exposed Place. The Flowers always come upon the youngest Shoots, and are extremely odd in their Make; the Leaves are of a whitish Green; the Pistils of a dark Purple Colour; and the Apices or Chives are yellow; the Circle next the Center of the Flower is a reddish Purple, and the other Circle consists of blue Rays. It brings a Fruit shaped and coloured like a Limon, with red Seeds in the middle like those of the Pomegranate. It is increased either by Cuttings in May or June, or by Layers at the same time, or in September; or by transplanting the Suckers about the Roots in March or April, or in the Autumn Months. It loves a tender moist Soil.

Numb. XXX. Scarlet Althea. This is a beautiful Shrub, and is the Plant which is call'd the China Rose. The Flowers are as fine a Scarlet as one can imagine, the Plant must be preserv'd in the Green-House in the Winter. 'Tis raised from Seeds sown on a Hot-bed in March, and loves a light Soil.

Numb. XXXI. Canary Shrub Fox-glove. This little Shrub brings Spikes of Flowers like the Iron-colour'd Fox-glove; they are of a yellow Colour within-side, and Orange Colour without; 'tis a Green-House Plant, loves a tender Soil, and is raised from Seeds sown in March, on

a Hot-bed.

Numb. XXXII.

Numb. XXXII. Long blowing Honeysuckle. The Flow- august, ers of this are of a fine Crimson Colour on the Outside, and their Buds especially; the Inside of the Flower-Leaves are yellow. It brings good Trusses of Flowers, and lasts a long time in Blossom. This, like all other Honeysuckles, is raised by laying down the Branches in October or November, or by planting Cuttings of it in the natural Ground in November.

Numb. XXXIII. Double-purple Virgin's Bower. This is a Plant that wants Support. It is commonly placed against a Wall. The Flowers are very double, and of a bluish Purple at first Opening, and then change to a reddish Purple. This may be increas'd by Layers in June, as I am inform'd, but particularly from Offsets or Suckers from the Roots, transplanted in February or March. It loves an open free Soil.

Numb. XXXIV. Virginian Scarlet Martagon. This Flower, tho' it is faid to be Scarlet, is of a yellowish Colour, strongly painted with Carmine. It blows about three or four Foot high, and loves a light Soil and warm Exposure. It is cultivated like the Red Martagon, Numb. XXIX. in the Month of June.



Productions

HAND CENTRAL MAN SENDENCE SEND

Productions of the Month of SEPTEMBER.

Plant which has a Turnip-Root, and fine Leaves, variegated with White and Green. The Flower of this Kind is of a Peach-blossom Colour. It is but a low Plant, scarce rising four Inches above Ground. This loves a light Soil, and warm Exposure; and is propagated by Seeds sown in March or April.

Numb. II. White Sow-Bread, or Cyclamen. This Plant only differs from the former in bringing its Flowers of a white Colour, and the Culture is the same. See Numb. I.

of this Month.

Numb. III. White Corn Marigold. It is meant by this Name of Mr. Furber's, that it is the Double white Corn Marigold, which brings very double Flowers, all white. It is raised from Seeds sown in March, in fine Earth, and warm Situation, and may be increas'd by Cuttings planted in fine Earth, in any of the Summer Months, when the young Shoots appear.


Numb. IV. New Tree Primrose. This comes from Carolina, but is not a Tree, tho it is call'd so. When it is in Flower, it blossoms about three Foothigh, with Spikes of yellow Flowers, somewhat like the Primrose Flower. It is raised by sowing the Seeds in March or April, in a second series of the seeds in March or April, in a second series of the seeds in March or April, in a second series of the seeds in March or April, in a second series of the seeds in March or April, in a second series of the seeds in March or April, in a second series of the seeds in March or April, in a second series of the seeds in March or April, in a second second series of the second series of the second s

fine Earth, and a warm Situation.

Numb. V.

SEPTEMBER





Numb. V. Sour-leav'd Geranium. This is an African Septem. Plant, and makes a little Shrub for a Pot, hardly three Foot high at most. It brings Bunches of Flowers striped with Carmine, on a white Ground. This is a Green-House Plant, and must be set into it in October, and taken out again in May. It is raised by sowing the Seeds in March, on Hot-Beds, or by making Cuttings of it in sine Earth, in any of the Summer Months. This Plant I brought first into England.

Numb. VI. Quill'd African Marigold. This is esteem'd as a Double African Marigold, which has its inmost Leaves like Quills, instead of open Leaves. It is an Annual Plant, raised from Seeds on a Hot-bed in March, and set

abroad in May, in a free open Soil.

Numb. VII. Heart's-Ease, or Pansy, or Viola Tricolor, or Three-colour'd Violet, is a Dwarf Plant, seldom rising above ten Inches high. It flowers plentifully, and the Blossoms always have three Colours, as Yellow, White, and Red; or Blue, Crimson, and Yellow. It is raised from Seeds sown either in March, April, May, or in the Summer Months. It chooses a light Soil.

Numb. VIII. Shrub Cotton. This Plant is about three Foot high, and is an Annual. It is that which bears the fine Turkey Cotton. The Flowers are large, of a Straw-colour, and striped with Carmine about the Center. It is raised from Seed sown on a Hot-bed, in March, and

brings the Cotton in large Cods.

Numb. IX. Sheford's Hester Auricula. This is a fine one of the painted Lady Sort. Its Flowers are striped with Yellow and Crimson, upon a Ground of White. See the Culture, Numb. IX. in the Month of March.

Numb. X.

Septem. Numb. X. Virginian Birthwort. This is a creeping Plant. Its Flowers are like Horns, of a deep yellow Colour, shaded with Carmine. You may raise it by sowing the Seeds in March, on Hot-beds; or divide the Roots in March. It loves a light Soil, and a Green-House in the Winter.

> Numb. XI. Virginian upright Bramble. This brings a white Flower, with the Middle yellow. It makes a little Shrub like the Barren Raspberry of Virginia, and is propagated by Offsets from the Roots in March. It loves an

open Soil, and warm Situation.

Numb. XII. Scarlet Indian Cane. This Plant will last many Years, tho''tis thought to be Annual. Its Flowers are of a very fine Scarlet Colour, growing in Spikes, and may be propagated by dividing the Roots about March or April, as we do that Sort with striped Leaves; but for this, 'tis easily raised by sowing the Seeds in March, on Hot-beds; and the Plants, to keep them well, must have a Green-House in the Winter, tho' it dies down to the Root.

Numb. XIII. White Colchicum. This, in some Parts of England, is call'd the Son before the Father; in others, Naked Boys, because the Flowers appear before the Leaves. The Flowers of this are white, as the Name expresses; 'tis bulbous-rooted, and may even be planted when their Blossoms are appearing, but the right Season is in August. They are increas'd by Offsets from the Roots, and must be taken out of the Ground and separated when the green Leaves are decay'd. They love a light Soil and warm Exposure, where Winds and Rain cannot hurt them; for they are very tender, so as to be beat to the Ground with the least Disturbance. Numb.

Numb. XIV. Bean Caper. This Plant is describ'd, Septem.

Numb. XXXI. in the Month of July.

Numb. XV. All-red Amaranthus. This is call'd by The Gardeners, the Fiery Amaranthus, or Flaming Amaranthus. It has no Beauty but in the Leaves, which are of a fine Lake Colour. 'Tis raised from Seed sown on Hot-beds, in March; and may be planted abroad in May, in light Earth. This is an Annual Plant.

Numb. XVI. Double-white Sopewort. The Flowers of this are almost like those of the Double Stock July-Flower, but of a Flesh Colour. It is increas'd by dividing the Roots in March or September. It loves light Earth,

and a warm Exposure.

Numb. XVII. Tellow Indian Cane. This Plant is the same in every respect as the Scarlet Indian Cane, Numb. XII. of this Month, except the Colour of the Flower.

Numb. XVIII. Virginian Poke. This is a hardy Plant, and will remain many Years in the natural Ground. It is raised of Seeds sown in March, on a Hot-bed, and planted out in May. Its Leaves are like those of the Marvel of Peru; and its Flowers are in Spikes, which are white both in the Bud and Flower. It loves a light Soil.

Numb. XIX. Gentianella. This is a Dwarf Plant, but its Flowers are of the Ultramarine Colour, or the finest blue Colour one can imagine. It blossoms almost all the Winter Months, as well as in May, and is cultivated by parting the Suckers about the Roots, in March and April, even tho' they should happen then to be in slower; or else you may transplant them in September or October.

Exposure.

Numb. XX. White Monthly Rose. This Rose is double, but not very full of Leaves. They are White, with a little Blush of Red. This is cultivated and increas'd like

Numb. I. in the Month of May.

Numb. XXI. Tellow Amaranthus. What is meant in this Place is the Amaranth, which brings its Top in the Shape of a Cock's Comb, but of a yellow Colour. This is fown on an Hot-bed, early in the Spring. See the Culture of it under the Name of Purple Cock's-Comb Amaran-

thus, Numb. IX. in the Month of August.

Numb. XXII. Oriental Arse-smart or Persicaria. This is one of the tallest Annuals we have in the Gardens, rising sometimes near seven Foot high. Its Blossoms come in Spikes of a reddish purple Colour. It ripens its Seeds very well with us, and we sow them in March upon Hotbeds, transplant them at eight or ten Inches Distance, and set the Plants abroad, in a light rich Earth, in

May.

Numb. XXIII. Broad-leafed Cardinal. This Plant is what is call'd the Cardinal Flower, which comes from Virginia and Carolina, tho' this is call'd here the Broadleaf'd Sort; I am persuaded there is but one fort with red Flowers, for about three Years ago I raised many Hundreds of them, which, tho' the first Year had broad Leaves, yet the Year afterwards they had narrow Leaves, like that which we had before; besides, the Flowers are no ways different. I sow'd the Seeds, which I receiv'd from Carolina in March, in Pots of fine Earth, and without the Assistance of an Hot-bed, they came up very freely,

freely, as the Weather happened to be mild at that Septem. time; but as the Weather is then uncertain, I rather recommend a Hot-bed for them, and plant them out as soon as they are an Inch high, in fine Earth, two Inches apart. They blossom the Second Year, with Spikes of Flowers of a beautiful Carmine Colour; to increase these, part the Offsets of the Roots the Beginning of April, and set them singly in Pots, or you may set them in a South Border.

Numb. XXIV. Tellow Colchicum. This is what the Gardeners call the Autumn Crocus; it does not blossom higher than the largest Spring Crocus, and its Flowers are of a bright yellow Colour. Its Root is bulbous, and it makes many Offsets, by which it is propagated. We take the Roots out of the Ground when the Leaves are quite decay'd, and plant them again in July.

Numb. XXV. Hardy Golden-Rod. This bears a Spike of small yellow Flowers, but makes a very good Show; it blows about three Foot high, and is increas'd by dividing the Roots in March or April. It loves a light Soil and warm Exposure.

Numb. XXVI. White Althea Frutex. This makes a pleasant Shrub, about three or four Foot high, with its Flowers of a Paper-white Colour; the Pistillum and dusty Part in the middle is yellow, and without-side of that the Leaves are strongly mark'd with Carmine, disposed in a Star-like manner. It is to be cultivated like the Althea Frutex, Numb. I. in the Month of August.

Numb. XXVII. Checquer'd Colchicum. This is a bulbous Plant, like the White Colchicum, Numb. XIII. of M this Septem. this Month, and only differs in the Colour of the Flower, which, in this, is a faint blue Purple, spotted with a strong Lake. See its Culture, Numb. XIII. of this Month.

Numb. XXVIII. Tellow Colutea. This Plant is the fame as the Tellow Colutea described Numb. XXXIII. in

the Month of February.

Numb. XXIX. Dwarf Pomegranate. This Plant I first brought into England, from the Paris Gardens. It bloffoms very freely, and ripens its Fruit very well; its Flowers are of a beautiful Scarlet, like Minium, and always come at the Ends of the Branches; so that the Tops should never be cut off. It requires a Green-House in the Winter, but in all other respects is cultivated like the Double Pomegranate, Numb. XXII. in the Month of July.

Numb. XXX. Single-strip'd Female Balsom. This blossoms upon Stalks about two Foot high, if the Plant stands abroad; and the Flowers, which are white on their Ground, are striped with a fine Lake or Carmine. See their Culture, at Numb. XII. in the Month

of July.

Numb. XXXI. African Marigold. The Plant here mentioned is our most common Double-flower'd African Marigold, which is very full of Petals, and of a yellow Colour, inclining to Orange. It blows about two Foot high, and is cultivated in the same manner as the French Marigold, Numb. XXVI. in the Month of July.

Numb. XXXII. Honour and Glory Auricula. This Flower has a good white Eye, and the Flower is strip'd with

with a dark reddish Purple on a white Ground, so as to Septemleave the Edges of the Flower white. 'Tis cultivated like the Auricula call'd the Royal Widow, Numb. I. in the Month of March.

Numb. XXXIII. White-flower'd Moth Mullein. This Plant blossoms near three Foot high, with Spikes of white Blossoms, almost like those of the Apricot-Tree; the Flower-Leaves are white, but the Buds before they open are a little tinged with Red. It is propagated by sowing the Seeds in March, in a light dry Soil, and requires a warm Exposure.


Numb. XXXIV. Double Colchicum. This blows like the other Colchicums, but has its Flowers so double that they generally lie on the Ground. They are of a bluish Purple Colour; and must be cultivated the same as the White

Colchicum, Numb. XIII. of this Month.

Numb. XXXV. Three-leav'd Passion-Flower. The Reason, I suppose, that this Plant bears this Name is, because the green Leaves of the Plant have only three Divisions in each of them, whereas the common fort of Passion-Flower has five in every Leaf, spreading like the Fingers on the Hand. This Plant is a Plant of the Green-House, and delights in a light Soil; it comes to us from the warmer Parts of America, and was first raised from Seeds sown on Hot-beds, about March or April, at the Bishop of London's Palace at Fulham. We now cultivate it in Pots, for the sake of sheltering it in the Winter. It rises about a Foot and half high every Summer from the Earth, and brings several Flowers, which are near as large as the Blossom of our common fort, but a little differing in the Colour and Order of the Flower; the Part which repre-M 2 fents

Septem. Sents the Nails are of a reddish Purple; and the Hammers or Apices, yellow; the Bottom of the Flower, on which they stand, is white, with a Ring about it of a reddish Purple, and the outer Ring or Glory makes a Star-like Figure of the same Colour. The Plant, as we have it with us at present, is propagated by dividing the Roots in March or April, just before they begin to sprout, for the Stalks die down to the Ground every Year.





OCTOBER



THE REPORT OF THE PARTY OF THE

Productions of the Month of OCTOBER.

Root, brought to us from Italy every Year. It brings a Spike of white Flowers on the Top of a Stalk, about three Foot high, and is very fweet-fcented. The Flower-Buds are a little tinged with a Lake or Carmine Colour. We raife this by planting the Roots in Pots of fine Earth, and plunging them in Hotbeds, in February or March, but give them no Water till they sprout, then we have this Flower in July; or else set the Roots in a warm Border, under a South Wall, and they will, some of them, flower in August, and some in September, or this Month, or the next; when these blossom, you may pot them, and set them into the Green-House, and some will even blossom in December.

Numb. II. Single Nasturtium. By this is meant the Indian Cress, or Nasturtium Indicum. The Flowers are beautifully made, of a yellow Colour, and finely streak'd with Carmine. It is, in my Opinion, more pleasant than the Double Flower of the Sort; but there are two Sorts of the Single, one a large Flower, and the other a smaller Sort, which is used for Sallads; these are both raised from Seeds sown in March on a Hot-bed, or in May in the common Ground.

Numb. III.

Detober. Numb. III. Tellow Perennial Poppy. This Plant bears a Poppy Flower of a pale yellow Colour, with the Middle of a bright green Colour; it blows about a Foot and half high; and may be propagated by fowing the Seeds in March and April, in a fine Soil; and it should be set in a warm Exposure. This is likewise call'd the Horn'd Poppy.

> Numb. IV. Purple Polyanthos. This, like the rest of the Sort, is to be propagated like the Goldfinch Polyanthos, Numb. XIII. in the Month of March. The Flowers of this have a yellow Eye, and striped with a Carmine Colour upon a white Ground, with the Edges

of the Flowers white.

Numb. V. Saffron Flower. This is the true Crocus which brings the Saffron, and is propagated to so much Advantage about Essex and Cambridgeshire. 'Tis cultivated by planting the Roots in July or August, in open free Ground, about four Inches Distance from one another; the Flowers are of a bluish purple Colour, with long Orange-colour'd Pistils, which make the Saffron. There are large Fields of this, and must be gather'd betimes in the Morning, or else the Chives will thrink.

Numb. VI. Striped Double Colchicum. This bloffoms like the rest of the Colchicums, and only differs in the Flower, which is very double, and of a pale blue purple Colour, striped with a deep blue Purple. This is cultivated like the White Colchicum, Numb. XIII. in the Month of September.

Numb. VII. Single blue Periwinkle. This is a creeping Plant, which spreads a great deal of Ground, and brings

brings bright blue Blossoms; every bit of this will grow, October. but the common way of propagating it is to part the Roots in February or March, or in the Autumn Months.

It loves a light dry Soil.

Numb. VIII. Trumpet Flower. The Indian Name of this is Maxachittle, and comes to us from Malabar. It is a Plant so hardy, that it will grow against a well-exposed Wall; but it must be nail'd to it, for it cannot support it self. This brings its Blossoms at the End of the Shoots, of an Orange Colour, five or six together. It is propagated by planting the Cuttings of it in February or March, in fine light Earth, in a warm Exposure; or may be raised from Layers at the same Season, or in the Autumn Months.

Numb. IX. Camomile Double. This is a Dwarf Plant, like the common Camomile, but only differs from it in having double Flowers, which are white, with a little Green in the middle. 'Tis propagated by planting the Runners or Offsets in February or March, or in the

Autumn Months.

Numb. X. Semper Augustus Auricula. This has a good Eye, and is striped with a deep Carmine Colour on a white Ground. It is to be propagated like the Auricula call'd the Royal Widow, Numb. I. in the Month of March.

Numb. XI. Indian Tobacco. By the Figure, and by my own Knowledge of Mr. Furber's Undertaking, this is the common Virginia Tobacco; but as I am obliged to keep strictly to the Names mentioned in his Plates, I have no more to say in this Article, but it is a Plant which grows about five Foot high, with Bunches of Blossoms

Ottober. of a pale red Colour. It is raised from Seed sown in a Hot-bed, in February or March, and loves a light rich Soil.

Numb. XII. Arbutus Double. By this is meant the Arbutus or Strawberry-Tree, with double Flowers. The Blossoms are brought at the Points of the Shoot, of a white Colour, tipt with Green, and the young Shoots that bear them are of a Lake or reddish purple Colour. This is propagated by laying down the young Shoots in October or November; or when it produces any Fruit, to sow the Seeds with Sand; when the Fruit is dry, in March, on a Hot-bed. It loves a light Soil and warm Exposure.

Numb. XIII. Best slowering Geranium. Tho' this carries no Name with it, in the Character here given, it appears by the Print to be the Geranium with the Ivy-Leaf. The Plant comes from the Cape of Good Hope, but must be supported, and then it does not grow above two Foot high. It brings its Flower in Bunches, being of a florid Flesh-colour, and striped with a strong Carmine. It is raised by planting the Cuttings in Pots of sine Earth, in any of the Spring or Summer Months. It must be shelter'd in the Green-House from the Middle of September, till the Middle of May. It may be likewise raised from Seeds which ripen very well, and may be sown in March or April on a Hotbed.

Numb. XIV. Guernsey Lilly. This is one of the finest bulbous-rooted Plants that I have seen. Its Flowers are of a Peach-blossom Colour, sprinkled with a gold Dust; its Character has been largely set abroad, and

and must be propagated by parting the Roots, when October, the Leaves are decay'd. It loves a light Soil, and a warm Place.

Numb. XV. Autumn Carnation. This is of a Carmine Colour; and must be treated like the Painted Lady

Carnation. Numb. VI. in the Month of July.

Numb. XVI. Agnus Castus. This makes a Tree which is hardy enough to stand abroad; its Flowers are white, with Spikes of small Flowers in Clusters; the Culture of it is to plant it in an open Soil, and raise it from Seeds sown in March.

Numb. XVII. Long blowing Honeysuckle. This brings its Clusters of Flowers, with a white Ground, shaded with a Carmine, but thinly. One may see the Culture of this, in the Description of the first Honeysuckle mentioned in this Treatise.

Numb. XVIII. Spiked After. This Starwort is often call'd the October Flower. It brings its Blossoms on long Stalks, in Spikes, with small purple Flowers, and yellow in the middle. This blows about three Foot high, and is a vast Increaser, both by Seeds and Offsets, for the Seeds will come up as they shed themselves; and it may be raised by parting the Roots in March or September.

Numb. XIX. Bella Donna Lilly. This is the Lilly of Damascus; and I was informed it was first sent over to the great Patron of Botany, Dr. Compton, Bishop of London; it is bulbous-rooted, like the Guernsey Lilly, but brings Flowers like a Lilly, in form of a Flesh-Colour, sweet-scented; it requires a Green-House in the Winter,

۵

October. Winter; but in other respects is to be manag'd like Numb. XV. in this Month.

Numb. XX. Evergreen Honeysuckle. This brings its Blossoms like other Honeysuckles, of a fine Carmine Colour on the Outside, but white within. It is cultivated like the Honeysuckle, Numb. XVII. of this Month.

Numb. XXI. Leonorus, or Archangel Tree. The Plant here meant is a Green-House Plant, which has Leaves like Minth, and brings Bunches of Orange-colour'd Flower, which make a good Appearance. 'Tis raised by Cuttings planted in any of the Summer Months, in Pots of light Earth.

Numb. XXII. Black Crane's Bill. This Geranium is a Dwarf, bringing thin large Flowers of a blue purple Colour, the Center white. It is propagated by fowing the Seeds in March or April, in light Earth. This is not tender, but does well in a warm Situation.

Numb. XXIII. Scarlet Crane's Bill. This is other-wife called Geranium Sanguineum'; tis like the former, Numb. XXII. except the Colour of the Flower, which, in this, is Crimson, tho' the Title is not so.

Numb. XXIV. Marigold Tree. This is a kind of Anemone-Spermos, whose Flowers are single, and of a pale yellow Colour. It makes a pretty Shrub, and is raised of Seeds sown in March or April, in fine Earth, and loves a warm Exposure.

Numb. XXV. Musk Scabius. This brings its Flowers very double, of a reddish purple Colour, with Green in the middle.

middle. It may be increas'd by parting the Roots in October,

March, or sowing the Seeds in the same Month.

Numb. XXVI. Double-white Musk Rose. This is the Virginia Cluster Rose, which will bring long Spikes of Flowers, to the Number of an hundred, or two, or three, and sometimes many more; I have computed above seven hundred Flowers and Buds on one Sprig, at Mr. Topham's at Windsor. The Plant is propagated like the Cinnamon Rose, Numb. I. in the Month of May.

Numb. XXVII. Box-leav'd Myrtle. The Flowers of this are fingle and white, full of Thrums tipt with a Straw Colour; but the Buds before they open, are white, and shaded or dash'd with Crimson. 'Tis to be treated like the

Double-bloffom'd Myrtle, and raised the same way.

Numb. XXVIII. Michaelmas-Daify. This Starwort or After is the first that flowers; the Blossoms are of a fine blue Colour, with a yellow Thrum in the middle; it makes a fine Appearance, and is propagated by parting the Roots in March or April. It likes an open Soil.

Numb. XXIX. Tellow Passion Flower. This Plant brings a very small Flower of a greenish yellow Colour, with a bluish green Circle about the Center. It is raised from Cuttings or Layers in March, April, or May; and

likes a light Soil and Moisture.

Numb. XXX. Hollyhock always Double. This brings Flowers of a fine red Colour, very double, and is increas'd from Seeds sown in March, or by dividing the Roots at that time. It loves a light Soil.


N 2 Numb. XXXI.

92 The Flower-Garden display'd.

October. Numb. XXXI. Virginia Stavesacre. This Plant I receiv'd from Virginia; it rises about two Foot high, and brings its Flowers like the Larkspurs, of a pale yellow Colour, with a blue Turn in the middle. It is raised from Seeds sown in March or April in a Hot-bed.



Productions



NOVEMBER



TONG HEREN THE REAL PROPERTY.

Productions of the Month of November.

Numb. I. FICOIDES, or Figmarigold. This is the movemb. fame which has been mention'd in the foregoing Month. It bears yellow Flowers, and is rai-fed from Cuttings.

Numb. II. White Perwinkle. This is only different from the Blue Perwinkle, in the Colour of its Flower; and

is propagated the same way.

Numb. III. Early flowering Laurus-tinus. This is a fine flowering Shrub, which blossoms all the Winter: It brings its Flowers like the Laurus-tinus mentioned in the former Months; but its Buds are in this shaded with a Crimson.

Numb IV. Blue Perwinkle. This Plant is one that is mentioned under the same Name in this Work. Its Flow-

ers are of a Sky-blue Colour.

Numb. V. Tree Candy Tuft. This Plant is of the same Kind as that mentioned under the Name of the Strip'd Candy Tuft, excepting that the Leaves of the former are edged with a pale Yellow, and the Culture is the same.

Numb. VI. Embroider'd Crane's Bill. This Geranium is mention'd before. The Flowers are white, with fine work'd Streaks of a Carmine Colour. The Culture of it is already prescrib'd.

Numb. VII.

Numb. VII. Tellow Spiked Eternal. This is a Gnaphalium, which comes from Portugal. Its flowers are of a
bright yellow Colour, and will remain the same several
Years after they are cut from the Plant, like the other
Tellow Eternal mentioned before, and is propagated the
same way.

Numb. VIII. Striped Single Anemone. This has a fingle Flower, black in the Middle, and the Leaves white, only variegated with a reddish Purple, with a little Yellow towards the Bottom on the Outside. It is propagated like the High-Admiral Anemone, Numb. IV.

in the Month of March.

94

Numb. IX. Borage. This, among others, makes a good Shew, as its flowers are of a bright blue Colour, tipt in the middle with Black. It is rais'd from Seeds fown in March, in any fort of Soil or Situation.

Numb. X. Thyme-leav'd Myrtle. This Sort has short round Leaves, and not, as some of the Gardeners pretend, pointed Leaves. Its Flowers are like those of the Box-leav'd Myrtle, white, with the Buds tinged with Crimson. This is propagated like the Box-leav'd Myrtle, Numb. XXVII. in October.

Numb. XI. French Marigold. This Flower has been described to be of a yellow Colour, and blotch'd with Crimson, in the former Month, where you will find the Culture of it.

Numb. XII. Colchicum Agripina Major. This is bulbous-rooted, like the other Colchicums, and is cultivated like the White Colchicum, Numb. XIII. in the Month of September. The Flowers are white, with reddish Purple Spots.

Numb. XIII. Ilex-leav'd Jessamin. This is a Green-Movemb. House Plant, and makes a Shrub about two Foot high, bearing white Blossoms generally in the Winter-Months. I brought this first from Holland, and it is propagated like the other Jessamins of the Green-House.

Numb. XIV. Great Purple Crane's-Bill. This is the Geranium Sanguineum, which is described before in the former Month. See its Culture and Colour.

Numb. XV. Arbutus, or Strawberry-Tree. This Plant makes a fine Ever-green Tree, and brings its Blossoms upon Spikes of a whitish green Colour. It may be raifed from Seeds sown in March, or by laying down the young Shoots in the same Month, or in October, in a light Soil.

Numb. XVI. Double Nasturtium. This is the Nasturtium Indicum, with double Flowers, describ'd in the former Months; 'tis only raised from Cuttings, as you will see in the Account of it.

Numb. XVII. Broad-leav'd red Valerian. This is the common Garden Valerian, with long Spikes of small Flowers, of a Peach-bloom Colour. It will grow in any Soil, and may be raised from Seeds sown in March or April.

Numb. XVIII. Myrto Ciftus. This Sort makes a pretty Bush, with Leaves like Myrtle, and the Flowers are of a bright Yellow. It may be propagated by laying down the young Shoots in March, in a tender Soil. It loves a warm Exposure, where it may be shelter'd from the Frost.

Numb. XIX:

Movemb. Numb. XIX. Virginian Aster. This Star-Flower was first sent to us by Mr. Katesby, a very curious Gentleman, from Virginia. Its Flowers are of deep blue Colour, with yellow Tufts in the middle. 'Tis propagated

like the other Asters before-mentioned.

Numb. XX. Campanula Canariensis. This has a tuberous Root, and makes a flowering Stem towards the Autumn, about three or four Foot high, with Bell-sashion'd Blossoms of a yellow Colour, streak'd with Crimson. If we find ripe Seeds upon it, sow them in March, upon Hot-beds, in light Earth; and, to propagate it, break the Roots when the Stalks are withered, and transplant them in Pots, to set them in the warmest Stoves at the End of August.

Numb. XXI. Pheasant's Eye. This is the Flos Adonis, which brings a bright Scarlet Flower, as is mentioned and described in the Month of May, in this Work,

where you may see its Culture.

Numb. XXII. Perennial Dwarf Sun-Flower. The Flower-Stems seldom rise higher than a Foot and Half; the Blossoms are of a bright yellow Colour, with black Tusts in the middle; they come from Virginia, from whence I first receiv'd them. They may be rais'd from Seeds sown in March, in Hot-beds, but will grow very well abroad.

Numb. XXIII. Double Featherfew. This is described in the former Months, to bring Clusters of double white Flowers. See its Culture.

Numb. XXIV. Carolina Star-Flower. This Plant is like the Perennial Sun-Flower. Numb. XXII. of this Month,

Month, but the Flowers are somewhat smaller. Its Cul- Movemb. ture is the same.

Numb. XXV. Scarlet Althan. This is the Plant called Rosa Cinensis. It makes a Tree about six Foot high, brings its Flowers of a bright red Colour, but 'tis described in the former Months, and its Culture fully directed.

Numb. XXVI. Spanish White Fessamin. This Plant is described in the former Months, under the Name of the Double-flower'd Spanish Fessamin, and brings white Flowers like it, very sweet; and its Culture is the same.

Numb. XXVII. Lavender with divided Leaves. This is a pretty Shrub, bearing Spikes of blue Flowers. This is propagated by fetting the Slips or Cuttings in Pots of fine Earth, in any of the Summer Months.

Numb. XXVIII. Golden Rod. This brings Spikes of yellow Flowers; and is increased by dividing the Roots in March, or sowing the Seeds at that time, in a light Soil and warm Exposure.

Numb. XXIX. American Viburnum. This is a fine Green-House Shrub, and is a little odd in its Flowers; for some are Yellow, while the others are Scarlet. It grows freely from Cuttings, set in fine Earth, in any of the Summer Months.

Numb. XXX. Tellow Dowarf Aloë, as Mr. Furber calls it.
This Plant I brought first from Holland, where it came from Africa. It brings Star-like Flowers, of a pale yellow Colour; and is propagated by Slips from the Roots,

Dovemb. in any of the Summer Months. It must be kept in a Green-House.

Numb. XXXI. Single blue Anemone. This has a Flower of a bright blue Colour, with the Thrums in the middle almost black. It is propagated like the High-Admiral Anemone, Numb. IV. in the Month of March.

Numb. XXXII. Purple Ficoides. The Flowers of this are of a reddish Purple Colour; and is to be cultivated as the yellow Ficoides, Numb. XI. in the Month of December.

Numb. XXXIII. Groundsel-Tree. This brings Spikes of green Flowers, with white Tips. It is mentioned before in this Treatise, where you may see its Culture.

Numb. XXXIV. Pellitory with Daify-Flowers. This is the same that is mentioned at Numb. I. in the Month of January; which see for Colour and Culture.

Numb. XXXV. Scarlet single Anemone. The Colour of this Flower is a Crimson, shaded upon White, tho' it has the Name of Scarlet. Its Culture is the same as the High-Admiral Anemone, Numb. IV. in the Month of March.

Numb. XXXVI. White Ægyptian Hollyhock. The Flowers of this only differ from the Scarlet Ægyptian Hollyhock, in their Colour; and is propagated after the same manner.

Numb. XXXVII. Caper Bush. This has been a long time a Companion with our Green-House Plants. It brings indeed Flowers somewhat like those of the Caper, but these are of a bright yellow Colour; and the Plant is propagated only by Cuttings in any of the Summer

99

Summer Months, in Pots of light Earth, for 'tis a Movemb. Green-House Plant.

Numb. XXXVIII. Dwarf Colutea. This Plant is the same with that call'd the Tellow Colutea, in the former Months; and must be propagated after the same manner. The Flowers are of a bright yellow Colour.



Productions

0 2

HAND CHANNE MONEY ON AND WORKER

Productions of the Month of DECEMBER.

Decemb. Numb. I. ROTAL Purple Auricula. This is of a pale Purple Colour, striped with a deeper; it has a white Eye, and trusses well; its Culture is the same as the Royal Widow Auricula, Numb. I. in the Month of May.

Numb. II. African White-flower'd Heath. The Plant which is mentioned comes from the Cape of Good Hope. It has Bunches of small double white Blossoms, with small greenish Spots in the middle. It is raised by Layers, which may be laid down in February or March, or in the Autumn Months, in a light Soil.

Numb. III. Pansies, or Heart's-ease. This is one kind of the Viola Tricolor, and consists of three Colours, Yellow, Blue, and Red, disposed in different ways. It is a Dwarf Plant, raised from Seeds sown in March, or in any of the Summer Months, and loves a light Soil. A more particular Culture you may see in May.

Numb. IV. White Corn Marigold. This brings a very double Flower, of a white Colour, toucht with Yellow a little in the middle. It blossoms about two Foot high; and its Culture is the same as Numb. XXXII. in the Month of June.

Numb. V. Strawberry Daisy. This is in every respect like the Daisies which we find Semi-double in the Gardens;

DECEMBER





Gardens; its Middle is yellow, and its radiated Leaves Decemb. are white, and tipt, as well as striped, with a Carmine Colour. These are increas'd by dividing the Roots in February, or in September. They love a light Earth, and warm Exposure.

Numb. VI. Cape Marigold. This brings a strong Golden-colour'd Flower, and must be propagated by Cuttings set in any of the Summer Months, in Pots of light

Earth. It requires a Green-House in the Winter.

Numb. VII. Shining-leav'd Laurustinus. This makes a fine flowering Shrub; but the Buds of the Flowers, which are white as the Blossoms, are shaded with a strong yellow Colour. The Plant is evergreen, and is raised by Layers in October, November, or December, in an open free Soil. It is a hardy Plant.

Numb. VIII. Marvel du Monde Auricula. This is of a Velvet Ultramarine Colour, bringing a good Trus, and has a fine white Eye. Its Culture is the same as the Royal Widow Auricula, Numb. I. in the Month of May.

Numb. IX. Red Spring Cyclamen. This is a beautiful Flower, and is describ'd under the same Name, Numb. XII. in the Month of January, where you may see its Culture.

Numb. X. White Cyclamen. This, tho' the Flower is white, yet the Opening of it is strongly touch'd with Carmine. It is sweet-scented; but see its Description under the same Name, at Numb. X. in the Month of January, with the Method of its Culture.

Numb. XI. Tellow Ficoides. This is the same Fig-Marigold with the Triangular Leaf mentioned Numb. I. Decemb. in the Month of November. The Colour of the Flower is bright Yellow. You may see further for its Culture as directed.

Numb. XII. Tellow round Eternal. This is the Gnaphalium which is brought to us from Portugal, which brings its Flowers in Bunches, closely cluster'd, of a bright yellow Colour. These Flowers will keep their Colour and Proportion for many Years after they are cut from the Plant, and brings ripe Seed with us, and may be raised from them, sown in a light Earth, on a Hot-bed, in March or April; or may be propagated by transplanting the Offsets from the Roots, at the same time, or in the Autumn Months.

Numb. XIII. Christmas-Flower. This Plant is a Dwarf, not rising above six Inches high; its Flowers are large, and white, like single Roses, but their Middles green, and the Outside of their Leaves a little tinged with a Carmine Colour; and no Frost or Snow stops their Appearance. They are propagated two ways, one by Seed, and the other by dividing the Roots, as you may see under the Name of the Lesser black Hellebore, Numb. IX. in the Month of January. This is called the Black Hellebore.

Numb. XIV. Winter White Primrose. This Flower is of the same Kind as the common Primrose, but the Flowers are paper-white, instead of being tinged with Yellow, as the Field sort is; the middle of the Flowers are yellow. This is propagated like the Polyanthos call'd the Goldsinch, Numb. XIII. in the Month of March, which see.

Numb. XV.

Numb. XV. Gentianella. This Plant is a Dwarf, fit Decemb. for Edgings; it brings its Flowers of a fine Ultramarine Colour, and blossoms in all the Winter and Spring Months, till the End of May. It is increas'd by parting the Roots in March or April, or in September, and planting them in an open free Ground. It is observable, that if you plant this in a warm Exposure, it flowers best in May; but if you plant it in a colder Situation, it bloffoms in the Winter.

Numb. XVI. Tellow Corn Marigold. This Flower is very double, of a bright yellow Colour; it blows many Months, and is esteem'd an Annual Plant; but it will grow very well if it is raised of Cuttings, to be planted in June, July, or August, in Pots of fine Earth, which I mention particularly, because we have but few of the double Sorts come out of a good Number of Seedling Plants. We sow the Seeds in March and April, and they are to be treated like other Annuals.

Numb. XVII. Scarlet Geranium. This brings a beautiful Scarlet Bunch of Flowers, and makes a pretty Shrub in the Green-House. I brought this first from Holland. It is raised from Cuttings in May, June, July, or August, planted in fine Earth, in Pots, and well water'd at first They are likewise raised from Seeds sown in planting. March or April, on Hot-beds. They must be set in the Green-House about the End of September, and set abroad about the Middle of May.

Numb. XVIII. Canary Pellitory. This is the same which is call'd the Pellitory with Daify-Flowers, or Spanish This is a Green-House Plant, and must be Pellitory. raised

Decemb, raised from Cuttings, in any of the Summer Months, planted in fine Earth, in Pots, watering them well at first Planting. Their Management is the same as the Scarlet Geranium, Numb. XVII. in this Month; only this will bear clipping, like the Tew, and may be kept to any Figure you think fit; the Flowers are white, like those of the Daify, with a yellow Middle.

Numb. XIX. Valerianella. This brings Flowers in Spikes, like what is called in this Work the Groundsel Tree; they are of a yellow Colour, and may be raifed from Seeds sown in March or April, in light Earth; they love

a warm Exposure.

Numb. XX. Winter Double Crowfoot. This brings a very double Flower, of a bright yellow Colour, and in good Quantity. It is propagated by dividing the Roots, when the Flower is decay'd, and then transplant them into fine Earth, and give them a warm Exposure.

Numb. XXI. Strip'd-leav'd Geranium. The Leaves of this Plant are edged with Cream Colour, and makes one of the most beautiful Shrubs among the Green-House Plants, about three Foot high. This I first brought into England, from the Paris Gardens; and as it grows very freely by Cuttings planted in May, or any of the Summer Months, it is now grown very plenty in the curious Gardens; the Flowers appear at almost every Season of the Year, of a Peach-blossom Colour. It must be treated in every respect like that which is call'd the Scarlet Geranium, Numb. XVII. of this Month.

Numb. XXII. Cape Marigold white within. This Plant is Dwarf, with its Leaves, like the Plant commonly call'd

Thrift,

Thrift, but bears its Blossoms about eight Inches high; December they are white within, and the Outsides of the Flower-leaves are of a Murrey Colour, striped down the middle with a strong Lake. Tis raised from Seeds sown in March, either in a Hot-bed, or in Pots of sine Earth; or may be increased by Slips in the same Month, or in April. It requires a Green-House in the Winter.

Numb. XXIII. St. Peter's Shrub. The Leaves of this Plant are of a yellowish Green, edged with a Carmine Colour; it brings its Blossoms in Knots at the Joints, which in this are in Buds not open'd; but as they appear now, they are White, shaded with Carmine. It may be propagated by Layers, put down into fine Earth, in March

or September. It likes a warm Exposure.

Numb. XXIV. Mountain Avens. The Flower is like that of the Hollyhock, and makes a good Appearance in the Garden. It is raised from Seeds sown in March or April, in a free open Soil, and loves a warm Situation.

Numb. XXV. Single Purple Anemone. This brings a Flower of a reddish Purple Colour, with a black Middle. It will stand many Years in a light Soil, in a good Exposure. See its Culture at Numb. IV. in the Month of March.

Numb. XXVI. Sage and Rosemary Tree. This makes a Tree of about six Foot high, and brings Spikes of Flowers like those described in Numb. XIX. in this Month. It is raised by Layers or Cuttings, the first in September or October, and the latter in March, in sine Earth. It is a Green-House Plant, and managed like the rest of that Sort.

Decemb.

106

Numb. XXVII. Winter Wall-Flower. This is a small Sort, seldom blowing above a Foot high, and is in Flower almost in every Month of the Year; its Flowers are small, of a yellow Colour, and is raised from Seeds sown at any Season, when the Ground is open, but in March or April I think the best; or it may be raised from Cuttings in

March, in a light Soil.

Numb. XXVIII. Winter flowering Pear. This Plant is like other Pear-Trees, except that it blossoms twice a Year; and besides this, there are more sorts of Pears that will do the same; it brings white Flowers in Bunches upon the young Shoots. This is in great measure like the Glastenbury Thorn, which blossoms at Christmas, and in the Spring; and tis to be noted, that both This and the Glastenbury Thorn may be Inarched, or Grasted, or Inoculated upon one another. The first Work to be done in May, the Second the Beginning of March, and the Budding or Inoculating in July. This agrees with a strong Soil, made fine by Culture.

Numb. XXIX. Lavender-leav'd Groundsel Tree. This, however it is here call'd, is only a Shrub, bringing its Flowers in Spikes or Clumps of Flowers like Groundsel; they are Green, tipt with Yellow. We have ripe Seeds from it, which may be sown in March; or the Cuttings will grow being set in Pots of sine Earth in any of the Summer Months. It loves a warm Exposure.

Numb. XXX. Scarlet African Aloë, with Pine-Apple Leaves. This is what is mentioned in a former Month, in this Treatife, and is the Aloë Succatrina, which brings fine Trusses of Flowers in Spikes, mixt with Yellow, Scarlet,

Scarlet, and tipt with a bluish Green. See more of it in December fanuary, under the Name of the Gray Aloë. Numb. XXIV. where you may find its Culture. N. B. 'Tis a Green-House Plant.

Numb. XXXI. Spanish Virgin's Bower. This is a twining Plant, like the other Plants call'd Virgin's Bowers; it brings a Flower of a Bell-like Figure, of a light Orange Colour; and may be propagated by Seed, which it brings plentifully. Sow it in March or April, on a Hot-bed, and plant it under a warm Wall. In the first Designs of this, the Flowers are left of a white Colour, thro' the Inadvertency of the Colourists. Tho' it is said to be a Spanish Plant, it is brought from Virginia.

Numb. XXXII. Glastenbury Thorn. This is a white Thorn, or Hawthorn, which, like the Winter-flowering Pear, blossoms twice a Year; and is to be treated like that; the Blossoms are small and white, in Clusters, such as those of the common Hawthorn, but they are very faint at this time of the Year. See how it may be propagated

under Numb. XXVIII. of this Month.

N. B. If this Plant is set in a Pot, and put in a Green-House in the Winter, it will produce its Blossoms in greater Perfection than if it was to be planted abroad.

Numb. XXXIII. Humble Plant. This is vastly curious in its manner of Growth, for the Instant you touch it, both the Leaves and Branches drop flat upon the Ground; 'tis very tender, and should be always kept under Glasses; and in a few Minutes after you have touch'd it, the Leaves and Stalks will revive again. This must have a Stove in the Winter, and will ripen its Seeds very well,

108 The FLOWER-GARDEN display'd.

Decemb, well, which may be sown in March, on a Hot-bed; and tho' the Seeds were ten Years old, they will come up. The Soil which you sow it in must be very light.

Numb. XXXIV. Bafilla. This Plant brings Spikes of round knotted Flowers, which are white, tipt with Carmine Colour on the Edges. It may be raifed by fowing the Seeds in March or April, in fine Earth. It loves a warm Situation.

Numb. XXXV. Monthly Rose-bud. This sort of Rose blossoms in every Month of the Year, in Clusters. It is usually nailed against a South Wall, to have the Benefit of the Sun. See more of this Plant, and its Management, Numb. I. in the Month of May, under the Name of the Cinnamon Rose.

Numb. XXXVI. Trifid African Golden Knob. It bears its Flowers in Bunches, and is Everlasting, as they call it; the Blossoms are very double, and of a bright yellow Colour, and the Leaves are like those of the Lark-heel or Lark-spur. It is propagated by Seeds sown in March of April, on Hot-beds, in a light Soil, and wants a warm. Exposure.



A.

		Month.	Numb.	Page.
A Cacia,		Januar.	13	. 3
Aconite,	Winter,	Januar.	2	1
Agnus castus,		Octob.	16	89
Alaternus,	Silver-edg'd,	Febru.	2	9
tary and filmer	Yellow-blotch'd,	Febru.	3	9
Almond,	Fruit-bearing,	Febru.	31	14
	White flowering,	March	10	2 I
	Dwarf Single flowering,	April	24	36
20 24 30	Double flowering,	April	30	38
Aloë,	Grey,	Januar.	24	6
EU 12 27	Spotted,	Januar.	26	6
	Yellow Dwarf,	Nov.	30	97
The second second	Scarlet African,	Dec.	30	106
Althæa Frutex,	Purple,	August	I	67
	Scarlet,	August	30	74
	and	Nov.	25	97
	White,	Sept.	26	81
Amaranthus,	Purple Cock's-comb,	August	9	69
	All-red,	Sept.	15	79 80
	Yellow,	Sept.	21	
Amaranthoides,	Purple,	August	6	68
Anemone,	Single Blue,	Januar.	33	8
1 1 2 1 x	and	Nov.	31	98
	Single Purple and White,	Febru.	8	10
	Single dark Red,	Febru.	25	13
	Single Prussian Blue,	Febru.	32	15
	Q		Anem	ione,

		Month.	Numb.	Page.
Anemone,	High-Admiral,	March	4	18
Zillelizonez	Admiral of the Blue,	March	25	27
	Belle Baptist,	March	26	27
	Monument,	March	27	
	Roje Jonker,	March	30	27 28
	Purple strip'd,	March	32	28
	British King,	April	9	32
	Cælestis,	April	10	33
	Amaranthus Trachée,	April	II	33
	Lady Margareta,	April	18	35
	Juliana,	April	19	35
	Bellefilvia,	May	10.25	41
	Strip'd single,	Nov.	9	94
	Scarlet fingle,	Nov.	35	98
	Single Purple,	Dec.	25	105
Anisa of America		August	24	73
Apios of America	Willow-leav'd,	August	23	72
Apocinium,	PF 111010-1616 0 153	May	18	15/00
Arbor Judæ,	Double,	Octob.	12	44 88
Arbutus,	r Strawberry,	Nov.	15	95
	See Leonorus.	1,0,,	*3	9.3
Archangel Tree,	Oriental,	Sept.	22	80
Arfe-fmart,	White,	May	31	
Afphodil,	Yellow,	May		47
A 0	Spiked,	Octob.	32	89
After,	2 Table 1 Tabl	Nov.	19	96
A	Wirginian, Mountain,	Dec.	1,000	105
Avens,		March	24	16
Auricula,	Royal Widow,	March		
	Danaë,	April	9	21
	Glory of the East,			31
	Love's Master,	April	13	33
	Double painted Lady,	April	14	34
1 2.00	Marveille du Monde,	April Doo	17	34
	D 1 - C D - C - 1	and Dec.		IOI
	Duke of Beaufort,	April	21	35
	Duke of St. Albans,	April	25 28	36 37
	Grand Presence,	April		. 37
			Aur	icula ₂

		Month.	Numb	. Page.
Auricula,	Semper Augustus,	August	21	72
2201100103	Sheford's Hefter,	Sept.	9	77
	Honour and Glory,	Sept.	32	82
	Royal Purple,	Dec.	I	100
	zwym z mym,			
	В			
Balfom,	Single strip'd Female,	Sept.	30	82
Bafilla,	0 1 1	Dec.	34	108
Batchelors Button	. White.	Tune	22	54
Bay,	Narrow curl'd leav'd,	Januar.	27	10.0
Birthwort,	Virginian,	Šept.	10	7 78
Borage,		Nov.	9	94
Dorage,	Creeping,	Januar.	15	
Bramble,	Virginian upright,	Sept.	II	78
1223/00/00 10 10 10 10 10	Spanish,	July.	10	78 61
Broom,	Spanijis,	Julye		
	C.			
Camomile,	Double,	Octob.	0	87
Campanula,	Canary,	Januar.	18	4
Campanuia,	24114175	nd Nov.	20	96
Condr. Tufr	See Tuft.			,
Candy Tuft,	Scarlet Indian,	Sept.	12	78
Cane,	Yellow Indian,	Sept.	17	79
Consu	True,	July	4	59
Caper,	Bean,	July	31	66
		nd Sept.	14	
		Nov.	10071	08
C 11 1	Bush,	Sept.	37	79 98 80
Cardinal,	Broad-leav'd,		23	00
Carnation,	Prince Picotée, See July.	Tuly	6	60
	Painted Lady,	July		02200000
- Carrierra	Autumn,	Octob.	15	89
Catch-Fly,	Double,	May	5	40
Cherry,	Cornelian	Febr.	4	10
			CI	rift's

		Month.	Numb.	Page.
Christ's Thorn,	See Paliurus.		2.2	
Christmas-Flower		Dec.		.102
Cinquefoil,		June	7	50
Climber,	See Hungarian Climer.			0
Colchicum,	White,	Sept.	13	78
Colemeany	Yellow,	Sept.	24	81
	Checquer'd,	Sept.	27	81
	Double,	Sept.	34	78 81 81 83 86
	Strip'd double,	Octob.	6	86
	Agripina Major,	Nov.	12	94
Columbine,	Strip'd,	May	3	39
Columbine,	Virginian,	May	30	47
Calutan	Yellow,	Febr.	33	15
Colutea,		and Sept.	28	82
	Scarlet,	June	16	52
	Dwarf,	Nov.	38	99
Convolvulus,	Purple,	August	13	70
Convolvulus,	Dwarf,	August	22	72
C Flower	Blue,	June	11	51
Corn-Flower,	Shrub,	Sept.	8	77
Cotton,	Ferufalem,	March	34	29
Cowflip,	Jeregen	May	19	44
Crane's-Bill,	Black,	Octob.	22	90
	Scarlet,	Octob.	23	. 90
	Embroider'd,	Nov.	6	93
	Great Purple,	Nov.	14	95
0	White,	Febr.	20	12
Crocus,	Small Yellow,	Febr.	22	13
	Great Blue,	Febr.	23	13
	Small Blue,	Febr.	24	13
	Yellow Dutch,	Febr.	28	
	Scotch White Strip'd,	Febr.	29	14
0 6	Mountain bulb'd,	May	8	41
Crowfoot,	Winter double,	Dec.	20	
C. Florra	- 11	April	27	
Cuccow-Flowe	Red Spring,	Januar	- TO	
Cyclamen,	Teta opi mgs	alfo, Dec.	9	101
				lamen,

Cyclamen, Cytifus Secundus	White, Spring white-edg'd, Red Clusii,		Month, Januar, Sept. Dec. Febru. Sept. May	Numb. 14 2 10 13 1 28	Page. 4 76 101 11 76 46
	D				
Daify, Dens Caninus,	Michaelmas, Strawberry, Blush-red, White,		Octob. Dec. Febru. Febru.	28 5 12 17	91 100 11 12
	E,				
Eternal,	White Yellow-spik'd, Yellow round,		August Nov. Dec.	28 7 12	73 94 102
	F.				
Featherfew, Female Balfom, Ficoides,	Purple,	alfo	August Nov. July Januar. Nov. Dec. Nov.	20 23 12 29 1 11 32	72 96 61 7 93 101 98
Filbert-Tree, in Flos Adonis, Flower-de-luce, Fox-Glove,	See Pheafant's Eye,		Januar. May August	21 2 31 Fraxio	39 74 nella,

		Month.	Numb.	Page.
Fraxinella,		June		53
Fretillary,	Checquer'd,	March	18	25
	G.			
The same of the sa		C		
Gentianella,	and	Sept. Dec.	19	79
0	Embroider'd, See Crane's-B		15	103
Geranium,	Scarlet,	June	27	55
		Dec.	10.00	103
	Noctu Olens,	July	17	63
	Sour-leav'd,	Sept.	5	
	Best flowering,	Octob.	13	77 88
	Strip'd-leav'd,	Dec.	21	104
Germander-Tree	, See Teucrum.			
Glastenbury Tho	orn, See Thorn.	7.1	- 6	
Globe-Flower,	Yellow,	May	26	46 81
Golden-Rod,	Hardy,	Sept. Nov.	25	
Golden Knob,	Trifid African,	Dec.	36	97
Grape-Flower,		te Grape.	3-	100
Groundsel-Tree,		Nov.	33	98
0.00	Lavender-leav'd,	Dec.	29	106
	H.			
	all ton the second			
Heart's-Ease,	See Panfy.	-		
Heath,	African white-flower'd,	Dec.	2	100
Hellebore,	Latter Black,	Januar.	9	3
Transier	Lesser Black, Double Peach-colour'd,	March	132	20
Hepatica,	and	Januar. Febr.	6	12
	Double Blue,	Febr.	10	11
	Single White,	Febr.	15	12
	Single Blue,	Febr.	16	12
		and outstands		atica,
			4	100

			Month.	Numb	. Page.
Hepatica,	Single Peach-colour'd,		Febru.	34	15
Hollyhock,	Ægyptian Scarlet,	1	August	17	71
The state of the s	Always Double,		Octob.	30	91
	White Ægyptian,		Nov.	36	98
Honeyfuckle,	Virginian Scarlet,		July	24	64
	Long blowing,		August	32	
	0 0,	and	Octob.	17	75 89
	Evergreen,	****	Octob.	20	90
Hop-Hornbeam,			July	20	63
House-Leek,	See Sedum.		34-3	111111	*3
Humble Plant,	ore occurrent		Dec.	22	107
Hungarian Climer			July	33 29	0.000
	Winter Blue,		Januar.	8	65
Hyacinth,	Winter White,		Januar.		3
	Early White,		Febr.	25	
			Febr.	_11	II
	Blue Passtout,		March	30	14
	Dwarf white Starry,		March	2	17
	White Grape,		March	7	20
	Dwarf blue Starry,	* s	March	11	22
	Larger blue Starry,			14	24
	Double Pulchra,		March	20	26
	Blue Oriental,		March	23	26
	Keyser's Jewel,		April	I	30
	Diamond,		April	2	31
	Late White,		May	6	40
* · ·	Blue Bell,		May	7	41
	Blue of Peru,		May	11	42
	White of Peru,		May	15	43
	I.				
Jeffamin,	Hex-leav'd,		Januar.	11	3
	office the second	and	Nov.	13	95
	Yellow,		June	10	51
	White,		June	26	55
	Virginian Yellow,		July	5	60
				157.00	min,

		Month.	Numb.	Page.
Jessamin,	Ivy-leav'd,	August	2	67
Jenamin	Double Arabian,	August	7	69
	Indian Yellow,	August	15	71
	Double Spanish,	August	27	73
	Spanish white,	Nov.	26	97
St. John's Wort,	See Shrub St. John's Wor	t.		F. (*)
Jonquil,	Single,	April	12	33
Jonquis	Double,	April	20	35
Iris,	Perfian,	Febr.	27	
2,103	Velvet,	March	33	28
	Major Ultramarine,	June	2	49
	Dwarf strip'd,	June	25	
	Uvaria,	August	3	54 68
July-Flower,	Double Stock, See Stock.	1 E WE		
July 2 10	Prince Picotée,	July	3	58
	Painted Lady, See Carnatio			
	Princess Picotée,	July	17	62
	K.			
95	00.77	A	-	60
Ketmia,	Yellow,	August	7	69
Kidney-Bean,	Carolina,	July	11	61
Kings-Spear,	Dwarf White,	Januar.	10	3
	L.			
Larch-Tree,	Red flowering,	March	28	27
2341011 2 2 2 3 3	White flowering,	March	31	27 28
Larkfpur,	Double Blue,	July	28	65
Lavender, with		Nov.	27	97
Laurustinus,	Early flowering,	Nov.	3	93
,	Shining-leav'd,	Dec.	7	101
Leonorus,		Octob.	21	90
Lichnes,	Mountain,	June	24	54
	Double Scarlet,	July	27	65
				Lilly,

			Month.	Numb	. Page.
Lilly,	Double Orange,	E	May	14	43
	Flaming, See Martago	n Sca			
	White and Purple,		July	9	60
	Guernsey,		Octob.	14	88
	Bella Donna,		Octob.	19	89
Lilly of the Valley	7,Blufh-red,		April	8	32
	White,		April	16	34
Limon-Tree,	Lisbon,		Januar.	17	4
Lifole, from Gen	oa,		August	26	73
Lotus with yellow			May	29	47
Lupine,	White,		July	16	62
- 7					
	M.				
Mallow	Durhla		Mare	~	
Mallow,	Purple, American flowering,		May March	17	44
Maple,			March	12	22
	Virginian flowering, Large-leav'd Norway,		GINE MAL	15	24
Manipuld	Yellow Corn,		March	19	26
Marigold,	Lettow Corn,	and	June	32	56
AND THE RESERVE	French,	and	Dec.	16	103
	2.1011010,	and	July Nov.	26	64
	Whitecorn,	and	772	11	94
	PP DILECOTIL,	and	Sept. Dec.	3	76
	Quill' A African	anu	72	4	100
	Quill'd African,		Sept.	14	77 82
	African,		Sept. Octob.	31	
	Tree, Fig, See Ficoides.		OCTOB.	24	90
			Dec.	6	***
	Cape,	(-1			101
8. K - 1/2 2/2 1/2	Cape-white within,		Dec.	22	104
Martagon,	Double,		June	14	52
- 05 .000	Yellow,		June	28	55
	Red,		June	29	56
	Scarlet,		July		60
N. 6	Virginian Scarlet, Yellow strip'd,		August	34	75
Marvel of Peru,	The state of the s		August		7I
	S			TATS	ıdlin,

Maudlin, Mezereon, Moth Mullein, Moufe-Ear, Myrtle,	Double white, White, Red, White flower'd, Double, Double flowering, Box-leav'd,	Month. July Febr. Febr. Sept. July August Octob.	Numb. 2 5 6 33 23 16 27	Page. 58 10 10 83 64 71
Myrto Ciftus,	Thyme-leav'd,	Nov.	18	94 95
anayana Garanaya	N.			
Naked Boys, Narciffus,	See Colchicum white. Double of Constantinople, White Bosleman, Rhyvan, Of Naples, Queen of France,	Febr. March March March March	7 3 5 16 21	10 18 19 24 26
Nasturtium,	Single Orange, Double,	April July d Nov.	4 1 16	31 58 95
Nigilla,	Single, Blue,	Octob. June	3	95 85 49
	О.			
Oleander, Olive-Tree, Orange,	Red, White, True, Seville, Strip'd,	July July July Januar. Januar.		62 66 61 6
Orchis,	Bee-Flower.	June	15	52

Paliurus,

P.

THE WAY SHOW			Month.	Numb	. Page.
Paliurus,			April	15	34
Palma Christi,			August	12	70
Panfy,			June	8	50
		See also,	and the same of th	7	77
		and	Dec.	3	100
Paffe-Flower,	White,		March	6	19
elitariational automorphisms .	Blue		March	29	28
Passion-Flower,	Fruit-bearing,		August	29	
	Three-leav'd,		Sept.	35	74 83
	Yellow,		Octob.	29	91
Pea,	Purple fweet,		Tune	33	57
Peach,	Double-bloffom'd,		April		30
Pear,	Winter-flowering,		Dec.	3 28	106
Pellitory,	With Daify Flower	5.	Januar.	I	I
2 011101/	J.		Nov.	34	98
	Canary,		Dec.	18	103
Periwinkle,	White,		Nov.	2	93
2 0.211	Blue,		Nov.	4	100
	Single Blue,		Octob.	7	93
Perficaria,	See Arle-fmart Or	iental.			
St. Peter's Shrub,		0.1111.0.22.0.72	Dec.	23	105
Pheafant's Eye,			May	16	43
1 11cmm = - j - j		See alfo		21	96
Pilewort,	Double,		Febr.	35	15
Pink,	Sea,		April	29	37
4 41115	China, or Indian,		May	12	42
		and	July	21	63
	Princefs,	27,02	May	33	47
	Mountain Dwarf,		Tune	31	56
	Painted Lady,		July	15	62
Poke,	Virginian,		Sept.	18	79
Polyanthos,			August	14	70
a ory animos,	White-edg'd,		Januar.	5	2
	Strip'd and edg'd,		Febr.	14	II
	on I wante tag as			Polyant	
				0-) 4116	

		Month.	Numb.	Page.
n + .1	Pantaloon strip'd,	Febr.	26	13
Polyanthos,	Goldfinch,	March	13	23
	Dunble	Octob.	4	23 86
_	Purple, Double,	July	22	63
Pomegranate,	A CONTRACT OF THE PROPERTY OF	Sept.	29	82
2	Dwarf, Yellow Perennial,	Octob.	3	86
Poppy,	New Tree,	Sept.	4	76
Primrofe,	Winter-white,	Dec.	14	102
Dulfarilla	See Passe-Flower.			
Pulsatilla,	Det I allo 2 to train			
	R.			
	Turkey sweet-scented,	April	26	37
Ranunculus,	Indian Queen,	May	21	45
	Double white Mountain,	May	23	45
	Dutch Yellow,	May	24	45
	Indian King,	May	25	45
	Globosus, See Globe-Flow	A STATE OF THE STA		
D Colonery	Virginian Flowering,	August	25	73
Raspberry, Rosa Mundi,	7.178	June	23	54
Rofe,	Cinnamon,	May	1	39
Koie,	Yellow Austrian,	May	22	45
	Red Austrian,	May	27	4.6
	Maiden's Blush,	June	9	51
	Blush Belgic,	June	12	51
	Franckfort,	June	13	52
	Moss Province,	June	18	53
	White,	June	20	53
	Dutch Hundred-leav'd,	June	21	53
	Strip'd Monthly,	August	19	72 80
	White Monthly,	Sept.	20	
	Double white Musk,	Octob.	26	91
	Bud Monthly,	Dec.	35	108
Rosemary,	See Sage and Rosemary.			

Coffeen Flores		Month.	Numb.	Page.
Saffron-Flowe	Octob.	5	86	
Sage and Rose	Dec.	26	105	
Savory,	Tree,	Januar.		
Saxifrage,		June	6	7
Scabius,	Musk,	Octob.		50
Sedum,	Tree.	Januar.	25	90
Shrub St. John's Wort,		August	32	8
	St. Peter, See Peter,	ringuit	10	69
Silk Grass,	Double Virginian,	Tuna	100	
Snowdrop,	Greater early,	June	19	53
1,		Januar.	3	2
	Single, and		19	12
		Januar.	4	2
Son before the	Double,	Febr.	21	13
Sopewort,	Father, See Colchicum white			
	Double White,	Sept.	16	79
Sow-bread,	See Cyclamen.			,,
Spiderwort,	Savoy,	May	13	43
0	Virginian, See Silk Grass.	,	3	13
Spurge,	Striped,	Januar.	16	1
Star-Flower,	Carolina,	Nov.	24	96 96
Starwort,	See After and Daify.			90
Stavefacre,	Virginian,	Octob.	2.7	0.2
Stock,	Double,	Januar.	31	92
	and	July	20	65 65
Strawberry,	See Arbutus.	July	30	05
Sultan,	Purple,	A	_	10
Sun-Flower,	Perennial Dwarf,	August		68
Sweet-Button-7	Tree, See Acacia.	June	1	49
Sweet William,	Upright,	Y		
an annually	oprigot,	June	5	50
	2 1 1			

T

Teucrum,

T.

					1220
			Month.	Numb.	The state of the s
Teucrum,		-	une	30	56
Thorn,	Glastenbury,		Dec.	32	107
Throatwort,	Double Blue,		uly	7	60
1 moatwore,	Double White,		uly	25	64
	Pona's Blue,	F	August	II	70
Tithymal,	Dwarf,		anuar.	19	68
Toad-Flax,	Purple,		August	5	
Tobacco,	Indian,		Octob.	II	87
Tree-Savory,	See Savory.				1027-06
Tree-Sedum,	See Sedum.				21112
Trefoil,	Moon,		June	4	49
Trumpet-Flowe			Octob.	8	87
Tuberose-Flower,			Octob.	1	49 87 85
Tuft,	Strip'd Candy,		Januar.	31	7
I tirt,	Tree Candy,		Nov.	5	93
Tulip,	Duke Vantol,		Febr.	I	9
Lumps	Best Claramon,		March	17	25
	Palto Aurislamma,		March	22	26
	Double Endroit,		April	5	31
	Lecreep,		April	22	36
	Beau regard,		April	23	36
	Bishop of Canterbury,		May	4	40
	Dwarf Dutch,		May	20	44
	U.				
Valerian,	Greek,		June	34	
, 1,4,4,5	White,		July	19	
	Broad-leav'd red		Nov.	17	2773
Valerianella,			Dec.	19	104
Vetch,	True Venetian,		Januar		-
	Se	e also	Febr.	9	
		and	May	IC	
				Vib	urnum,
				100	

		Month.	Numl	. Page.
Viburnum,	American,	Nov.	29	97
Violet,	Double Blue, Three colour'd, See Panfy.	Januar.	7	2
Virgin's Bower,	Double Purple,	August	33	75
	Spanish,	Dec.	31	107
	W.			
Wall-Flower,	Single bloody,	March	24	26
Server Store Co	Double,	April	7	31
	Winter,	Dec.	27	106

FINIS.



Fr. In A

