









Ord.	Genera	Species	Species falsae et Varietates	Addenda	
Characeae ¹	1.	Chara	1	hispidi β^2 Dalmatico	Chara foetida *
			2	fragilis	— hispidi
	2	Nitello	3	flexilis	— Stalii *
			4	rudifica	
Equisetaceae ²	3	Equisetum	5	arvense	
			6	Dalmatica	
			7	palustre	
			8	elongatum	
Lycopodiaceae ³	4.	Lycopodium	9	denticulatum	
	Filices ⁴	5.	Ceterach	10	officinarium
6		Polypodium	11	vulgare	Grammitis leptophylla

^{14.}
Filices

6.	Polypodium	12	Dryopteris
		13	calcareum
7.	Aspidium	14.	Loucheitii
		15.	Thelypteris
		16.	lobatum
		17.	rigidum
		18.	Filix mas
		19.	fragile - β . Pontedome
		20.	alpinum
8.	Isotopendrium	21	officinarium
9.	Asplenium	22	Trichomanes
		23	viride

A. aculeatum

IV
Filices

9	Asplenium	24	germanicum	20	cast	21	
		25	Ruta muraria	22		22	
		26	Adiantum nigrum β -acutum	23		23	
		27	fissum	24		24	
10	Pteris	28	aquilina	25		25	
11	Adiantum	29	Capillus Venery	26		26	
12	Cheilanthes	30	odora	27		27	
		31	fimbriatum*	28		28	
12 ^{6/7}	Cosporangium			29		29	
13	Ophioglossum	32	vulgatum	30		30	Oph. lusitanicum
14	Botrychium	33	Lunaria	31		31	

Cryptog.

XII
14

XXIV
33

3
3

V	15	Zea	34	Mays	β . praecox
Gramina	16	Anthoxanth.	35	odoratum	
	17	Holcus	36	avenaceus	β . nodosus
			37	lanatus	
	18	Porghum	38	vulgare	
			39	saccharatum	
			40	ceruum	
			41	halapense	
	19	Pollinia	42	Ergolus	
			43	dismichus	
	20	Andropogon	44	Ischyneum	
			45	hirtus	
			46	pubescens *	

V	21	Heteropogon	47	glober	
Gramina	22	Sacharum	48	avenace	
			49	strichum	
	24	Polygonum	50	maritimum	— Imperata cylindrica
	23	Lagurus	50	ovatus	— Chaetum frutescens
	25	Digitaria	52	Dactylon	
			53	sanguinalis	
			54	ciliaris	
	26	Lappago	55	racemos	
	27	Calamagrostis	56	Epigejos	Calamagrostis montana
	28	Agrostis	57	canina	

^v
Gramina 28

Agrostis

58

stolonifera

59

pondosa

60

verticillata

29

Milium

61

lensigerum

62

multiflorum

63

effusum

30

Stipa

64

pennata

65

calamagrostis

31

Panicum

66

aristellus

67

erectiforme

68

crus galli

69

mitaceum

β . maritimo

α . purpureum

M. paniculatum

Stipa teretifolia

V
Gramina

32	Setaria	70	verticillata		
		71	viridis		
		72	glauca		
		73	italica		
33	Phalaris	74	canariensis		Ph. nodosa
		75	aquatica		Ph. paradoxa
34	Phleum	78	pratense		Ph. minus
		76	tenuis		Baldingeria arundinacea
		78	Bertolonii		Ph. arcuatum
		79	echinatum	β -elongatum γ -villosum	
35	Alopecurus	80	agrestis		
		81	umbellatus		

V
Gramina

36

Crypsis

82

alopeuroides

83

Schoenoides

84

aculeata

37

Melica

85

uniflora

86

nutans

87

ciliata

38

Aira

88

praecox

89

media

90

caryophylla β capillaris

91

aquatica

39

Avena

92

lativa

=bis

atherantha

✓
Gramina

39 Avena

93 setosa
95 striata
96 pubescens

Avena sterilis
- Neomajonica*
Dactylis calycina

40 Koeleria

97 cristata - β . canescens
98 phleoides

41 Bromus

99 sterilis
100 madritensis
101 rigidus
102 arvensis
103 mollis
104 erectus
105 scaberrimus

B. tectorum
B. maximus
- β . serotinus
B. inermis
 β . glaucus

Gramina	41	Bromus	108	Squarrosus	β. puberulus	
	42	Festuca	109	durivulva		
			108	pratensis		
			109	arundinacea		F. spectabilis
			110	Myurus		F. uniglumis
			110	ciliata	β. imberbis	F. Michellii
			112	serotina		
43	Dactylis		113	glomerata		
			114	hispanica		
			115	litoralis		
			116	Donax		
44	Arundo		117	Pliniana		
			118	Phragmites		

Gramina	45	Poa	118	arenaria	
	46	Poa	120	bulbosa	- β prolifera
			121	collina	
			122	annua	
			123	complanata	
			124	trivialis	- β Koeleri
			125	pratensis	- β angustifolia
			126	serotina	
			127	Engelmii	
			128	megastachya	
		129	rigida	- β patens	
		130	dura		

Poa nemoralis

^v
Gramina

47

Glyceria

130

fluviatilis

131

aquatica

132

distans

133

festuciformis

48

Brija

134

maxima

135

media

136

virens

49

Cynosurus

137

eckinatus

138

crispatus

50

Lesleria

139

cylindrica

140

elongata

β. montana

141

juncifolia

142

interrupta *

Molinia caerulea

— β. arundinacea

Lamarckii aurea

V Gramina	51	Beckmannia	144	cruciformis		
	52	Pottboellia	145	incurvata		
			146	pannonica		
	53	Pilularia	147	nardoidea		
	54	Aegilops	148	ovata		
			149	biennialis		
	55	Lolium	150	arvense		
			151	subulatum *		
			152	robustum		
			153	tenuiflorum		
			154	perenne		
	56	Triticum	155	virgatum		
						Pottboellia cylindrica
						Narda stricta
						Aegilops biennialis — univittata *
					Lol. arvense β. complanatum	
					Triticum durum — polovicum	

v
Gramina

56

Triticum

156

monococcum

157

Spelta

158

villosum

159

repens

160

pungens

161

carinatum

162

loliaceum

163

ciliatum

164

sylvestricum

165

pinnatum

— — β . pubescens

166

ramosum

57

Secale

167

ceriale

168

dalmaticum *

V
Gramina

58.

Hordeum

168

vulgare

169

bulbosum

170

marinum

172

pratense

173

maritimum

174

distichon

44

141

13

VI
Cyperoides 59

Carex

175

divulsa

176

muricata

177

vulpina

178

divisa

C. schenoides

179

Linckii

C. remota

C. pharensis

VI

Cyperoideae 59

Carex

- 189 alpestris
- 184 digitata
- 1812 humilis
- 183 verna

C. palestina

- C. tomentosa
- C. vitida
- C. distans
- C. glauca
- C. bivar
- C. bivar (reflexa)
- C. hordeistichos
- C. laevis
- C. flavo
- C. extensa
- C. riparia
- C. angustata

60 Plysmus

184 compressus

61 Schoenus

- 185 nigricans
- 186 mucronatus

62 Cyperus

- 187 flavescens
- 188 pascu - β . vivescens
- 189 olivaris
- 190 longus

VI

Cyperoides 62

Cyperus

191

badius

192

diffusus

193

glaber

194

Monti

63

Cladium

195

Mariscus

64

Helocharis

196

palustris

65

Isolepis

197

tenuis

66

Scirpus

198

laevis

199

glauca

200

maritimus a laxus

b. compactus

v. macrosporus

Helocharis ovata

VI
 Cyperoideae 67 Dichostylis 201 Micheliana
 68 Hotoschoenus 202 vulgaris
 — — β. romanus

VII
10
 Juncaceae 69 Juncus 203 glaucus
 204 acutus
 205 maritimus
 206 insularis
 207 lampocarpus
 208 bulbosus
 20 Juncus 209 campestris
 — — β. congestus
 210 albidus
2
8

Eriophorum
 angustifolium

Juncus bupurium
 J. obtusifolius
 — Tenaxia

VIII

Irideae

21

Iris

210

pumila - s. lutescens

211

germanica

212

guminea

213

Pseudacorus

214

tuberosa

22

Crocus

215

vernus

216

reticulatus

217

dalmaticus *

218

biflorus

219

Pallasii

220

sativus

23

Romulea

221

Bulbodium

VIII
Iridaceae

74

Gladiolus

223

comuncensis

224

segetum

225

triphyllus

226

illyrius

4

16

IX
Amaryllidaceae

75

Agave

227

americana

76

Sternbergia

228

colchiciflora

77

Leucopium

229

lutea

78

Polanthes

230

nivalis

79

Narcissus

232

poeticus

233

Tallotta

β. denticulatus

N. radiiflorus

IX Amaryllid.	79	Narcissus	234	niveus	et fl. pleno	N. polyanthus
			235	odoratus		
			236	Pseudonarcissus		
	80	Pancratium	237	maritimum		
	<hr/> <u>6</u>		<hr/> <u>11</u>			
X Liliaceae	81	Fritillaria	238	montana		F. megaranensis
				- -	β. racemosa	
	82	Lilium	239	candidum		F. Heisteria
			240	Martagon		
			241	carniolicum		
	83	Tulipa	242	sylvestris		
84	Allium	243	moschatum			
		244	saxatile			
		245	scaberrimum			

X
Liliaceae

84

Allium

246

subhispidum

247

roseum

- - β . bulbiferum

248

neapolitanum

249

Chamae moly

250

ursinum

251

nigrum

- - β . atropurpureum

252

montanum α . capsuliferum

- - β . bulbiferum

253

intermedium α capsuliferum

- - β . bulbiferum

254

tenuiflorum

- - β . bulbiferum

255

fallens

X
Liliaceae

84

Allium

- | | |
|-----|---|
| 256 | flavum |
| 257 | peruianum |
| 258 | cornutum |
| 259 | andalanicum |
| 260 | lepa |
| 261 | sativum |
| 262 | porrum |
| 263 | Angelotropem |
| 264 | rotundum |
| 265 | sphaerocyclon
- - β . albiflorum |
| 266 | margariticum |
| 267 | vineale
- - β . compactum |

X
Liliaceae

85 Scilla

268

autumnalis

269

bifolia

270

pratensis

271

hyacinthoides

272

maritima

86 Ornithogalum

273

arabicum

274

umbellatum

275

escapum

276

comosum

O. garganicum

277

narbonense

87 Ligea

278

arvensis

279

pusilla

L. Clusiana

280

pygmaea

O. pyrenaicum

X
Liliaceae

88	Muscovi	281	botryoideus	
		282	memoratum	
		283	comosum	
89	Hyacinthus	284	fallens	
		285	orientalis	
90	Bellevalia	286	romana	β. phyllanthus
		287	dubia	
91	Anthericum	288	Liliago	
		289	ramosum	
92	Asphodeline	290	lutea	
		291	cretica	*
93	Asphodelus	292	ramosus	

X Liliaceae	93	Asphodelus	293	neglectus
			294	albus
			295	fistulosus
	94	Erythronium	296	Dens canis
	<hr/>		<hr/>	
	14.		59	10
XI Colchicaceae	95	Veratrum	297	album
			298	nigrum
	96	Colchicum	299	Bivonae
			300	Bertolonii
	<hr/>		<hr/>	
	2		4	
XII Smilacaceae	97	Paris	301	quadripetala
	98	Ruscus	302	aculeatus

XII
Smilacae

98 Ruscus
99 Asparagus
100 Smilax
101 Convallaria

303 Hypoglossum
304 officinalis
305 scaber
306 acutifolius
307 asper
308 nigrus
309 majoris
310 Polygonatum
311 multiflorum
312 latifolium β . bracteatum

6

12

XIII
Dioscoreae

102 Tamus
1

313 communis
1

ca. tenuifolius

XIV

103 Platanthera

314

bifolia

— — β . flavata

Orchideae

104 Orchis

315

Morio

316

provincialis

O. pauciflora

O. lyrilli

317

laxiflora

var. a. ensifolia

— — β . palustris

O. mascula

— β . speciosa

318

patens

O. lanata

319

Hortii

320

rubra

321

fulva

322

variegata

323

linia

324

coriophora β .

fragrans *

325

ustulata

326

sambucina

— — β . purpurea

XIV
Orchideae

104

Orchis

327

angustifolia

328

saccifera

329

conopsea

330

pyramidalis

β. condensata

331

hirvina

105

Aceris

332

anthropophora

106

Spiranthes

333

autumnalis

107

Ophrys

334

arachnites

335

atrata

336

aranifera

337

apifera

338

cornuta

339

bombyliflora

340

tabanifera

B. albid

Dinea maculata

Goodyera repens

XIV

Orchideae

107 Ophrys

341

Bertolonii

342

flavicans *

343

inicolor

344

lutea

108 Serapias

345

Lingua

346

cordigera

109 Cephalanthus

347

pallens

348

erisifolia

349

rubra

110 Limodorum

350

abortivum

111 Neottia

351

Nidus avis

112 Corallorhiza

352

innata

113 Epipactis

353

latifolia

354

palustris

355

microphylla

11

42

O. Tommasini *

XV Callaceae	114	Arum	356	maculatum	V. herb.
			357	italicum	
			358	orientale	
			359	Dracunculifolium	
	115	Biavum	360	tenuifolium	
	116	Arisarum	361	sulgare	
	<u>3</u>		<u>6</u>		
XVI Typhaeae	117	Typha	362	latifolia	
	118	Parganium	363	erectum	
	<u>2</u>		<u>2</u>		
XVII Najadeae	119	Zannichellia	364	major	β pedunculata
	120	Posidonia	365	Caulini	Z. marina
	121	Zostera	366	nana	
		Lemna		gibba	

Lemnaceae

XVII
Najadeae

122

Potamogeton 368

natanus

369

oblongus

370

fluitans

371

lucens

372

crispus

373

perfoliata

374

pectinata

4

10

XVIII
Alismaceae

123

Triglochin

374

maritimum

375

Darnieri

124

Alisma

376

Plantago

377

varunuloides

2

4

β. longifolia

<p>XIX Butomae</p>	<p>125</p> <hr/> <p>1</p>	<p>Butomus</p>	<p>378</p> <hr/> <p>1</p>	<p>umbellatus</p>	<p>388</p> <hr/> <p>388</p>	<p>130</p> <hr/> <p>131</p>	<p>XIII Hyptidaceae</p>
<p>XX Hydrocharites</p>	<p>126</p> <hr/> <p>1</p>	<p>Hydrocharis</p>	<p>379</p> <hr/> <p>1</p>	<p>Alvany ranae</p>	<p>388</p> <hr/> <p>388</p>	<p>131</p> <hr/> <p>132</p>	<p>XIV Compositae</p>
<p><u>Monocotyl</u></p>	<p>122</p>		<p>345</p>	<p>403</p>	<p>388</p> <hr/> <p>388</p>	<p>132</p> <hr/> <p>132</p>	
<p>XXI Asarine</p>	<p>127</p>	<p>Arifolochia</p>	<p>380</p>	<p>Clematily</p>	<p>388</p> <hr/> <p>388</p>	<p>132</p> <hr/> <p>132</p>	
			<p>381</p>	<p>rotunda</p>	<p>388</p> <hr/> <p>388</p>	<p>132</p> <hr/> <p>132</p>	
			<p>382</p>	<p>pallida</p>	<p>388</p> <hr/> <p>388</p>	<p>132</p> <hr/> <p>132</p>	
	<p>128</p>	<p>Ajarum</p>	<p>383</p>	<p>europaeum</p>	<p>388</p> <hr/> <p>388</p>	<p>132</p> <hr/> <p>132</p>	
	<p>2</p>		<p>4</p>		<p>388</p> <hr/> <p>388</p>	<p>132</p> <hr/> <p>132</p>	
<p>XXII Cytinere</p>	<p>129</p> <hr/> <p>1</p>	<p>Cytinus</p>	<p>384</p> <hr/> <p>1</p>	<p>Hypocistis</p>	<p>388</p> <hr/> <p>388</p>	<p>132</p> <hr/> <p>132</p>	

<u>XXIII</u>	130	Nymphaea	385	alba
Nymphaeaceae	131	Nuphar	386	luteum
	<u>2</u>		<u>2</u>	
<u>XXIV</u>				
Coniferae	132	Pinus	387	Pinaster
			388	sylvestris
			389	nigricans
			390	Pinus
			391	resinosa
			392	Mugho
			393	Abies
	133	Cupressus	394	sempervirens
	134	Juniperus	395	communis
			396	horizontalis
				β. macrocarpa

XXIV
Coniferae

134 Juniperus

397 nano
398 phoenicea
- - β . Lobelii

399 Sabina

135 Ephedra

400 major

136 Taxus

401 baccata

5

15

2

XXV
Amentacea

137 Fagus

402 sylvatica

138 Castanea

403 sativa

139 Quercus

404 Robur

405 pubescens

406 coccinea β . austriaca

407 Ilex
 β . suberosa β . suber

XXV

Amentaceae

139	Quercus	408	coccifera
140	Corylus	409	avellana
141	Carpinus	410	Betulus
		411	duinenis
142	Ostrya	412	carpinifolia
143	Alnus	413	glutinosa
<hr/>		<hr/>	
8		12	2

XXVI

Salicinae

144	Salix	414	alba
			- β. vitellina
		415	fragilis
		416	amygdalina
		417	purpurea J. Helix
		418	incana

XXVI
Salicinae

144

Salix

419

virginialis

420

aurea

421

cinerea

145

Populus

422

alba

423

truncata

424

dilatata

425

nigra

3

12

2

XXVII
Juglandes

146

Juglans

426

regia

1

1

XXVIII
Urticales

147

Urtica

427

urens

XXVIII
Urticaceae

147	Urtica	428	dioica
		+ 429	glabrata
		430	membranacea
		431	pilulifera
148	Panicum	432	diffusum
149	Cannabis	433	sativa
150	Humulus	434	Lupulus
151	Morus	435	alba
		436	nigra
152	Ficus	437	Carica
153	Celtis	438	australis
154	Ulmus	439	campestris a mucida - - - - - β - suberosa
<hr/> 8 <hr/>		<hr/> 13 <hr/>	<hr/> <hr/>

XXIX

155

Thepium

440

Linophyllum

441

monophyllum

442

divinatum

443

humile

156

Oxyris

444

alba

2

5

XXX

157

Daphne

445

Mezerium

446

alpina

447

gnidicum

158

Panicum

448

annuum

449

hirsutum

2

5

XXXI
Laurineae

159

Laurus

450

nobilis

1

XXXII
Polygoneae

160

Polygonum

451

virgatum

452

amphibium a. natans

— — β . terrestris

453

Perficaria

454

nodosum

— β . incanum

455

laxiflorum

456

aviculare

457

Bellardi var. a

— — var. β

458

arenarium

459

maritimum

XXXII
Polygonee

160 Polygonum

460 Convolvulus

461 demetorum

462 Fagopyrum

161 Rumex

463 acetosa

464 crispus

465 tuberosus

466 acetosella

— β . angustifolius

— γ . multifidus

467 acetosella

468 pulcher

— β . divaricatus

469 Patientia

470 crispus

<u>XXXII</u>	161	Remex	470	aquaticus		
Polygonae			471	conglomerata		
	<u>2</u>		<u>22</u>			

<u>XXXIII</u>	162	Phytolacca	473	dicandra		
Phytolaccaceae	<u>1</u>		<u>1</u>			

<u>XXXIV</u>	163	Salicornia	474	herbacea		
Chenopodeae			475	fruticosa		

			476	macrostachya		v. herb.
	164	Spinacia	477	oleacea		

			478	glabra		
	165	Atriplex	479	portulacoides		

XXXIV

Chenopodes

165 Atriplex

480

hortensis

481

patula α integrifolia

- β hirsutifolia

- γ triangularis

482

litoralis

483

laciniata

- β diffusus

166 Thelygonum

484

Cynocrambe

167 Chenopodium

485

bulbosum

486

polyspernum Ch. acutifolium

487

ambrosioides

488

album

- β oblongum

XXXIV

Chenopodes

167	Chenopodium	489	viride
		490	nobile
		491	urbicum
168	Agathophyton	492	Bonyhenning
169	Beta	493	vulgaris
		494	maritima
170	Camphorosma	495	monspeliaca
			- - β . glabrescens
171	Suaeda	496	maritima
			- - β . salsa
		497	fruticosa
172	Salsola	498	Kali a. hirta
			- - β . glabra

<u>XXXIV</u>	172	Salsola	499	Salsola Soda	
Chenopodae	173	Halogeton	<u>500</u>	sativa	
))		27		8
<u>XXXV</u>	174	Amaranthus	501	Blitum	
Amaranthaceae			502	lyvestri	
			503	prostratus	
			504	retroflexus	
	175	Polygonum	<u>505</u>	annuum	
	2		5		
<u>XXXVI</u>	176	Scleranthus	<u>506</u>	annuus	
Scleranthus			1		
<u>Monochlam</u>	50		127		21

Handwritten notes in the right margin, including the word "Salsola" and other illegible text.

Vol. II.

XXXVII
Plantagineae

127. Plantago

507

major

508

cornuti

509

media

510

lanceolata

P. dalmatica,

511

Lagopus

hungarica, la-
nata ambigua

512

argentea

P. victorialis

513

Bellardi

514

Weldeni

515

maritima

P. graminea,
serpentina

— — β

subulata

516

serotina

517

Coronopus

518

Psyllium

1

12

8

XXXVIII
Plumbagi-
neae

178 Armeria 519 vulgaris — — β. latifolia

179 Statice 520 Limonium s. serotina

521 imana

522 oleaeifolia

523 articulata

524 cancellata

525 caspica

526 ferulacea

180 Plumbago 527 europaea

3

9

2

Statice minuta
β. pubescens

XXXIX
Globulari-
caae

181 Globularia 528 vulgaris

529 cordifolia G. bellidifolia

5

2

5

XL
Dipsaceae

- | | | | | |
|-----|----------------|-----|---------------|--|
| 182 | Dipsacus | 529 | sylvestris | D. Botterii |
| | | 530 | laciniatus | |
| 183 | Luceiza | 531 | pratensis | |
| | | 532 | austriacis | |
| 184 | Cephalaria | 533 | leucantha | (. albescent, leucantha, et mediterranea |
| | | 534 | transylvanica | |
| 185 | Asterocorymbis | 535 | Colymbaria | |
| | | | - - - | β . mutica |
| | | | - - - | γ . Columbae |
| | | | - - - | δ . graminifolia |
| | | 536 | suaveolens | |
| | | | - - - | β . siliifolia |
| | | 537 | holosericeus | |
| | | 538 | graminifolius | |

XL
Dipsacaceae

185 *Asteroccephalus* 539 *maritimus* *A. ambiguus*,
acutiflorus

186 *Pteroccephalus* 540 *palaestinus* *P. brechiatus*
— *a. indivisa*
— *β. lyrata*
— *γ. triphylla*

187 *Scabiosa* 541 *avenensis* *β. collina*
— *γ. indivisa*
542 *integrifolia*
— *β. hybrida*
— *γ. angustiloba*

6

14

16

XLI
Valerianaceae

188 *Valerianella* 543 *echinata*
544 *gibbosa*
545 *pumila* *V. sphaerocarpa*

XLI

Valerianeae

188	Valerianella	546	ericae	
		547	Morisonii	
		548	auriculo	
		549	hamata	
		550	discoidea	
189	Centranthus	551	ruber	
		552	calitropis	
190	Valeriana	553	montana	
		554	tripteris	
		555	tuberosa	
		556	officinalis	V. angustifolia
				V. altissima
<hr/> 3 <hr/>		<hr/> 14 <hr/>		<hr/> 3 <hr/>

XLII

Composite

- | | | | |
|-------|---------------|-----|--|
| 191 | Echinops | 557 | Neumayeri * |
| | | 558 | Nitro - - β . elegans |
| 192 | Calendula | 559 | arvensis
- - β . rugosa |
| 193 | Xeranthemum | 560 | inapertum
- - β . oleaeifolia |
| * 194 | Amphoricarpos | 561 | Neumayeri * |
| 195 | Stachelina | 562 | Dubia |
| 196 | Carlina | 563 | vulgans |
| | | 564 | corymbosa |
| | | 565 | lanata |
| | | 566 | acanthifolia |
| | | 567 | acaulis
- - β . simplex |

XLII

Compositae 197
198

568 *Cnicus benedictus*

569 *Centauria alba* a. *genuina*
-- *β. splendens*
δ. densa

570 *Tacca*
-- *β. amara* C. *Weldeniana*

-- *γ. portensis*

-- *δ. nigrescens*

571 *Cyanus*

572 *tuberosa* *

573 *montana* a. *integrifolia*
-- *β. sinuata*

574 *cuspidata* *

575 *Scabiosa L. coriacea*

576 *ragusina*

577 *Cineraria*

XLII

Compositae

198 Centaurea

578 salonitana a-ovata *

- - - β-lanceolata

579 rupestris C. adonidifolia

580 sordida

581 divergens *

582 Kartschiana

583 cristata C. acutiloba

584 inornata *

585 punctata *

586 Tridemi *

587 cithroidifolia *

588 salmantina

589 solstitialis

590 melitensis C. apula

591 Calitropa

XIII

Compositae

199	Crepina	592	Crepinastrum *
200	Centrophyllum	593	lanatum
201	Carthamus	594	tinctorius
202	Silybum	595	marianum
203	Tymnium	596	leucophyllum
204	Onopordon	597	Alanthium
		598	illyricum
205	Cynara	599	Scolymus a. pungenis
			— β. nutica
206	Carduus	600	nutans
		601	chrysacanthus
		602	cardinaefolius
		603	candicans a. genuinus
			— β. collina
		604	pycnocephalus

XIII

Compositae

206	Carduus	605	acicularis	C. neglectus
		606	bicolor	*
207	Cirsium	607	lanceolatum	
		608	eximium	
		609	arvense	- - β . vestitum
		610	palustre	C. pannonicum
		611	Erisithales	
		612	acaule	
		613	acarna	
208	Chamaecephala	614	stellata	
209	Lappa	615	major	
		616	minor	
		617	tomentosa	
210	Serratula	618	tinetoria	
		619	radiata	

XLII

Compositae

211	Jurinea	620	mollis
			- β . moschata
212	Eupatorium	621	cannabinum
213	Fusillago	622	Fraxea
214	Adenostyles	623	alpina
215	Petasites	624	officinalis Turrit. hybrid
216	Bellidifnum	625	Michellii
217	Aster	626	Amellus
		627	tripolium
218	Idlatella	628	cana
219	Erigeron	629	alpina
		630	aurif
		631	canadensis

XLII

Compositae

220	Bellis	632	perennis a. sylvestris — β. fontenii — μ. annua
221	Solidago	633	virgaurea — β. integrifolia
222	Chrysocoma	634	linosyris
223	Phagnalon	635	rupestris congenitiflora
224	Eoxa	636	pygmaea
225	Minopus	637	erectus
226	Inula	638	helenium
		639	compta
		640	hirta
		641	semiaflexicaulis
		642	squarrosa I. spiraeifolia

XLII

Compositae

226	Inula	643	salicina	
			- - β.	latifolia
		644	ensifolia	
		645	candida	
		646	Britanica	
			- - β.	angustifolia
		647	montana	
		648	graveolens	
		649	lycops	
		650	cnithmoides	
227	Pulicaria	651	vulgaris	
		652	dysenterica	
		653	odora	
228	Duphthelmum	654	salicifolium	β. grandiflorum
229	Asterisus	655	aquatius	

XLII
Compositae

230 Galienus

231 Senecio

656 spinosa

657 vulgaris

658 nebrodensis a. genuinus

— β. rupestris

— γ. laciniatus

— δ. bipinnatifidus

659 leucanthemifolius

660 Jacobaea

661 emittius

662 eximifolius

663 abrotanifolius

664 cineraria

665 Cacaliaster a. Linnaei

— — β. Jacquinii

— — γ. Smelini

XIII
Compositae

231	Senecio	666	Doronicum	a. latifolia
				β. angustifolia
				γ. lanata
		667	Visianianus	
232	Doronicum	668	caucasicum	
233	Graphalium	669	luteo-album	
		670	uliginosum	
		671	sylvaticum	
		672	Leontopodium	
		673	dioicum	
234	Helichrysum	674	angustifolium	
235	Filago	675	germanica	
				β. pyramidata
				γ. spicata
				δ. decumbens
				ε. eriophora

XIII Compositae	235	Filago	676	gallica	
	236	Anacyclus	677	mediatus	
			678	clavatus	
	237	Anthemis	679	arvensis	
			680	Cota	
			681	Pseudo-Cota *	
			682	austriaca	
			683	china	
	238	Diotis	684	Cotula	
			685	maritima	
	239	Santolina	686	Chamaecyparissus	Narent. K.
	240	Achillea	687	Clavenae	
			688	abrotanoides *	
689			Millefolium a. sylvestris		
			-- β. collina		
			-- γ. lanata		

XIII
Compositae

240	Achillea	690	tanacetifolia
		691	nobilis
		692	odorata
		693	ligustica
241	Matricaria	694	Chamomilla
			— β . pappulosa
242	Chamaemelum	695	uniglandulosum *
243	Chrysanthemum	696	Leucanthem. a. frutescens
			— β . laciniatum
			— γ . montanum
			— δ . medicale
			— ϵ . graminifolium
		697	ceratophylloides
		698	cinerariifolium *
		699	corymbosum
		700	Parthenium

XIII
Compositae

243	Chrysanthemum	701	macrophyllum
		702	Tanacetum *
		703	segetum
244	Pinardia	704	coronaria
245	Artemisia	705	Absinthium
		706	arborescens
		707	camphorata
			- - β . Biasoletiana
			- - γ . - virens
		708	paniculata
		709	scoparia
		710	campestris
		711	vulgaris
		712	aerulescens
246	Tanacetum	713	vulgare
			- - β . crispum

XIII
Compositae

247	Helianthus	714	tuberosus
248	Bidens	715	tripartita
249	Scotymus	716	hispanicus
250	Lampisano	717	communis
251	Magadiolus	718	stellatus a. indivisus -- β. intermedius -- γ. edulis
252	Cichorium	719	Intybus a. Sylvestris β. indivisum
		720	Endivia -- β. pumilum
253	Hyoseris	721	radiata
		722	scabra
254	Hedysarum	723	cretica
		724	tubiformis

XLII Compositae	255	Hypochaeris	725	radicata
			726	maculata
	256	Leviola	727	aetnensis
	257	Helminthia	728	echinoides
				— β. glabra
	258	Picris	729	hiemoides
			730	laciniata *
			731	Sprengiana
	259	Thrinacia	732	tuberosa
	260	Leontodon	733	autumnale
			734	hastile a. fontenii
				— β. hirta
				— γ. laciniata
			735	saxatile a. simplex
				— β. variegata
				— γ. glabra
		736	incanum	

XLII
Compositae

- | | | | | |
|-----|-------------|-----|-------------|----------------------------|
| 261 | Podospermum | 737 | laciniatum | |
| | | | | β . calcitripifolium |
| 262 | Scorzonem | 738 | rosea | |
| | | 739 | Candollei * | |
| | | 740 | austriaca | α . latifolia |
| | | | | β . oblongifolia |
| | | | | γ . angustifolia |
| | | 741 | villosa | |
| | | | | β . dalmatica |
| 263 | Geropogon | 742 | glaberrimum | |
| 264 | Tragopogon | 743 | major | |
| | | 744 | pomifolius | |
| | | 745 | eriospermus | |
| | | 746 | crocifolius | |
| | | 747 | intensus | |

~~XLII~~
Compositae

265	Urospermum	748	microides	a. laciniatum
				β. indivisum
		749	Dalechampia	
266	Taraxacum	750	officinale	
				β. palestrense
267	Chondrilla	751	juncus	
268	Prenanthes	752	purpurea	a. vulgaris
				β. major
				γ. latifolia
269	Lactuca	753	perennis	
		754	saligna	
		755	scariola	
		756	augustana	200
		757	mumli	
		758	sativa	
270	Phoenixopus	759	viridus	β. ramissimus

XLII *
Compositae

271	Trichocrepis	260	bifida *
272	Satyrona	261	Diosporidi
273	Lacintha	262	venucosa
274	Crepis	263	vesicularia -- β scariosa
		264	setosa
		265	foetida
		266	rubra -- β scapigena
		267	bulbosa
		268	alpestris
		269	chondrilloides
		270	rigida
		271	adenantha *
		272	neglecta C. vivens.
		273	pulehra C. lapsanifolia

XIII
Compositae

- | | | | |
|-----|-----------|-----|---------------------------|
| 275 | Hiernicum | 274 | Pilosella |
| | | | - β . major |
| | | 275 | bifurcum |
| | | 276 | furcatum |
| | | 277 | florentinum a. procalum |
| | | | - β . piloselloides |
| | | 278 | cymosum |
| | | 279 | pratense |
| | | 280 | porrifolium |
| | | 281 | glaucum |
| | | 282 | sabaudum |
| | | 283 | murorum |
| | | 284 | sylvaticum |
| | | 285 | villosum a. valde pilosum |
| | | | - β . flexuosum |
| | | 286 | lanatum v. glabritum |
| | | | H. Formosini |

XLII Compositae	276.	Tonchus	287	oleaceus	
			288	asper	
			289	maritimus	S. litoreis
	277	Picridium	290	vulgare	
				— β. scapigerum	

87

235.

76

XLII bis Ambrosiaceae	278	Xanthium	291	strumarium	
			292	spinosum	
	279	Ambrosia	293	maritima	

2

3

XLIII Campanu- laceae	280	Phyteuma	294	orbiculare	
				— β. lanceolatum	
			295	limoniifolia	β. Columnae

XLIII
Campanu-
laceae

281

Campanula

- | | | |
|-----|------------------|------------------------------|
| 796 | sibirica | C. divergens |
| 797 | capitata | |
| 798 | glomerata | C. aggregata |
| 799 | Trachelium | C. urticifolia |
| 800 | vagunculoides | |
| 801 | bononiensis | C. Thaliana |
| 802 | rotundifolia | C. pusilla
C. Scheuchzeri |
| 803 | Walsteiniana | |
| 804 | garganica | |
| 805 | Portenschlegiana | |
| 806 | Morettiana | |
| 807 | pyramidalis | |
| 808 | ramosissima | C. Lorei |
| 809 | perniciosifolia | |

XLIII
Campanula
ceae

281

Campanula

810

Rapunculus

811

Erinus

812

tenuifolia

813

caudata *

814

serpyllifolia *

815

Penicillio

816

Speculum

— β. hirta

— γ. cordata

817

hybrida

818

falcata

819

Alpini

— β. stylosa

2

26

12

XLIV Pacciniaceae	282	Puccinium	820	Myrsinifolius	
			821	Vitis idaea	
	<u>1</u>		<u>2</u>		
XLV Ericaceae	283	Arbutus	822	Unedo	
	284	Arctostaphylos	823	Uva ursi	
	285	Calluna	824	vulgaris	
	286	Erica	825	carnea	E. herbacea
			826	mediterranea	
			827	verniflora	
			828	multiflora	
			829	arborea	
	287	Azalea	830	procumbens	
	288	Pyrola	831	minor	
	<u>6</u>		<u>10</u>		

XLVI
Styracaeae 289 Styraax 832 officinalis

XLVII
Ebenaceae 290 Diospyros 833 Lotus

XLVIII
Samolines 291 Samolus 834 Valerandi

XLIX
Primulaceae 292 Cyclamen 835 hedernefolium
836 vernum Crepandum
293 Primula 837 acutilis
838 suaveolans
839 integrifolia

elabor. v. d. d. d. d.
in canali ad aquam
v. herb. v. d. d. d. d.

XLIX
Primula
ceae

294 Androsace

840

villosa

295 Lysimachia

841

lactea

842

vulgaris

843

punctata

844

Menimularia

845

Linum Hellaticum

296 Anagallis

846

arvensis a phoenicea

5

12

— β caerulea
2

L.
Lentibula
ricae

297 Utricularia

847

vulgaris

1

1

III
Scrophulariinae

298

Verbascum

848

Thapsus

— β . elongatum

849

densiflorum

— β . thapsiforme

850

macrurum

851

phlomoideum

— β . sauniticum

852

floccosum

853

lychnitidis

854

undulatum

855

sineuatum

856

nigrum α . genuinum

β . lanatum

857

phoeniceum β . orientale

858

Blattaria

LII Scrophu larinae	299	Celsia	859	orientalis		
	300	Scrophularia	860	nodosa		
			861	laciniata		
			862	canina	-- β . bicolor	
		863	peregrina			
	301	Linaria	864	Cymbalaria	a. vulgaris	
					β . pilosa	
			865	Elatine	a. vulgaris	
					β . coronata	
					γ . lanipoda	
	866	spuria				
	867	cirrosa				
	868	minor				
	869	litoralis				

III Scrophulariinae	301	Linaria	870	alpina
			871	simplex
			872	pelipseriana
			873	vulgaris
			874	italica
			875	chalepensis
	302	Antirrhinum	876	repens
			877	genistifolia
			878	Dalmatica
	303	Digitalis	879	Orontium
			880	magus
881			grandiflora	
			882	laevigata.
			883	ferruginea.

u. herb.

II	304	Gratiola	884	officinalis
Serophus	305	Veronica	885	spicata
corinae			886	longifolia
			887	saturejoides *
			888	serpyllifolia
			889	acutifolia
			890	arvensis
			891	officinalis
			892	Pseudo-chamaedrys
			893	Chamaedrys
			894	austriaca
				— — β. elliptica
			895	latifolia
			896	Anagallis β. ovalis

LI
Scrophulari-
nae

305 Veronica

897

Beccabunga

898

agrestis a Linnaeana
- - β. Tenoreana

899

Duxbaucii

900

hederifolia

901

Cymbalaria

306 Lupinusia

902

officinalis a. vulgaris

- - β. stricta

- - γ. salisburgenis

903

Odontites β.

904

lutea

905

latifolia

906

Trixago *

307 Pedicularis

907

cornosa

908

Friedericihusi

II
Scrophu-
larinae

308
309

12

Plinanthus 909
Melampyrum 910

911
912

65

Crista galli
- β . angustifolius
arvense
- β . barbatum
nemorosum
cristatum

16

III
Orobanchae 310

311

2

Orobanchae 913
914
915
916

Phelipaea 917
918
919

crucata
caryophyllacea
- β . major. O. satii
pucinoso
minor
- β . adenosylo
crinita
ramosa - β . simplex
lavandulacea * 3

Rh. Aleurologus

LIII
Verbenaceae

312
313

Verberna
Vitex

920
921
922

officinalis
Lupina
Agrimus castus

2

3

LIV
Labiatae

314
315

Lavandula
Mentha

923
924
925

Lipia
latifolia
sylvestris

— β . ovalis
— γ . polystachya

926
927

viridis
aquatica

— β . hirsuta
— γ . calaminthifolia

316

Lycopus

928
929
930

Pulegium
europaeus
exaltatus

M. pubescens

LIV.
Labiatae

317	Salvia	931	officinalis - f. β . grandiflora
		932	glutinosa
		933	Strombium
		934	viridis
		935	Sclarea
		936	argentea L. patula
		937	Bertolonii *
		938	Verbenaca a. sinuata - β . multifida
		939	verticillata
318	Rosmarinus	940	officinalis
319	Origanum	941	vulgare a. geminum - - β . pinnaticum - - γ . virens - - δ . hirtum

LIV

Labiatae

320	Thymus	942	Levyllum a. vulgare
			— β. montanum
			— γ. angustifolium
			— δ. pannonicum
		943	Zygis
		944	bracteosus *
		945	capitatus
321	Satureja	946	hortensis
		947	montana a. communis
			— — β. variegata
			— — γ. subspicata
		948	cuneifolia
322	Micromeria	949	juliana
			— — β. angustifolia
			— — γ. latifolia

LIV

Labiatae

322 *Microomevia* 950 *graeca* -- β . *tenuifolia*
 -- γ . *pauciflora*

951 *parviflora*

952 *Piperella*

323 *Calamintha* 953 *grandiflora*

954 *officinalis*

955 *Nepeta*

956 *thymifolia*

957 *organifolia* *

324 *Clinopodium* 958 *vulgare* *C. plumosum*

325 *Acinos* 959 *thymoides* -- β *villosus*
 -- γ *perennans*

960 *alpinus*

961 *ascendens*

M. pauciflora

v. herb.

IIV

Labiatae

326	Melissa	962	officinalis	M. altissima
327	Hysopus	963	officinalis	
328	Peperita	964	Cataria	- β . canescens
		965	nuda	
329	Plechoma	966	hedemcea	P. hirsuta
330	Sideritis	967	romana	
		968	purpurea	
		969	montana	
		970	Betonica	B. serotina
		971	italica	
331	Stachys	972	germanica	
		973	obliqua	
		974	sylvatica	
		975	palustris	- β . angustifolia

LIV

Labiatae

331 Stachys

976

arvensis

977

annua

978

pubescens

979

maritima

980

recta

981

subserenata *

- β. angustifolia

- γ. fragilis

- δ. labiosa

982

spinulosa

983

menthefolia *

332

Lamium

984

Orvala

985

amplexicaule

986

intermedium

987

purpureum

LIV
Labiatae

332	Lanium	988	bifidum — β -cryptanthum
		989	maculatum
		990	Galeobdolon — β -montanum
333	Melittis	991	Melissophyllum M. grandiflorum
334	Brunella	992	grandiflora
		993	vulgaris
		994	laciniata
335	Galeopsis	995	Ladaneum α -latifolia — β -intermedia — γ -angustifolia
		996	Petrorhiza α -parviflora — β -major — γ -pubescens

LIV

336	Phlomis	997	fruticosa
Labiatae 337	Ballote	998	nigra a. foetida
			- - β vulgaris
		999	rupesstris *
338	Marrubium	1000	vulgare β albo-lanatum
		1001	candidissimum
339	Chaeturus	1002	Marrubiastum
340	Leonurus	1003	Cardiaca
341	Betonica	1004	Alopecurus
342	Lutellaria	1005	orientalis
		1006	alpina
		1007	commutata
		1008	galericulata

LIV
Labiatae

343	Prasium	1009	major	
344	Ajuga	1010	reptans	A. latifolia
		1011	genevensis	A. reptans
		1012	Chamaepitys	β. grandiflora
		1013	Iva	
345	Teucrium	1014	Arduini	
		1015	Scordioides	
		1016	Potrys	
		1017	Chamaedrys	β. acutiloba
				γ. microphylla
		1018	flavum	
		1019	Marum	
		1020	Polium	β. purpurascens
				γ. angustifolium
		1021	montanum	α. major
				β. siculum

LV
Acanthaceae

346

Acanthaceae

1022

longifolia

1023

mollis

1024

spinulosa

1025

spinosissima

4

,

LVI
Convolvulaceae

347

Convolvulaceae

1026

sepium

1027

lycocten

1028

Soldanella

1029

arvensis

1030

tenuiflorus

1031

Cantabrica

1032

Cneorum

7

,

LVII
Cuscutaceae

348

Cuscutaceae

1033

major

1034

Epithymum

1035

breviflora *

3

,

LVIII
Solanaceae

349	Datura	1036	Stramonium
			--- β . Tatula
350	Nicotiana	1037	rustica
351	Hyoscyamus	1038	niger
		1039	albus
			H. varians
352	Solanum	1040	Dulcamara
			--- β . pubescens
		1041	sodomaeum
		1042	nigrum
		1043	miniatum
			S. flavum
353	Physalis	1044	Alkekengi
354	Mandragora	1045	officinarum
355	Atropa	1046	Belladonna
356	Lycium	1047	europeum

8

12

4

v. herb

LIX

Borragineae

357	Heliotropium	1048	europaeum
		1049	supinum
358	Aperugo	1050	procumbens
359	Cynoglossum	1051	officinale & collinum
			— β . sylvaticum
			— γ . parvifolium
		1052	pictum
		1053	columnae
360	Chinoserimum	1054	Lappula
361	Cerinthae	1055	aspera
		1056	retorta
		1057	minor
			— β . maculata
362	Onosma	1058	visianii
		1059	stellulata
			— β . angustifolium

LIX
Borragineae

363	Lithospermum	1060	officinale
		1061	avense
		1062	incorpatum
		1063	tenuiflorum L. minimum
		1064	apulum
		1065	purpureo-coeruleum
364	Echium	1066	petraeum
		1067	parviflorum
		1068	plantagineum
		1069	vulgare
		1070	pustulatum
		1071	italicum
365	Pulmonaria	1072	angustifolia P. media
366	Alkanna	1073	tinctoria

LIX

Borragineae

367	<i>Nonnea</i>	1074	<i>lutea</i>
		1075	<i>ventricosa</i>
368	<i>Anchusa</i>	1076	<i>microcalyx</i> *
		1077	<i>italica</i>
		1078	<i>Barbieri</i>
		1079	<i>variegata</i>
369	<i>Myosotis</i>	1080	<i>palustris</i>
		1081	<i>pusilla</i>
		1082	<i>arvensis</i> β <i>intermedia</i>
		1083	<i>alpestris</i>
370	<i>Lymphytum</i>	1084	<i>officinale</i>
		1085	<i>tuberosum</i>
		1086	<i>bulbosum</i>
371	<i>Borrago</i>	1087	<i>officinalis</i>

15

40

7

LX
Gentianeae

372 Erythraea

1088

Centaureum
- β - *ramosissima*

1089

spicata
maritima *E. lutea*

1090

373 Gentiana

1091

lutea

1092

crispata *

1093

ciliata

1094

utriculosa

1095

nivalis

1096

verna

G. angulosa

1097

asclepiadea

1098

acaulis

G. angustifolia

1099

cruciata

374 Chloria

1100

perfoliata
 β - *serotina*

3

13

5

LXI

375

Periploca

1101

graeca

Asclepiadeae

376

Cynanchum

1102

acutum

377

Vincetoxicum

1103

officinale a. albidum

378

Gomphocarpus

1104

fruticosus

β. punctatum

4

4

LXII

379

Nerium

1105

Oleander

Apocynaceae

380

Vinca

1106

minor

2

2

LXIII

381

Galium

1107

verum

Rubiaceae

1108

purpureum

1109

erectum

β. leucum

1110

aureum *

1111

Mollugo

1112

sylvaticum

LXIII
Rubiaceae

381 Galium

1113 perillum
1114 palestrense
1115 setaceum β . hexaphyllum
1116 parisiense α . trichocarpum
— β . leiocarpum
— γ . divaricatum

1117 Aparine

1118 tricornu

1119 cruciata

1120 vernum G. Baubini

1121 pedemontanum G. retrosum

1122 murale

1123 arvensis

1124 cyananthica

— β . longiflorum
1125 Italiano γ . canaliculatum

1126 scutellariifolium *

LXIII Rubiaceae	383	Cruianella	1127	monseliaca	
	384	Sherardia	1128	avensis	
	385	Putoria	1129	calabrica	
	386	Rubia	1130	tinctorum	
	387	Vaillantia	1131 1132	peregrina muralis	V. cauleata
	7		26	9	

LXIV Caprifolia ceae	388	Lambucus	1133	niger	
			1134	ebuleus	
	389	Viburnum	1135	Tinus	
			1136	Lantana	
			1137	Opulus	
	390	Adoxa	1138	Monhatellina	
391	Lonicera	1139	implexa		

LXIV
Caprifolia
ceae

391

Lonicera

1140

etrusca

1141

Xylosteum

1142

glutinosa *

1143

caerulea

4

11

LXV.
Tasmineae

392

Tasminum

1144

officinale

1

1

LXV bis
Oleineae

393

Ligustrum

1145

vulgare

394

Phillyrea

1146

latifolia a laevij

β. ilicifolia

1147

media

395

Olea

1148

europea a Oleaster

β. sativa

cum x variationib

LXV bis	396	Truxinus	1149	excelsior
			1150	Ornus
	397	Syringa	1151	vulgaris
	<u>5</u>		<u>7</u>	

Dichlamyd.
Monop. 221

654

216

LXVI

398

Piscum

1152

album

Oxycedri

NB. 1152. bij.

Loranthaceae

1

2

LXVII

399

Hydrocotyle

1153

vulgaris

Umbellaceae

400

Laniicula

1154

europea

401

Astrantia

1155

major

402

Eryngium

1156

maritimum

LXVII
Umbellatae

402	Eryngium	1157	campestre
		1158	amethystinum
		1159	creticum
403	Apium	1160	graveolens
404	Petroelinum	1161	lativum
405	Trinia	1162	velgaris
		1163	elatio
406	Helosciadium	1164	nodiflorum
		1165	repens
407	Ptychotis	1166	verticillata
408	Falcaria	1167	Privini
409	Sison	1168	Amomum
410	Ammi	1169	maius
411	Aegopodium	1170	Podagraria

LXVII

Umbellate

412

Berisium

1171

ferulaceum

1172

divaricatum

1173

alpinum

413

Pimpinella

1174

magna

1175

saxifraga

— f. nigra
— y. dissecta

1176

fragrans

1177

purgans

414

Lium

1178

latifolium

1179

angustifolium

415

Bupleurum

1180

terrestrimum

1181

prostratum

1182

rotundifolium

LXVII
Umbellatae

415	Bupleerum	1183	Kargli *
		1184	aristatum
		1185	Gerardi
		1186	juncum
		1187	exaltatum
416	Oenanthe	1188	pimpinelloides
		1189	silaifolia
		1190	marginata *
		1191	Phellandrium
417	Foeniculum	1192	officinale
418	Bidolfia	1193	segetum
419	Seseli	1194	tomentosum *
		1195	globiferum *
		1196	varium L. pomorusp

LXVII
Umbellate

419	<i>Leseli</i>	1197	<i>montanum</i>
		1198	<i>elatum</i>
		1199	<i>torresianum</i>
420	<i>Athamant</i>	1200	<i>Libanotis</i> L. nitens
421	<i>Libanotis</i>	1201	<i>cretensis</i>
		1202	<i>aurea</i> *
* 422	<i>Portenschlagia</i>	1203	<i>ramosissima</i> *
423	<i>Cnidium</i>	1204	<i>apioides</i>
424	<i>Ligusticum</i>	1205	<i>Sequere</i>
425	<i>Cithman</i>	1206	<i>maritimum</i>
426	<i>Angelica</i>	1207	<i>sylvestris</i>
427	<i>Ferula</i>	1208	<i>communis</i>
		1209	<i>glauca</i> F. neapolitana
		1210	<i>Ferulago</i>

LXVII

Umbellatae

*

427 Ferula 1201 sylvestris F. Barrelieri

428 Taeniopetalum 1212 Neumayeri *

429 Opopanax 1213 Chironium O. glabrum

430 Peucedanum 1214 Petteri *

1215 longifolium

1216 Chabreii β . selinoides

1217 Curvata

1218 Oreocelinum

β . latifolia

β . cordifolia

431 Pastinaca 1219 sativa

β . opaca

432 Anethum 1220 graveolens

433 Heracleum 1221 Pollinianum

1222 Sphondylium

LXVII
Umbellate

434 *Tordylium* 1227 maximum

1228 apulum

1225 officinale

435 *Laserpitium* 1226 latifolium

1227 Faurii

1228 Siler — β . latifolium

436 *Daucus* 1229 Carota — β . major

1230 maximum

1231 setulosus

1232 *Gingidium* — β . latilobus
— μ . angustilobus

1233 mauritanicum

1177

LXVII
Umbellatae

437	Orlaya	1234	grandiflora
		1235	platycarpa
438	Cacalia	1236	daucoides
		1237	leptophylla
439	Purgenia	1238	latifolia P. multiflora
440	Torilis	1239	Anthriscus
		1240	infectus — β. heterophyllus
		1241	nodosa
441	Scandix	1242	Pecten
		1243	austriacus
		1244	grandiflora
442	Anthriscus	1245	vulgaris
		1246	semiviviparus — β. latilobus

LXVII

Umbellatae

- | | | | |
|-----|---------------|------|---------------|
| 442 | Anthriscus | 1247 | Cerefolium |
| | | 1248 | trichosperma |
| | | 1249 | sylvestris |
| 443 | Physocaulis | 1250 | nodosus |
| 444 | Chaerophyllum | 1251 | edontum |
| | | 1252 | laevigatum* |
| | | 1253 | terreum |
| 445 | Freyeria | 1254 | Diasoletiana |
| 446 | Echinophora | 1255 | spinosa |
| 447 | Prangos | 1256 | fenulacea |
| 448 | Smyrnium | 1257 | obusatum |
| | | 1258 | rotundifolium |
| | | 1259 | perfoliatum |

LXVII

Umbellatae
*

449 Conium 1260 maculatum

450 Alsichingen 1261 verticillata *

451 Sceligeria 1262 cretica *

452 Bifora 1263 testiculata

1264 radians

453 Coriandrum 1265 fativum

55

112

15

LXVIII

Hederaceae

454 Hedera 1266 Helix

455 Cornus 1267 mas

1268 sanguinea

2

3

LXIX

Berberideae

456 Berberis 1269 vulgaris

1

1

LXX	457	Actaea	1270	spicata		
Paeoniaceae	458	Paeonia	1271	corallina		
				— — β. pubescens		
	2		2			
LXXI	459	Clematis	1272	Flammula	α. vulgaris	
Ranunculaceae				— — β. lanceolata		
				— — γ. heterophylla		
			1273	Vitalba		
			1274	Viticella		
	460	Thalictrum	1275	aquilegifolium		
				— — β. indivisum		v. herb.
			1276	elatum		
			1277	majus		
			1278	nutans		
			1279	minus		
			1280	foetidum		

LXXI

Ranuncu
lacee

461 Anemone

1281

Pulsatilla

1282

alpina

1283

numerosa

1284

ranunculoides

1285

apennina

1286

hortensij

1287

coronaria

462 Adonis

1288

aestivus

— β . autumnalis

— γ . flavus

463 Ranunculus

1289

aquatilis

— β . Petiveri

— γ . capillatus

1290

acrisifolius

1291

Flammula

— β . reptans

LXXI

Ranuncu-
laceae

463

Ranunculus

1292 ophioglossifolius

1293 Lingua

1294 Thora

1295 Ficaria β . calthifolia

1296 chaerophyllus

β . flabellatus

1297 millefolius

1298 illyrius

1299 bulbosus

1300 auricomus

1301 montanus

β . tenuifolius

1302 acris β . Steveni

1303 velutinus

LXXI
Ranuncula
ceae

462	Ranunculus	1301	vagens
		1305	Philonotis
		1306	arvensis
		1307	muricatus
		1308	Schneiderianus
463	Caltha	1309	palustris
465	Eranthis	1310	hyemalis
466	Helleborus	1311	viridis
			β. multifidus
467	Nigella	1312	damastrum
		1313	arvensis
468	Delphinium	1314	Conioides α. parviflorum
			β. racemosum
		1315	Ajacis

v. herb

LXXI
Ranunculaceae

468 Delphinium

1316 breviflorum *

1317 peregrinum

1318 rotundifolium

1319 Staphysagria

469 Aconitum

1320 Anthora a. genuinum

— β. velutinum

1321 Lycoctonum a. Vulgaria

— β. Thelythoum

470 Aquilegia

1322 pyrenaica

12

51

16

Drosera

LXXII
Polygaleae

471 Polygala

1323 vulgaris

P. niceensis,

1324 amara

cometa et
Papavone

1

2

3

LXXIII
Resedaeeae

472 Reseda

1325 lutea R. gracilis
1326 suffruticulosa
1327 Phytolacca
1328 luteola

1

4

LXXIV
Fumaria
eae

473 Corydalis

1329 solida C. pumila, an.
1330 tuberosa gustifolia
1331 ochroleuca C. caaulis

474 Fumaria

1332 capreolata
1333 agraria
1334 Petteri
1335 officinalis
1336 parviflora B. tenuifolia

2

8

4

LXXXV
Papaveraceae

475 Papaver

1337 hybridum

- β . argemoneoides

1338 dubium

- β . obtusifolium

1339 Rhoeas

- β . strigosum

1340 somniferum

476 Glaucium

1341 luteum

477 Chelidonium

1342 majus

3

6

3

LXXXVI

Cruciferae

483 Neslia

1343 paniculata

484 Euclidium

1344 syriacum

485 Calypina

1345 corvini

LXXVI

Cruciferae

- 486 Clypeola 1346 Lonthlaspi
— β . leiocarpa
- 487 Peltaria 1347 alliacea
- 488 Isatis 1348 canerens
— β . leiocarpa L. delimitica
- 488 Raphanus 1349 sativus a. radicuola
— β . nigrus
- 1350 Raphanistrum
- 1351 Landra
- 479 Cakile 1352 maritima
- 480 Rapistrum 1353 rugosum R. glabrum
- 481 Myagrum 1354 persollatum
- 482 Bunias 1355 Emugo a. vulgaris
 β . macroptera

LXXVI

489	Coronopus	1325	quellii	
490	Aethionema	1327	saxatile	
			Bursa Pastoris	
491	Capsella	1328	— β . integrifolia	
			— γ . stylosa	
492	Lepidium	1329	Draba	
			1330	gracilifolium
			1331	campestre
493	Litchinia	1332	procumbens	
			— β . integrifolia	
494	Tessellia	1333	petraea	
495	Iberis	1334	serrulata *	
			1335	garexiana
			1336	umbellata
			1337	micrantha β . tenuifolia carnosa

LXXVI
(Cruciferae)

496	Biscutella	1368	hispida
		1369	didyma a. ciliata
			— β. leiocarpa
		1370	laevigata
497	Thlaspi	1371	arvense
		1372	perfoliatum
		1373	montanum
			— β. praecox
498	Vesicaria	1374	utriculata
499	Alyssum	1375	sinuatum
		1376	microcarpum *
		1377	saxatile
		1378	argentum
			— β. pumilum
		1379	nebrodense
		1380	montanum

LXXVI
Cruciferae

499 Alysum

1381 campestre
— β -microptalum

1382 emarginatum

1383 calycinum

1384 latifolium *

1385 maritimum

500 Berteroa

1386 mutabilis β -vivens

501 Lunaria

1387 rediviva

1388 annua

502 Draba

1389 verna

1390 muralis

1391 ciliata

503 Cochlearia

1392 alpestris β -elongata

1393 saxatilis

LXXVI	503	Cochlearia	1394	austriaca *
(Cruciferae)	504	Nasturtium	1395	officinale
			1396	sylvestre a. dentatum
				— β. brevistylum
				— γ. rivulare
	505	Barbarea	1397	lippizense
			1398	vulgaris
	506	Matthiola	1399	incana
			1400	sinuata
			1401	glandulosa *
			1402	tristis
	507	Cheiranthus	1403	Cheiri
				— β. fruticulosus
	508	Turritis	1404	glabra
	509	Arabis	1405	verna

LXXXVI
Cruciferae

509 Arabis

1306 alpina
1307 auriculata
1308 hirsuta
— β . sagittata
— γ . angustifolia

1309 muralis

1310 Turrita

510 Cardamine

1311 thalictroides

— β . maritima

1312 graeca

1313 hirsuta

511 Dentaria

1314 impatiens

1315 bulbifera

1316 enneaphytos

LXXVI

(Cruciferae

- | | | | | |
|-----|------------|------|-------------|-----------------------|
| 512 | Hesperis | 1417 | matronalis | |
| | | 1418 | laciniata | |
| | | | | — β . glutinosa |
| 513 | Maleduic | 1419 | maritima | |
| | | 1420 | Orsiniana | |
| 514 | Lisymbrium | 1421 | Alliaria | |
| | | 1422 | Thalictrum | |
| | | 1423 | polyanthum | |
| | | 1424 | officinale | |
| | | 1425 | Iris | |
| | | 1426 | Colinus | |
| | | 1427 | Sophia | |
| 515 | Erysimum | 1428 | Cheiranthus | |

LXXVI
Cruciferae

515 *Erpimum*

1429 *odontum*
1430 *orientale* - *E. austriacum*

516 *Diplotaxis*

1431 *tenuifolia*
- *β. muralis*

517 *Brassica*

1432 *vinicina*
1433 *oleacea*
- *β. acephala*
- *δ. bellata*
- *μ. virga*
- *ε. capitata*
- *γ. caulorapa*
- *η. Botrytis*
- *δ. asparagoides*

1434 *Botteri* *

1435 *Rapa* - *α. rapifera*
- *β. campestris*

B. adpressa *
B. mollis *

LXXXVI Cruciferae	517	Brassica	1436	Sinapis *
	518	Eruca	1437	alba
			1438	sativa
	<u>41.</u>		<u>96</u>	<u>31</u>

LXXXVII

Capparideae	519	Capparis	1439	rupestrus
				β. ovata

LXXXVIII

Cucurbitaceae	520	Bryonia	1440	dioica
			1441	alba
	521	Eballion	1442	Elatarium
	522	Citrullus	1443	vulgaris

LXXVIII

Cucurbitaceae

523 Cucumis 1444 Melo

α. reticulatus

β. Cantalupo

δ. hibernus

γ. scandens

524 Cucurbita 1445 Pepo

α. maxima

β. oblonga

γ. clodiensis

525 Lagenaria 1446 vulgaris

6

7

8

LXXIX

Grossulariaceae

526 Ribes 1447 rubrum

1448 spicatum

1449 Grossularia

1

3

LXXX

Cactoides

527

Opuntia

1450

nana *

1451

Ficus indica

2

LXXX bis

Mesembryanthemaceae

528

Mesembryanthemum

1452

nodiflorum

1453

crystallinum

2

LXXXI

Cistineae

529

Helianthemum

1454

guttatum

1455

salicifolium

1456

vulgare

a. virescens

β. glaberrimum

γ. hirtum

δ. angustifolium

LXXXI

Cistaceae

529 Helianthemum 1457

Rhodax spur.
 montanum * a. oelandicum
 β. italicum
 γ. Reichenbachii
 δ. acutifolium
 ε. tomentosum

1458 Fumana
 — β. majus

1459 thymifolium a. laeve
 β. glutinosum

1460 arabicum

530 Cistus

1461 monspeliensis

1462 salvifolius

— β. corbariensis

1463 villosus

1464 creticus 10

LXXXII

531

Violariaceae

1465

odorata

Violariaceae

β. hirta

1466 silvestris

1467 canina

1468 biflora

1469 gracilis

1470 tricolor V. arvensis

a. hirta
β. arvensis
γ. angustifolia
δ. parvula
V. parvula

6

LXXXIII

532

Tamarix

1471

gallica

Tamariscinae

nae

1

1472

africana

2

LXXXIV
Hyperici-
neae

533	Hypericum	1473	perforatum	β . angustifolium
		1474	tetrapterum	
		1475	montanum	
		1476	hirsutum	
		4		

LXXXV.
Parony-
chieae

534	Corrigiola	1477	litoralis	
535	Aerniavia	1478	glabra	H. rotundifolia
		1479	hirsuta	
		1480	incana	
536	Paronychia	1481	serpyllifolia	
537	Polycarpon	1482	tetraphyllum	
		1483	alsinifolium	
		4		

LXXXVI.

Portulacaceae

538

Portulaca

1484

oleacea *P. sativa*

LXXXVII

Caryophyl.
leae

539

Gypsophila

1485

fastigiata

1486

scorzoneraefolia

540 Dianthus

1487

saxifragus

1488

prolifer

β-aggregatus

1489

obcordatus

1490

velutinus

1491

Armeria

1492

sanguineus *

LXXXVII

540 Dianthus

Caryophyl.
Teae

1493 carthusianorum

1494 liburnicus

1495 monspeliensis

1496 ciliatus α racemosus

— β. cymosus

1497 viridescens *

1498 strictus γ. integer

1499 Caryophyllus α sylvestris

β. virgineus

γ. pubescens

1500 multinervis *

541 Silene

1501 gallica

1502 lusitanica

LXXXVII

Caryophyllea

541. *Silene* 1503. *nocturna*
— β . *brachy petala*
1504. *trinervis*
1505. *remotiflora* *
1506. *sedoides*
1507. *graminea* *
1508. *Saxifraga*
— β . *petraea*
1509. *Kitaiibellii* *
1510. *inflata* a. *vulgaris*
— β . *angustifolia*
— γ . *alpina*

~~LXXXVII~~ 541

Silene

Caryophyll.
Lae

1511 conica

1512 cretica

1513 Reichenbachii *

1514 livida

1515 italica

1516 paradoxa

1517 catholica

1518. Otites

β. Pseudotites

542 Heliosperma 1519 quadrifidum

1520 pusillum *

1521 Tommasinii *

LXXXVII.

(Caryophylles

543 Saponaria 1522 officinalis

1523 bellidifolia

544 Vaccaria 1524 pyramidata

545 Melandrium 1525 pratense

546 Lychnis 1526 flos cuculi

1527 coronaria

547 Agrostemma 1528 Githago

548 Pelezia 1529 rigida

549 Drypis 1530 spinosa

550 Sagina 1531 apetala

1532 maritima

LXXXVII

551

Alsine

1533 tenuifolia

α. glabra

β. viscidula

γ. densiflora

δ. divaricata

1534 fastigiata

1535 fasciculata

1536 verna

1537 graniniifolia

Α. Arduini

α. hirsuta

β. semiglabra

γ. glaberrima

1538 liniflora *

1539 rubra

1540 marginata

LXXXVII

Caryophyll.
teae

552 Arenaria

1541 serpyllifolia

1542 orbicularis *

1543 gracilis

553 Moehringia

1544 muscosa

1545 trinervis

554 Holosteum

1546 umbellatum

β. glandulosum

555 Stellaria

1547 anomala

1548 nemorum

1549 media

1550 holostea

β. major

LXXXVII 556 Stellaria

Caryophyl.
Teae 556 Cerastium

1551 graminea

1552 vulgatum

1553 viscosum α . triviale

β . campanulatum

γ . semidecandrum

1554 brachypetalum

1555 arvense α . vulgare

β . lanicifolium

γ . lanigerum

1556 mantium

1557 grandiflorum

β . glabrescens

1558 aquaticum

LXXXVIII

Crassula
caea

559 Sedum

1559 maximum

1560 stellatum

1561 Cepaea

1562 olympicum

1563 viaticum

1564 hispanicum

1565 dasyphyllum

1566 album

1567 aurea

1568 hexangulare

1569 superstrae

557 Sedum 1570 nicaeense

12

558 Cotyledon 1571 Umbilicum

1572 horizontale

1573 parviflorum

559 Semperivium 1574 tectorum

1575 montanum

1576 hirtum

3

18

LXXXIX

Saxifraga
genae

560 Saxifraga 1577 Cotyledon

LXXXIX

Saxifragee s60 Saxifraga 1578 Arizona

1579 media

1580 rotundifolia

1581 bulbifera

1582 tridactylity

1

6

β . controversa

XC.

Halorag. s61 Myriophyllum 1583 spicatum

1584 verticillatum

geae

β . pectinatum

XC Haloragaceae	562	<i>Impa</i>	1585	<i>natans</i>	
	563	<i>Hippuris</i>	1586	<i>vulgaris</i>	
	564	<i>Callitriche</i>	1587	<i>aquatica</i>	<i>α obovata</i> <i>β heterophylla</i> <i>γ angustifolia</i>
	<u>4</u>		<u>5</u>		<u>3</u>

XCI Lythraeaceae	565	<i>Lythrum</i>	1588	<i>Salicaria</i>	<i>β canescens</i>
			1589	<i>Thymifolia</i>	<i>β thymifolia</i>

XCII
Onagrinæ

566 Epilobium 1590 angustifolium

1591 hispidum

1592 parviflorum

1593 montanum

1594 lanceolatum

1595 tetragonum

567 Inuardia

1596 palustre

~~XCII~~ bis

3

9

2

Circaea

568 Circaea

1597 lutetiana

caea

1

1

XCCIII

Granateae 569 Punica 1598 Granatum

1

1

XCCIV

570 Myrtus 1599 communis

Myrteae

1600 tarentina

1

2

XCCV

571 Lilia 1601 parvifolia

Liliaceae

1602 platyphyllus α . costata

β . sphaerocarpa

1

2

XCVI

572 Malope

1603 Malacoides

Malvaceae

573 Malva

1604 rotundifolia

1605 nilacensis

1606 parviflora

1607 sylvestris

1608 hederifolia *

1609 arborea

1610 Alcea

1611 moschatica a heterophyllo

1612 thuringiana * β . laciniata

XCVI
Malva
ceae

573 Malva

1613 Cyrilli *

574 Althaea

1614 officinalis

1615 taurinensis

1616 cannabina

1617 hirsuta

1618 rosea α hortensis

β pallida

γ ficifolia

575 Hibiscus

1619 Trionum

576 Abutilon

1620 Avicennae

5

58

3

XCVII

Gerania
cae:

- 577 Geranium 1621 macrothizon
1622 sanguineum
1623 pratense
1624 phaeum
1625 tuberosum
1626 pyrenaicum
1627 pusillum
1628 dissectum
1629 columbinum
1630 rotundifolium

XCVII

Gerania
caea

577 Geranium

1631 molle

β. grandiflorum

1632 lucidum

1633 robertianum

β. purpureum

578 Erodium

1634 cicutarium a. pimpinellifol.

β. chrysophyllum
γ. petiolulatum

1635 ciconium

1636 malacoides

2

16

4

XCVIII
Lineae

579 Linum

- 1637 usitatissimum
1638 angustifolium
1639 austriacum a. montanum
β. alpinum
1640 hirsutum
1641 maritimum
1642 campanulatum
1643 capitatum f. serrulatum
1644 nodiflorum
1645 tenuifolium
1646 catharticum

~~XCVIII~~

Lineae

579 Linum

1647 gallicum

1648 corymbulosum

1649 strictum

β. spicatum

1

13

2

~~XCVIII~~

Oxalideae

580 Oxalis

1650 corniculata O. villosa

1

1

C

Sarmentaceae

581 Vitis

1651 vinifera

1

1

CI

Meliaceae

582

Melia

1652

Azedraich

CII

Acerineae

583

Acer

1653

Pseudo-Platanus

1654

platanoides

1655

opulifolium

1656

campestre

β. obbesatum

1657

morspessulanum

CIII

Euphorbiaceae

584

Euphorbia

1658

Chamaesyce

β. canescens

CIII.
Euphorbia
ceae

584

Euphorbia

- 1659 heliopsis
- 1660 platyphylla
- 1661 epithymioides
- 1662 capitulata
- 1663 spinosa
- 1664 dendroides
- 1665 pilosa
- 1666 Cyparissias
- 1667 nicaeensis
- 1668 Paralias
- 1669 Myrsinites
- 1670 Pinea

CIII

Euphorbia
ceae

584 Euphorbia

1671 imperfoliata *

1672 amygdaloides

1673 veneta

1674 Lathyris

1675 aleppica

1676 dalmatica *

1677 Peplus

— β . peploides

1678 foliata

1679 exigua var. a

1680 sempervivens β .

585 Duxus

586 Mercurialis

1681 annua

β . ambigua

CIII

586

Mercurialis

1682

perennis

β. ovata

Euphorbia
=
ceae

587

Crotophora

1683

tinctoria

588

Andrachne

1684

Telephioides

27

CIV

Rhamneeae

589

Paliurus

1685

australis

590

Rhamnus

1686

Alaternus

1687

infectorius

1688

catharticus

1689

alpinus

1690

Frangula

β. pennula

CV.

Aquifolia
ceae

591

Ilex

1691

Aquifolium

1

1

CVI.

Celastrineae

592

Evonymus

1692

europeus

1693

verrucosus

1

2

CVII

Dictamneae

593

Dictamnus

1694

albus

D. obtusiflorus

1

1

CVIII

Ruteae

594

Ruta

1695

graveolens

R. divaricata

R. crithmifolia

CVIII Rutaceae	594	Ruta	1696	chalepensis	1. bracteata 1. angustifolia
	595	Haplophyllum	1697	patacinum	
	2		3		
CIX Lygophyl leae	596	Tribulus	1698	terrestris	
	1		1		
CX Cassuvie ae	597	Pistacia	1699	Terebinthus	
			1700	Lentiscus	
	598	Rhus	1701	Cotinus	
			1702	Coviarua	
	2		4		

CX
CASSUVIE

CXI
Rosaceae

599

Rosa

- 1703 spinosissima β -pinnatifida
- 1704 alpina β -pyrenaica
- β -rubella β -gentilis
- 1705 cinnamomea
- 1706 rubrifolia
- 1707 canina
- 1708 rubiginosa
- β -sepium β -agrestis
- 1709 collina
- 1710 sempervirens
- 1711 humilis β -glaberrima

CXII

Pomaceae

600	Amelanchier	1712	reticulata	
601	Cotoneaster	1713	vulgaris a. glabra	
			β. tomentosus C. tomentosus	
602	Cataegus	1714	Oxyacantha	
			1715	Pyraeantha
			1716	communis
603	Pyrus	1717	amygdaliformis P. aviculare	
			1718	Malus P. acerba
			1719	Aria
			1720	terminalis
			1721	Sorbus
604	Cydonia	1722	vulgaris	

5

11

1

CXIII

Dryadeæ

605

Dryas

1723

octopetala

606

Genm

1724

urbanum

607

Rubus

1725

fruticosus

α. discolor

β. amoenus

γ. tomentosus

δ. semiglaber

η. tomentosus β. Benth.

1726

caesius

β. discolor - η. adherentius Ten.

608

Fragaria

1727

idaeus

1728

vesca

1729

collina

1730

elatior

CXIII

609

Potentilla

1731

hirsuta α -pedata P. pedata

β -angustifolia P. licta

γ -laciniata P. laciniata

δ -viscosa

1732 inclinata P. canescens

1733 argentea

1734 - reptans

1735 Tormentilla

1736 verna

β -hirsuta

γ -opaca P. opaca Sm.

CXIII
Dryadeae

610 Potentilla 1737 subcaulis P. cinerea
P. velutina

1738 Fragariastrum
β. breviscapa P. micrantha

1739 Clusiana

1740 speciosa

611 Anemone 1741 Agrimonoides

612 Agrimonia 1742 Eupatoria

613 Alchimilla 1743 vulgaris

1744 alpina

1745 arvensis

614 Poterium

1746 sanguisorba
1747 spinosum

9

Spiraea

1748 chamaedryfolia

1749 cana

1750 aruncus

1751 stipendula

1

616 Amygdaleaf

1752 communis a. sativa
β. amara
γ. fragilis

617 Prunus

1753 spinosa

10

CXIV
Spiraea-
leaf

CXV
Amygdaleaf
leaf

616	<i>Prunus</i>	1754	<i>prostrata</i>
		1755	<i>ampel. var. Maranga</i>
		1756	<i>Makaleb.</i>

Ordo CXVI

2

5

2

Leguminosae	618	<i>Anagyris</i>	1757	<i>petita</i>
	619	<i>Cercis</i>	1758	<i>siliquastrum</i>
	620	<i>Spartanthus</i>	1759	<i>juncus</i>
	621	<i>Cytisus</i>	1760	<i>Alchingeri</i>
			1761	<i>Wildeni</i>
			1762	<i>monspeliensis f. candidus</i>
			1763	<i>nigricans.</i>

CXVI

621

Cytisus

Legumi-
nosae

- 1764 infestus
- 1765 capitatus
- 1766 Tommasinii *
- 1767 hispidus
- 1768 spinosus
- 1769 radiatus
- 1770 argenteus
- 1771 calycinus
- 1772 sagittalis f. sagittalis
- 1773 tinctorius * f. tinctorius -
- 1774 triangulifolius *
- 1775 germanicus *

CXVI
Leguminosae

620 Cytisus

1776 sylvaticus* Smith —
a. juncea

β. pungens f. dalmatica

1777 diffusus* Smith —

1778 Kitzeblei* f. procumbens

1779 sericeus*

1780 pulchellus*

1781 villarsii*

621* Chamaecytisus 1782 dalmaticus*

622 Lupinus 1783 hispidus

623 Ononis 1784 antipannorum

1785 spinosa

CXVI

827

Ononis

Leguminosae

1786

repens

1787

arvensis

1788

brachystachya*

1789

mitisima

1790

Columnae

1791

minutissima

1792

seclinata O. Chertoni

1793

ornithogaloides

1794

villosa O. hirsuta

1795

Natrix a. major

B. picta

γ. mucronata

CXVI
Leguminosae

625 Anthyllis 1796 vulnaria

— β coarctata A. Wiedemann

1797 curvata *

1798 montana

1799 Barba Jovis

626 Physanthyllis 1800 tetraphylla

627 Hymenocarpus 1801 cinnamomifolia

628 Medicago 1802 sativa

1803 falcata

1804 prostrata

1805 orbicularis

1806 scutellata

CXVI
Legumi
nosae

628 Medicago

1807	denticulata	a. burispina	M. aciculata
		β. lappacea	M. lappacea
		γ. hystrix	M. hystrix Ten. pentacycl. DC.
1808	praecox		
1809	diquifloris		
1810	coronata		
1811	cordata		M. maculata
1812	carsthenis		
1813	serotina		
1814	scutellaris		M. m. β. longiveta
1815	minima		
1816	laciniosa		
1817	obscura	β. microdon	M. microdon

CXVI
Leguminosae

628 Medicago

1818

maxima

1819

tribuloides

1820

litorea a. genuina

β. arcuaria

γ. inermis

M. crassipes V.

M. arcuaria Ten.

M. stricta Boiss. & Heldr.

1821

tuberculata

1822

tuberosa

1823

lyculina

629 Inula

1824

gladiata

I. prostrata DC.

1825

monspeliensis

1826

corniculata

630 Melilotus

1827

officinalis

CXVI

Legumi-
nosae

630

Melilotus

1825

alba

1827

macrochaeta

1830

indica

M. parviflora

1831

neapolitana

β. variegata

1832

italica

M. orientalis Des.

1833

elegans

1834

sulcata

631

Infolium

1835

angustifolium

1836

intermedia

1837

incarnata

1838

stellatum

CXVI

Leguminosae

630

Trifolium

1839

maritimum

1840

saginum

1841

leucanthum

1842

lappaceum

1843

diffusum

1844

arvense

1845

Doceni β *glabrum*

1846

templemanii

1847

striatum

1848

scabrum

obscurem

T. obscurem *var.*

CXVI
Legumin
noae

631

Trifolium

- 1849 *dalmanii*
- 1850 *cinereum*
- 1851 *chesleri*
- 1852 *pratense*
- 1853 *alpestre*
- 1854 *patulum*
- 1855 *rubens*
- 1856 *pallidum*
- 1857 *signantii*
- 1858 *ochroleucum*
- 1859 *novicum*
- 1860 *laevigatum*
- 1861 *glomeratum*

J. succinatum

CXVI
Leguminosae

630

Trifolium

- 1862 suffocatum
1863 repens
1864 nigrescens
1865 montanum
1866 uniflorum
1867 subterraneum
1868 fragiferum
1869 vesiginatum
1870 tomentosum
1871 mutabile
1872 multistriatum
1873 alpinum

CXVI

639

Trifolium procumbens

1875 *patens*

1876 *flipovum*

632

Lotus

1877 *siliquosus*

1878 *ornithogaloides*

1879 *corvicolatus*

β ciliatus

γ hirsutus

δ tenuiflorus

1880 *cyathoides*

1881 *angustiflorus*

1882 *penniflorus*

CXVI
Leguminosae
var

632 Lotus

1883 ovalis

1884 Dorycnium

1885 Crantzi * Dorycnium suffruticosum Willd.
var. argenteum

633 Pisonia

1886 lupulifera

1887 bituminosa

P. glauca A. DC.
P. palaestina Gou.

634 Glycyrrhiza

1888 glabra

1889 echinata

635 Falga

1890 officinalis

636 Colutea

1891 arborescens

637 Ononis

1892 campestris L. O. lanifolia W.

CXVI

633

Afragales

1893 Onobrychis

1894 purpurea

1895 Müllen A. argentea Benth.

1896 vesicaria A. alba W. Kit.

1897 sesamea

1898 harnia

1899 glycyphyllos

1900 illyria

1901 non-pulchra

1902 dyspna

1903 angustifolia

Legumi
Name

639	Scorpiurus	1904	subtilis	
640	Coronilla	1905	Emery	
		1906	substantia stipularis	
		1907	juncus	
		1908	virginalis	
		1909	montana	
		1910	varia	
		1911	crata	
		1912	scorpioides	Ornithopus scorpioides L.
641	Bonania	1913	secundaria	Coronilla L.
642	Ornithopus	1914	compositus	
643	Hippocrepis	1915	compositus	
				β -glauca

643	<i>Hypocoryis</i>	1916	venitipos	H. biflor	H. biflor Spr.
		1917	utilita		
644	<i>Hydrangea</i>	1918	capitata		
		1919	coronaria		
645	<i>Ostrya</i>	1920	sativa		
		1921	alba		
		1922	occidentalis	O. frondosa	Scr.
		1923	caput galli		
646	<i>Piper</i>	1924	sativum		
		1925	arvense		

644 *Vicia*

1926 *fabr*

1927 *carbonensis*

1928 *hybrida*

1929 *lutea*

1930 *pauciflora* β *shasta*

1931 *melanops* *V. hirsuta*

1932 *grandiflora*

1933 *laticornis* *obovata*

β *minor*

γ *lychnis*

δ *angustifolia*

ϵ *intermedia*

1934 *cordata*

β *canescens*

647

Wicia

1935 lotthyroidy

1936 peregrina

1937 sequen

1938 lithyria

1939 monanthos

1940 Ervilia

1941 ^{hiv} gracilis
1942 ^{hiv} succant h

1943
1944 cassubica

1945 demetron

1946 Genardi

1947 drycarpa

1948 Cracca

1949 tenuipha

Ervum gracile
E. - ^{hiv} succant h

V gallopinensis

V. villosa β glaberrima Koll

644 *Vicia*

1950 *obovata*

1951 *altissima*

1952 *onobrychioides*

1953 *atrovirens*

648 *Lathyrus*

1954 *Lens* *

Erum Lens L.

1955 *nigricans* *

E — W.

1956 *Lentibula* .

E — Scherb.

1957 *Aphaca*

1958 *Ochry*

1959 *temperans* . *Laevigatus* Benth.

1960 *sativus*

1961 *Cicer*

648 *Lathyrus*

1962 *setipilius*

1963 *annuus*

1964 *Gorgoni*

1965 *hirsutus*

1966 *angulatus*

1967 *sphaericus*

1968 *inconspicuus*

~~1969 *varitatis*~~ *stans*

1969 *pratensis*

1970 *tuberosus*

1971 *tylosis* *a. Bodmeri*

L. uncinatus *Host*

L. hexacornis *Chenab.*

L. stans

~~*L. aristatus* *W.*~~

~~*Orobolus varitatis* *Host*~~

Lathyrus

1921

stylisstris

β -ensisplin
 γ -latifolia

1922 saxatilis *

1923 albus Pet

1924 luteus Pet

1925 montanus Bernh.

1926 variegatus +

1927 niger Wimmer

L. ensifolius

L. latifolius

O. saxatilis Viret.

L. anisotus Vrij.

O. albus L.

O. luteus L.

O. tuberosus L.

D. variegatus Bernh.



Cryptog.	Ord.	IV	Gen.	14	Sp.	37	Var.	4	Ad. ^{Gen}
Monocotyl.	"	XVII	"	124	"	408	"	43	
Dicotyled.			"	4	"	7			
Chlamydeblaste Monochlamyd.	"	III XIII	"	45	"	120	"	18	
Dichlamydeae Monopet.	"	XXXI	"	225	"	645	"	155	
Polypetal.	"	LIV	"	242	"	778	"	131	
Ord.			Gen.		Sp.		Var.		Ad.
122			654		41995		327		

Handwritten text, possibly bleed-through from the reverse side of the page. The text is faint and difficult to decipher but appears to be organized in columns or rows.

Vertical handwritten text along the right edge of the page, possibly a page number or a reference mark.





