


C O L O
Colori

R I C C O L L
Colours



O U R S



DA OLTRE TRENT'ANNI, ABBIAMO SOTTOPOSTO.

LE NOSTRE TENDE IN  AI TESTS PIÙ SEVERI...

sole, pioggia, acqua marina, tempeste e ad ogni altra condizione atmosferica.


Ad una tenda da esterni si chiede di norma che sia elegante, che protegga dal sole e dalla pioggia, che trasformi un posto all'aperto in qualcosa di intimo e confortevole e che, soprattutto, sia resistente. Leacril® Outdoor, e da oltre trent'anni, ha soddisfatto tutti questi requisiti. E' stata la prima fibra tinta in massa prodotta in Europa, con pigmenti particolarmente selezionati che garantiscano contemporaneamente ottimi livelli di resistenza agli agenti atmosferici e brillantezza.

A tali caratteristiche si aggiungono poi la traspirabilità del tessuto, la sua protezione dal calore e la sua facile manutenzione.

Tutto quanto sopra detto è certificato da ricerche specifiche, tests pratici e di laboratorio, ma soprattutto dai milioni di metri quadrati di tessuto fino ad ora venduti sul mercato.

Infine, siccome anche l'occhio vuole la sua parte, c'è un'ampia disponibilità di colori per ogni tipo di luce e di ambiente.

OVER THE LAST THIRTY YEARS, WE HAVE SUBJECTED

OUR  AWNINGS TO THE VERY BEST METHOD OF TESTING:

sun, rain, salt water, hurricanes and every other type of weather condition.

A great deal is required of an outdoor awning; it has to be elegant; it should protect from the sun and the rain; it should transform an open space into something intimate and comfortable; it must be easily constructed and maintained... but most of all it must be resistant. And, over the last 30 years, Leacril® Outdoor, because of its particular properties, has resisted all atmospheric and mechanical agents.

It was the first dope dyed fibre in Europe; that is, dyed at origin in a process which incorporates specially selected pigments which guarantee the highest level of colour fastness and brightness. These properties make it by far superior to other fibres dyed in a conventional manner.

There are other reasons why one should choose Leacril Outdoor with balanced structure: the fabric breathes, is heat reflective, has easy care properties.

All we have stated can be supported by selective research, analyses, laboratory test and practical trials; but mainly by the millions of metres of fabric sold to the complete satisfaction of customers.

And finally, as appearance is very important, there is a varied range of fabric colours available, suitable for any type of light or surroundings.

quality
LEACRIL® OUTDOOR HM



Dalla nostra lunga esperienza la certezza di una eccezionale qualità.

Montefibre è lieta di annunciare che da oggi

l'eccezionale forza e resistenza di

 LEACRIL® OUTDOOR HM,

già certificato ISO 9002, è assicurata dalla firma

. È un'etichetta prestigiosa che
contrassegna tutti i tessuti per tende da sole
realizzati con questa fibra ed è utilizzata solo dai
tessitori soci di . Un'ulteriore
garanzia di qualità dunque, per chi vuole essere
proprio sicuro di aver scelto, attraverso una
selezionata catena tessile, un tessuto insensibile
alla luce solare, al vento, alla pioggia, praticamente
indistruttibile dalla prima all'ultima fibra.

Montefibre

via Marco d'Aviano, 2 - 20131 Milano - Italia
Tel: 02.28008.1 - Fax: 02.28008.385
E-mail: Acrilico@mef.it

LEACRIL® OUTDOOR HM



G008

LEACRIL® OUTDOOR HM



G009

LEACRIL® OUTDOOR HM



G011

LEACRIL® OUTDOOR HM



G015

LEACRIL® OUTDOOR HM



G016

LEACRIL® OUTDOOR HM



G023

LEACRIL® OUTDOOR HM



G028

LEACRIL® OUTDOOR HM



G029

LEACRIL® OUTDOOR HM



G032

LEACRIL® OUTDOOR HM



G033

LEACRIL® OUTDOOR HM



G036

LEACRIL® OUTDOOR HM



G043

LEACRIL® OUTDOOR HM



A006

LEACRIL® OUTDOOR HM



A010

LEACRIL® OUTDOOR HM



A011

LEACRIL® OUTDOOR HM



G011

LEACRIL® OUTDOOR HM



G009

LEACRIL® OUTDOOR HM



G008

LEACRIL® OUTDOOR HM



G023

LEACRIL® OUTDOOR HM



G016

LEACRIL® OUTDOOR HM



G015

LEACRIL® OUTDOOR HM



G032

LEACRIL® OUTDOOR HM



G029

LEACRIL® OUTDOOR HM



G028

LEACRIL® OUTDOOR HM



G043

LEACRIL® OUTDOOR HM



G036

LEACRIL® OUTDOOR HM



G033

LEACRIL® OUTDOOR HM



A011

LEACRIL® OUTDOOR HM



A010

LEACRIL® OUTDOOR HM



A006





LEACRIL® OUTDOOR HM



R045

LEACRIL® OUTDOOR HM



R065

LEACRIL® OUTDOOR HM



R086

LEACRIL® OUTDOOR HM



R087

LEACRIL® OUTDOOR HM



R089

LEACRIL® OUTDOOR HM



M074

LEACRIL® OUTDOOR HM



M078

LEACRIL® OUTDOOR HM



M085

LEACRIL® OUTDOOR HM



M093

LEACRIL® OUTDOOR HM



M096

LEACRIL® OUTDOOR HM



M110

LEACRIL® OUTDOOR HM



M111

LEACRIL® OUTDOOR HM



M112

LEACRIL® OUTDOOR HM



M113

LEACRIL® OUTDOOR HM



R086

LEACRIL® OUTDOOR HM



R065

LEACRIL® OUTDOOR HM



R045

LEACRIL® OUTDOOR HM



R089

LEACRIL® OUTDOOR HM



R087

LEACRIL® OUTDOOR HM



M085

LEACRIL® OUTDOOR HM



M078

LEACRIL® OUTDOOR HM



M074

LEACRIL® OUTDOOR HM



M110

LEACRIL® OUTDOOR HM



M096

LEACRIL® OUTDOOR HM



M093

LEACRIL® OUTDOOR HM



M113

LEACRIL® OUTDOOR HM



M112

LEACRIL® OUTDOOR HM



M111

LEACRIL® OUTDOOR HM



M114

LEACRIL® OUTDOOR HM



M119*

LEACRIL® OUTDOOR HM



M560

LEACRIL® OUTDOOR HM



V001

LEACRIL® OUTDOOR HM




V002*

LEACRIL® OUTDOOR HM



V003

LEACRIL® OUTDOOR HM



V005

LEACRIL® OUTDOOR HM



V006

LEACRIL® OUTDOOR HM



V007

LEACRIL® OUTDOOR HM



V008

LEACRIL® OUTDOOR HM



V009

LEACRIL® OUTDOOR HM



V033

LEACRIL® OUTDOOR HM



V034

LEACRIL® OUTDOOR HM



V035

LEACRIL® OUTDOOR HM



V074

LEACRIL® OUTDOOR HM



M560

LEACRIL® OUTDOOR HM



M119*

LEACRIL® OUTDOOR HM



M114

LEACRIL® OUTDOOR HM



V003

LEACRIL® OUTDOOR HM



V002*

LEACRIL® OUTDOOR HM



V001

LEACRIL® OUTDOOR HM



V007

LEACRIL® OUTDOOR HM



V006

LEACRIL® OUTDOOR HM



V005

LEACRIL® OUTDOOR HM



V033

LEACRIL® OUTDOOR HM



V009

LEACRIL® OUTDOOR HM



V008

LEACRIL® OUTDOOR HM



V074

LEACRIL® OUTDOOR HM



V035

LEACRIL® OUTDOOR HM



V034

LEACRIL® OUTDOOR HM



V075

LEACRIL® OUTDOOR HM



V090

LEACRIL® OUTDOOR HM



V092

LEACRIL® OUTDOOR HM



V093

LEACRIL® OUTDOOR HM



V099

LEACRIL® OUTDOOR HM



B015*

LEACRIL® OUTDOOR HM



B034

LEACRIL® OUTDOOR HM



B063

LEACRIL® OUTDOOR HM



B065

LEACRIL® OUTDOOR HM



B066*

LEACRIL® OUTDOOR HM



B069

LEACRIL® OUTDOOR HM



B072

LEACRIL® OUTDOOR HM



B109

LEACRIL® OUTDOOR HM



B111



LEACRIL® OUTDOOR HM



B112

LEACRIL® OUTDOOR HM



B113

LEACRIL® OUTDOOR HM



B114

LEACRIL® OUTDOOR HM



B115

LEACRIL® OUTDOOR HM



B116

LEACRIL® OUTDOOR HM



B118

LEACRIL® OUTDOOR HM



B120*

LEACRIL® OUTDOOR HM



B121

LEACRIL® OUTDOOR HM



B123

LEACRIL® OUTDOOR HM



B560

LEACRIL® OUTDOOR HM



N006

LEACRIL® OUTDOOR HM



N007

LEACRIL® OUTDOOR HM



N008

LEACRIL® OUTDOOR HM



B114

LEACRIL® OUTDOOR HM



B113

LEACRIL® OUTDOOR HM



B112

LEACRIL® OUTDOOR HM




B118

LEACRIL® OUTDOOR HM



B116

LEACRIL® OUTDOOR HM



B115

LEACRIL® OUTDOOR HM



B123

LEACRIL® OUTDOOR HM



B121

LEACRIL® OUTDOOR HM



B120*

LEACRIL® OUTDOOR HM




B560

LEACRIL® OUTDOOR HM



N006

LEACRIL® OUTDOOR HM



N007

LEACRIL® OUTDOOR HM



N008

LEACRIL OUTDOOR HM



N009

LEACRIL OUTDOOR HM



N027

LEACRIL OUTDOOR HM



N034

LEACRIL OUTDOOR HM



N039

LEACRIL OUTDOOR HM



N034

LEACRIL OUTDOOR HM



N027

LEACRIL OUTDOOR HM



N009

LEACRIL OUTDOOR HM



N039



quality

LEACRIL® OUTDOOR HM

Our wealth of experience is the guarantee of exceptional quality

Montefibre is pleased to announce that as from now the exceptional strength and resistance of

 LEACRIL® OUTDOOR HM ,

already awarded ISO 9002 certification, is also guaranteed by the  label. All sun awning fabrics made from this fibre carry this prestigious label, used only by those weavers who are members of  . The label represents a further guarantee of quality for those who want to be sure of having chosen, through a select route, a fabric that, because of its' resistance to sunlight, wind or rain, is practically indestructible from the first to the last fibre.


Montefibre

via Marco d'Aviano, 2 - 20131 Milano - Italia
Tel: +39.02.28008.1 - Fax: +39.02.28008.385
E-mail: Acrilico@mef.it

LEACRIL® è un marchio registrato da
LEACRIL® is a registered trademark of

Montefibre

via Marco d'Aviano, 2
20131 Milano
Tel. 02.28008.1
Fax. 02.28008.385
E-mail: Acrilico@mef.it



C O L O
R I C O L
O U R S

edizione 2001

LEACRIL® è un marchio registrato da
LEACRIL® is a registered trademark of

Montefibre

via Marco d'Aviano, 2
20131 Milano
Tel. 02.28008.1
Fax. 02.28008.385
E-mail: Acrilico@mef.it