

London

10 Aug 79

My dear Sir

With pleasure I send
you my notes upon the
species of *N. A. Fungi*

There are some which
are not in my herbarium

The figures are not
entirely sufficient in
all cases to speak with
certainty - as in the
Periza - which possibly
is Periza mollisæoides Schuz

I can see no difference

Yours Truly

Ch. M. Cooke

Cyphella perexigua S
sine sporis

potius = Cyphella virgultorum
Che. in friv. cups 1. mm
vel minoris

Sphaeria guccæ Schwz

is not Pleospora - so
that Pleospora guccæ Sacc
nec. Sphaeria guccæ Schwz


Melanomma macrascum S

Sporidia same as in
Sph. picastra (Fr) Schwz
in herb Berkeley - et
Sph. rhizophila Berk

I cannot find that I
have Rav. 626 although
I have nearly all from
n^o 200 to n^o 3000

Sph. picastra Fr! est ke. Curr. Hendersonia (an
aptus itezanoprius)
Sph. rhizophila B. & C. et Loxosoma
et Sphaeria rhizophila demis fucis.

Hysterium ^{eumorphum} formosum Sacc
nec. Hyst formosum Cke

 sporidia brown '04
x 012 in Hyst. biforme Fr

Scler. Suec no 329, not
Duby - to me it is the

same, which is found
in N. America - and

is the same in Herb Schwarz

<sup>a description of this Hyst. peritheciis regularly has subflexis
also info nec. central; defects sphaerium</sup>
Peziza exigua Sacc. nec.

Peziza exigua Cke
in Grevillea.

Figure insufficient to
determine

Ceuthospora lauri forma
Kalmiae =

Ceuthospora folii cola
var Kalmiae Cke in
Grevillea

Septoria Gossypii Sacc. is
to me = Phlyctaena
arcuata B & C. in Fevillea
II. 100

Discosia deflectens Sacc
= Discosia minima B & C

Coniothyrium inops Sacc
= Coniothyrium concentricum Sacc. forma
sparsum. see Rav. Fung
Amer. Ed Cke. very
variable species - often
scattered - on Yucca &
Agave - not distinct sp
Con. herbarum C & M. Grav. VI. p. 11)

Exosporium melampsoroides S.
non vidi

Helminthosporium arbuscula
B & C. on Magnolia
see Fevillea III p. 103

The rest to me unknown

Helm. arbuscula * H. trichellum
differs by the articulation of conidia; potius clavatis 13-14 septatis